

INLAND

Industrial Supply Ltd.



**PROUDLY
CANADIAN**

2022 CATALOGUE

Hand & Power Tools
Welding Consumables
Personal Protection Equipment

Contents

01 Abrasives	5	Tape	33
Arbors	6	Sealants	33
Combination Wheels	6	06 Lubricants & Fluids	35
Small Cut-Off Wheels	6	Lubricants	36
Cut-Off Wheels	7	Cutting Fluid	36
Grinding Wheels	8	07 Fleet & Automotive	37
Flap Discs	8	Diesel Exhaust Fluid	38
Backing Pad Assemblies	8	Brake Parts Cleaner	38
Sanding Discs	9	Lubricants	38
Hand Pads	9	Car Wash Cleaner	38
Threaded Power Brushes	10	Spray Protectant	38
Mounted Flap Wheels	10	Straps	39
Scratch Brushes	10	Beacons	39
Plug Wheels	10	Jerry Cans	39
Mounted Points	11	LED Whip Lights & Mounts	40
Files	12	08 Janitorial	41
02 Cutting & Demo Tools	13	Brooms, Mops & Accessories	42
Drill Bits & Sets	14	Spill Containment	43
Annular Cutters	15	Spill Trays	44
Pilot Pins	15	Paper Products	44
Circular Saw Blades	16	Towel Dispensers	45
Reciprocating Blades	16	Trash Bags, Cans & Lids	45
Jig Saw Blades	17	Rags	45
Band Saw Blades	17	Cigarette Butt Disposal	46
Carbide Burrs	18	Trigger Sprayer	46
Hole Saws & Accessories	20	Spray Bottle	46
Hole Saw Kits	20	Microfibre Cloths	46
SDS Plus Bits	21	Glass Cleaner	46
03 Lighting & Electrical	22	Cleaners & Disinfectants	46
Extension Cords	23	Restroom Supplies	48
LED Light Bulb	23	09 Paint & Painting Supplies	49
Male Plug & Female Connector	23	Painting Accessories	50
Worklights, Flashlights & Headlamps	23	Paint Markers	51
Batteries	26	Spray Paint	52
Heat Shrink Tubing	26	Traffic Markers	52
Cable Ties	26	10 Safety	53
04 Material Handling	27	Fire Extinguishers & Accessories	54
Tie Wire	28	Eye Wash	54
Pails & Lids	28	First Aid Kits	55
Tarpaulin	28	Padlocks	56
Steel Banding & Accessories	28	Tapes	56
Shrink Wrap	28	Worksite & Traffic	56
Ropes	28	Safety Glasses & Goggles	59
Hand Trucks	29	Lens Cleaning	60
Carts	30	Head & Face Protection	61
Pallet Jacks	30	Hearing Protection	63
Wheelbarrows	30	Respiratory Protection	63
Ladders	31	Hand Protection	67
Rakes & Shovels	31	Sashes & Bands	74
05 Adhesives, Sealants & Tapes	32	Vests	74
Adhesives	33		

Contents

Coveralls	77	13 Welding	137
Rain Jackets & Pants	77	Welding Blankets	138
Knee Pads	80	Water Soluble Paper & Tape	138
Safety Boots	80	Pads, Goggles & Jackets	138
3M™ DBI-SALA® Harnesses	81	Measuring Devices & Gauges	139
3M™ DBI-SALA® Lifeline Accessories ..	83	Rod Ovens	140
MSA Lanyards	84	Umbrella & Holder	140
MSA Harnesses	84	Curtains & Frames	141
Cables	84	Strikers	141
MSA Self-Retracting Lifelines	85	Electrode Holders	141
Peakworks Harnesses	86	Tip Cleaner	141
Peakworks Self-Retracting Lifelines ..	86	Chipping Hammer	142
Peakworks Carabiners	87	Pliers	142
Peakworks Roof Anchor Brackets	87	Flange Pins	142
Tool Tethering	87	Soapstone & Accessories	142
Peakworks Concrete Hole Anchor	87	Tips & Electrodes	142
Peakworks Drop-Through Anchors	87	Hoses	143
11 Tools & Equipment	89	Lens & Filters	143
1/4" Drive Sockets & Accessories	90	Chemicals	143
3/8" Drive Sockets & Accessories	91	Tiger Torch Assemblies	144
1/2" Drive Sockets & Accessories	95	Temperature Sticks	144
3/4" Drive Sockets & Accessories	99	Flashback Arrestors	144
1" Drive Sockets & Accessories	102	TIG Torches & Adapters	144
Wrenches & Handles	105	Cable Connector Sets	145
Hex Key Sets	110	ARC Centre Assemblies	145
Screwdrivers & Screwdriver Bits	111	Gougers	145
Pliers, Snips, Cutters & Clamps	114	14 Seasonal Summer	146
Punches & Chisels	117	Cooling Headbands & Headwear	147
Pry Bars	118	Cooling Vests & Packs	147
Hand Saws & Blades	118	Hydration Packs	148
Mirrors & Magnets	118	Coolers	148
Hammers	119	Fans	149
Knives & Accessories	120	Sunscreen	149
Tape Measures	121	Insect & Rodent Control	149
Scissors	121	Insect Repellent	149
Measuring & Layout Tools	122	Bear Spray, Holsters & Horns	150
Pick-Up Tools	123	Windshield Washer Fluid	150
Buckets & Tool Bags	124	15 Seasonal Winter	151
12 Power Tools	128	Ice Melt	152
Batteries & Chargers	129	Snow & Ice Removal	152
Impact Wrenches	130	Warming Packs	153
Milwaukee Grinders	131	Neck Warmers, Balaclavas & Toques ..	153
Drills & Drill Kits	131	Gloves	154
Nailer	131	Traction Aids	158
Saws & Stands	132	Portable Heaters	158
Sanders	135	Electrical Cords & Cables	159
Grease Guns	135	Windshield Washer Fluid	159
Rotary Hammers	135	Automotive Fluids	159
Heat Guns	135		
Makita Grinders	136		
Blower	136		

01 Abrasives



ARBORS



Arbors for small cut-off wheels.

ITEM NO.	DIA. "	BORE "	MAX. DIA. "
PFE69026	1/4	1/4	3
PFE69027	1/4	3/8	3

SMALL CUT-OFF WHEELS

SG STEELOX Type 1 - Flat

ITEM NO.	DIA. X THK. "	BORE "	TYPE	MAX. RPM
PFE69201	2 x .040	1/4	1	30,000
PFE69203	2 x .040	3/8	1	30,000
PFE69207	2 x .045	1/4	1	30,000
PFE69211	2 x .045	3/8	1	30,000
PFE69301	3 x .040	1/4	1	25,000
PFE69303	3 x .040	3/8	1	25,000
PFE69305	3 x .045	1/4	1	25,000
PFE69309	3 x .045	3/8	1	25,000



COMBINATION WHEELS



HP COMBO™

ITEM NO.	DIA. X THK. "	BORE "	TYPE	MAX. RPM
<i>7/8" Type 27 - Depressed Centre</i>				
WAL08B462	4-1/2 x 1/8	7/8	27	13,300
WAL08B512	5 x 1/8	7/8	27	12,200
WAL08B602	6 x 1/8	7/8	27	10,200
WAL08B712	7 x 1/8	7/8	27	8600
WAL08B912	9 x 1/8	7/8	27	6600



PSF DUODISC® STEELOX

ITEM NO.	DIA. X THK. "	BORE "	TYPE	MAX. RPM
<i>7/8" Type 27 - Depressed Centre</i>				
PFE63320	4-1/2 x .065	7/8	27	13,300
PFE63333	4-1/2 x 1/8	7/8	27	13,300
PFE63321	5 x .065	7/8	27	12,200
PFE63334	5 x 1/8	7/8	27	12,200
PFE63335	6 x 1/8	7/8	27	10,200
PFE63336	7 x 1/8	7/8	27	8500

Wheel & Box Label Information

- Information bar
- Safety Information
- EDP number
- Suitable for stainless steel (INOX)
- Colour bar referencing product line
- Material colour coding
- Material information



Cut-off Wheels,
Flap Discs &
Grinding Wheels

CUT-OFF WHEELS



ZIPCUT™

ITEM NO.	DIA. X THK. "	BORE "	TYPE	MAX. RPM
<i>7/8" Type 1 - Flat</i>				
WAL11T042	4-1/2 x 3/64	7/8	1	13,300
WAL11T052	5 x 3/64	7/8	1	12,200
WAL11T062	6 x 3/64	7/8	1	10,200
WAL11T072	7 x 1/16	7/8	1	8600
WAL11T092	9 x 5/64	7/8	1	6600



ZIPCUT™

ITEM NO.	DIA. X THK. "	BORE "	TYPE	MAX. RPM
<i>7/8" Type 27 - Depressed Centre</i>				
WAL11T142	4-1/2 x 3/64	7/8	27	13,300
WAL11T152	5 x 3/64	7/8	27	12,200
WAL11T162	6 x 3/64	7/8	27	10,200
WAL11T172	7 x 1/16	7/8	27	8600
WAL11T192	9 x 5/64	7/8	27	6600



SG STEELOX

ITEM NO.	DIA. X THK. "	BORE "	TYPE	MAX. RPM
<i>7/8" Type 1 - Flat</i>				
PFE69948	4-1/2 x .040	7/8	1	13,300
PFE63607	4-1/2 x .045	7/8	1	13,300
PFE69953	5 x .040	7/8	1	12,200
PFE63608	5 x .045	7/8	1	12,200
PFE63614	6 x .045	7/8	1	10,200
PFE63616	7 x .045	7/8	1	8500
PFE63609	7 x 3/32	7/8	1	8500
<i>7/8" Type 27 - Depressed Centre</i>				
PFE63167	4-1/2 x .045	7/8	27	13,300
PFE63202	4-1/2 x 3/32	7/8	27	13,300
PFE63204	4-1/2 x 1/8	7/8	27	13,300
PFE63168	5 x .045	7/8	27	12,200
PFE63205	5 x 3/32	7/8	27	12,200
PFE63206	5 x 1/8	7/8	27	12,200
PFE63169	6 x .045	7/8	27	10,200
PFE63208	6 x 3/32	7/8	27	10,200
PFE63170	7 x .045	7/8	27	8500
PFE63207	7 x 3/32	7/8	27	8500



SGP STEELOX

ITEM NO.	DIA. X THK. "	BORE "	TYPE	MAX. RPM
<i>7/8" Type 1 - Flat</i>				
PFE69817	4-1/2 x .030	7/8	1	13,300
PFE69845	4-1/2 x .040	7/8	1	13,300
PFE69846	4-1/2 x .045	7/8	1	13,300
PFE63635	4-1/2 x 3/32	7/8	1	13,300
PFE69818	5 x .030	7/8	1	12,200
PFE69855	5 x .040	7/8	1	12,200
PFE69857	5 x .045	7/8	1	12,200
PFE63636	5 x 3/32	7/8	1	12,200
PFE69865	6 x .045	7/8	1	10,200
PFE69872	7 x .045	7/8	1	8500
PFE63533	7 x 3/32	7/8	1	8500
PFE63637	7 x 1/8	7/8	1	8500
<i>7/8" Type 27 - Depressed Centre</i>				
PFE63172	4-1/2 x .045	7/8	27	13,300
PFE63231	4-1/2 x 3/32	7/8	27	13,300
PFE63173	5 x .045	7/8	27	12,200
PFE63233	5 x 3/32	7/8	27	12,200
PFE63174	6 x .045	7/8	27	10,200
PFE63175	7 x .045	7/8	27	8500
PFE63235	7 x 3/32	7/8	27	8500

GRINDING WHEELS



ALLSTEEL XTRA™

ITEM NO.	DIA. X THK. "	BORE "	TYPE	MAX. RPM
<i>7/8" Type 27 - Depressed Centre</i>				
WAL08C452	4-1/2 x 1/8	7/8	27	13,300
WAL08C502	5 x 1/8	7/8	27	12,200
WAL08C602	6 x 1/8	7/8	27	10,200
WAL08C702	7 x 1/8	7/8	27	8600
WAL08C902	9 x 1/8	7/8	27	6600
WAL08C450	4-1/2 x 1/4	7/8	27	13,300
WAL08C500	5 x 1/4	7/8	27	12,200
WAL08C600	6 x 1/4	7/8	27	10,200
WAL08C700	7 x 1/4	7/8	27	8600
WAL08C900	9 x 1/4	7/8	27	6600



Cubitron™ II

ITEM NO.	DIA. X THK. "	BORE "	TYPE	MAX. RPM
<i>7/8" Type 27 - Depressed Centre</i>				
MMM78467-Q	5 x 1/4	7/8	T27	12,250
MMM64314-Q	6 x 1/4	7/8	T27	10,200
MMM64315-Q	7 x 1/4	7/8	T27	8500



SG STEEL

ITEM NO.	DIA. X THK. "	BORE "	TYPE	MAX. RPM
<i>7/8" Type 27 - Depressed Centre</i>				
PFE61026	4-1/2 x 1/4	7/8	27	13,300
PFE61028	5 x 1/4	7/8	27	12,200
PFE61030	6 x 1/4	7/8	27	10,200
PFE61032	7 x 1/4	7/8	27	8500
PFE63400	4-1/2 x 1/8	7/8	27	13,300
PFE63406	5 x 1/8	7/8	27	12,200
PFE63399	6 x 1/8	7/8	27	10,200
PFE63401	7" x 1/8	7/8	27	8500

FLAP DISCS



Polifan®

ITEM NO.	DIA. X THK. "	GRIT SIZE	TYPE	MAX. RPM
<i>7/8" Type 29 - Curved</i>				
PFE60625	4-1/2 x 7/8	36	29	13,300
PFE60626	4-1/2 x 7/8	40	29	13,300
PFE60628	4-1/2 x 7/8	60	29	13,300
PFE60629	4-1/2 x 7/8	80	29	13,300
PFE60630	4-1/2 x 7/8	120	29	13,300
PFE60632	5 x 7/8	36	29	12,200
PFE60633	5 x 7/8	40	29	12,200
PFE60635	5 x 7/8	60	29	12,200
PFE60636	5 x 7/8	80	29	12,200
PFE60637	5 x 7/8	120	29	12,200
PFE60639	6 x 7/8	36	29	10,200
PFE60640	6 x 7/8	40	29	10,200
PFE60642	6 x 7/8	60	29	10,200
PFE60643	6 x 7/8	80	29	10,200
PFE60644	6 x 7/8	120	29	10,200
PFE60646	7 x 7/8	36	29	8500
PFE60647	7 x 7/8	40	29	8500
PFE60649	7 x 7/8	60	29	8500


BACKING PAD ASSEMBLIES



Orange backing pads. High impact resistant plastic.

ITEM NO.	DIA. X THD. "	MAX. RPM
WAL15D030	4 x 5/8 - 11	15,000
WAL15D044	4-1/2 x 5/8 - 11	13,300
WAL15D054	5 x 5/8 - 11	12,000
WAL15D064	6 x 5/8 - 11	10,000
WAL15D027	7 x 5/8 - 11	8,600

SANDING DISCS



COOLCUT™

General purpose sanding. Light weld removal. Surface cleaning and finishing.

ITEM NO.	DIA. "	BORE"	GRIT
WAL15C452	4-1/2	7/8	24
WAL15C453	4-1/2	7/8	36
WAL15C454	4-1/2	7/8	40
WAL15C455	4-1/2	7/8	50
WAL15C456	4-1/2	7/8	60
WAL15C458	4-1/2	7/8	80
WAL15C460	4-1/2	7/8	100
WAL15C462	4-1/2	7/8	120
WAL15C502	5	7/8	24
WAL15C503	5	7/8	36
WAL15C504	5	7/8	40
WAL15C505	5	7/8	50

ITEM NO.	DIA. "	BORE "	GRIT
WAL15C506	5	7/8	60
WAL15C508	5	7/8	80
WAL15C510	5	7/8	100
WAL15C512	5	7/8	120
WAL15C702	7	7/8	24
WAL15C703	7	7/8	36
WAL15C704	7	7/8	40
WAL15C705	7	7/8	50
WAL15C706	7	7/8	60
WAL15C708	7	7/8	80
WAL15C710	7	7/8	100
WAL15C712	7	7/8	120



COOLCUT XX™

Uses Cyclone™ Technology to aggressively remove material.

ITEM NO.	DIA. "	BORE "	GRIT
WAL15X452	4-1/2	7/8	24
WAL15X453	4-1/2	7/8	36
WAL15X455	4-1/2	7/8	50
WAL15X456	4-1/2	7/8	60
WAL15X458	4-1/2	7/8	80
WAL15X460	4-1/2	7/8	100
WAL15X462	4-1/2	7/8	120
WAL15X502	5	7/8	24
WAL15X503	5	7/8	36
WAL15X505	5	7/8	50
WAL15X506	5	7/8	60
WAL15X508	5	7/8	80
WAL15X510	5	7/8	100
WAL15X512	5	7/8	120

ITEM NO.	DIA. "	BORE "	GRIT
WAL15X602	6	7/8	24
WAL15X603	6	7/8	36
WAL15X605	6	7/8	50
WAL15X606	6	7/8	60
WAL15X608	6	7/8	80
WAL15X610	6	7/8	100
WAL15X612	6	7/8	120
WAL15X702	7	7/8	24
WAL15X703	7	7/8	36
WAL15X705	7	7/8	50
WAL15X706	7	7/8	60
WAL15X708	7	7/8	80
WAL15X710	7	7/8	100
WAL15X712	7	7/8	120

HAND PADS



POLINOX®

Recommended for very fine grinding on small to large surfaces and contours, and for manually cleaning metal and painted surfaces. Achieve matte and satin-finished surfaces. Highly open structure.



ITEM NO.	DIM. "	GRADE	GRIT	COLOUR
PFE44600	6 x 9	General Purpose	180	Maroon
PFE44606	6 x 9	Medium	100	Tan
PFE44609	6 x 9	Ultra Fine	400	Grey
PFE44613	6 x 9	Food Service	180	Green

THREADED POWER BRUSHES



Most aggressive brushing action, perfect for heavy-duty brushing in pipeline and container construction.

ITEM NO.	DIA. X THD. "	WIRE DIA.	KNOTS	MAT.	OPTIMAL RPM	MAX. RPM
Stringer Beat Twist COMBITWIST®						
PFE82391	4 x 5/8-11	.020	32	CS	10,000 - 15,000	20,000
PFE82689	5 x 5/8-11	.020	48	CS	7500 - 15,000	15,000
PFE82694	6 x 5/8-11	.020	56	CS	6000 - 12,500	12,500
Stringer Bead Twist						
PFE82186	4 x 5/8-11	.020	32	CS	10,000 - 15,000	20,000
PFE82479	5 x 5/8-11	.020	38	CS	7500 - 15,000	15,000
PFE82486	6 x 5/8-11	.020	40	CS	6000 - 12,500	12,500
PFE82307	4 x 5/8-11	.020	32	SS	8000 - 15,000	20,000
PFE82604	5 x 5/8-11	.020	38	SS	6000 - 15,000	15,000
PFE82613	6 x 5/8-11	.020	56	SS	5,000 - 12,500	12,500

MOUNTED FLAP WHEELS



Aluminum Oxide A

ITEM NO.	DIA. X HT. "	SHANK DIA. "	GRIT SIZE	RECOM. RPM FROM	MAX. RPM
PFE45184	1 x 1	1/4	60	15,000	25,000
PFE45185	1 x 1	1/4	80	15,000	25,000
PFE45186	1 x 1	1/4	120	15,000	25,000
PFE45232	1-1/2 x 1	1/4	60	9600	23,000
PFE45233	1-1/2 x 1	1/4	80	9600	23,000
PFE45234	1-1/2 x 1	1/4	120	9600	23,000
PFE45238	2 x 1	1/4	60	7000	23,000
PFE45239	2 x 1	1/4	80	7000	23,000
PFE45240	2 x 1	1/4	120	7000	23,000
PFE45208	3 x 1	1/4	60	4800	20,000
PFE45209	3 x 1	1/4	80	4800	20,000
PFE45210	3 x 1	1/4	120	4800	20,000

SCRATCH BRUSHES



PFE85048



PFE85050



PFE85054



PFE85055

ITEM NO.	MAT.	LENGTH "	WIDTH "	WIRE DIA.	ROWS
PFE85048	CS	1-3/16	6	.012	4 x 18
PFE85050	SS	1-3/16	6	.012	4 x 18
PFE85054	CS	1/2	1-1/2	.006	3 x 7
PFE85055	SS	1/2	1-1/2	.006	3 x 7


PLUG WHEELS



For use on all steel, steel alloys and irons.

ITEM NO.	SIZE X LENGTH X ARBOR "	TYPE	MAX. RPM
PREAD1005	1-1/4 x 3 x 5/8 11NC	T16	29,030
PREAD1015	1-1/2 x 3 x 5/8 11NC	T16	24,192
PREAD1040	2 x 3 x 5/8 11NC	T16	18,144
PREAD1070	2-3/4 x 3-1/2 x 5/8 11NC	T16	13,195
PREAD1075	3 x 4 x 5/8 11NC	T16	12,096
PREAD1010	1-1/4 x 3 x 5/8 11NC	T18	29,030
PREAD1025	1-1/2 x 3 x 5/8 11NC	T18	24,192
PREAD1050	2 x 3 x 5/8 11NC	T18	18,144
PREAD1060	2 x 4 x 5/8 11NC	T18	18,144
PREAD1080	3 x 4 x 5/8 11NC	T18	12,096
PREAD1030	1-1/2 x 3 x 5/8 11NC	T18R	24,192
PREAD1055	2 x 3 x 5/8 11NC	T18R	18,144
PREAD1065	2 x 4 x 5/8 11NC	T18R	18,144
PREAD1085	3 x 4 x 5/8 11NC	T18R	12,096

MOUNTED POINTS



A Shape

ITEM NO.	SHAPE	DIA. X LENGTH "	MAX. RPM
PREAG1001	A1	3/4 x 2-1/2	19,800
PREAG1011	A2	1 x 1-1/4	38,200
PREAG1022	A3 WHITE	1 x 2-3/4	16,100
PREAG1023	A3 PINK	1 x 2-3/4	16,100
PREAG1031	A4	1-1/4 x 1-1/4	30,560
PREAG1041	A5	3/4 x 1-1/8	45,000
PREAG1051	A6	3/4 x 1-1/8	39,000
PREAG1061	A11	7/8 x 2	19,860
PREAG1071	A12	11/16 x 1-1/4	48,000
PREAG1081	A13	1-1/8 x 1-1/8	33,950
PREAG1091	A14	11/16 x 7/8	55,560
PREAG1101	A15	1/4 x 1-1/16	72,750
PREAG1111	A21	1 x 1	34,500
PREAG1121	A22	3/4 x 5/8	50,930
PREAG1131	A23	3/4 x 1	39,370
PREAG1141	A24	1/4 x 3/4	76,500
PREAG1151	A25	1 x 1	35,620
PREAG1161	A26	5/8 x 5/8	61,120
PREAG1171	A31	1-3/8 x 1	27,780
PREAG1181	A32	1 x 5/8	38,200
PREAG1201	A34	1-1/2 x 3/8	25,470
PREAG1211	A35	1 x 3/8	38,200
PREAG1221	A36	1-5/8 x 3/8	23,520
PREAG1231	A37	1-1/4 x 1/4	30,560
PREAG1241	A38	1 x 1	34,500
PREAG1251	A39	3/4 x 3/4	47,250
PREAG1261	A40	3/4 x 3/4	47,250



B Shape

ITEM NO.	SHAPE	DIA. X LENGTH "	MAX. RPM
PREAG1315	B44	7/32 x 3/8	68,400
PREAG1320	B45	3/16 x 5/16	104,250
PREAG1325	B46	1/8 x 5/16	105,000
PREAG1340	B52	3/8 x 3/4	45,370
PREAG1385	B70	3/4 x 1/8	50,930
PREAG1390	B71	5/8 x 3/32	61,120
PREAG1530	B121	1/2 x 1/2	45,370
PREAG1535	B122	3/8 x 3/8	61,650
PREAG1540	B123	3/16 x 3/16	104,250
PREAG1545	B124	1/8 x 1/8	105,000
PREAG1550	B131	1/2 x 1/2	34,500
PREAG1570	B135	1/4 x 1/2	60,000



MOUNTED POINTS continued



W Shape

ITEM NO.	SHAPE	DIA. X LENGTH "	MAX. RPM
PREAG1841	W170	5/16 x 1/2	93,750
PREAG1851	W171	5/16 x 3/4	66,285
PREAG1891	W175	3/8 x 3/8	96,430
PREAG1901	W176	3/8 x 1/2	81,000
PREAG1921	W178	3/8 x 1	55,200
PREAG1931	W179	3/8 x 1-1/4	45,750
PREAG1981	W185	1/2 x 1/2	61,500
PREAG1991	W186	1/2 x 3/4	51,000
PREAG2001	W187	1/2 x 1	40,500
PREAG2011	W188	1/2 x 1-1/2	30,370
PREAG2021	W189	1/2 x 2	24,000
PREAG2091	W196	5/8 x 1	35,250
PREAG2101	W197	5/8 x 2	21,000
PREAG2151	W202	3/4 x 3/8	50,930
PREAG2161	W203	3/4 x 1/2	50,930
PREAG2171	W204	3/4 x 3/4	42,750
PREAG2181	W205	3/4 x 1	34,500
PREAG2191	W206	3/4 x 1-1/4	28,720
PREAG2211	W208	3/4 x 2	18,750
PREAG2281	W215	1 x 1/8	38,200
PREAG2301	W217	1 x 3/8	38,200
PREAG2311	W218	1 x 1/2	38,200
PREAG2321	W219	1 x 3/4	35,100
PREAG2331	W220	1 x 1	25,500
PREAG2341	W221	1 x 1-1/2	19,120
PREAG2351	W222	1 x 2	15,900
PREAG2361	W223	1 x 2-1/2	12,370
PREAG2381	W225	1-1/4 x 1/4	30,560
PREAG2411	W228	1-1/4 x 3/4	30,520
PREAG2421	W229	1-1/4 x 1	24,000
PREAG2431	W230	1-1/4 x 1-1/4	20,400
PREAG2481	W235	1-1/2 x 1/4	25,470
PREAG2491	W236	1-1/2 x 1/2	25,470
PREAG2501	W237	1-1/2 X 1	22,500
PREAG2511	W238	1-1/2 x 1-1/2	15,600
PREAG2551	W242	2 x 1	19,100
PREAG2561	W243	2 x 1-1/2	14,500
PREAG2334	W220 GREEN	1 x 1	25,500

FILES



- Flat files with regular square section tapering off in width and thickness toward the point.
- Half round files, rounded on one side, flat on the opposite.
- Round files have a round section that tapers toward the point.

ITEM NO.	TYPE	LENGTH "	BASTARD	SECOND	SMOOTH
PFE11004	Flat	6	✓		
PFE11007	Flat	8	✓		
PFE11010	Flat	10	✓		
PFE11013	Flat	12	✓		
PFE11016	Flat	14	✓		
PFE11005	Flat	6		✓	
PFE11008	Flat	8		✓	
PFE11011	Flat	10		✓	
PFE11014	Flat	12		✓	
PFE11006	Flat	6			✓
PFE11009	Flat	8			✓
PFE11012	Flat	10			✓
PFE11015	Flat	12			✓
PFE11020	Half round	6	✓		
PFE11023	Half round	8	✓		
PFE11026	Half round	10	✓		
PFE11029	Half round	12	✓		
PFE11155	Half round	14	✓		
PFE11021	Half round	6		✓	
PFE11024	Half round	8		✓	
PFE11027	Half round	10		✓	
PFE11030	Half round	12		✓	
PFE11022	Half round	6			✓
PFE11025	Half round	8			✓
PFE11028	Half round	10			✓
PFE11031	Half round	12			✓
PFE11064	Round	6	✓		
PFE11067	Round	8	✓		
PFE11070	Round	10	✓		
PFE11073	Round	12	✓		
PFE11065	Round	6		✓	
PFE11068	Round	8		✓	
PFE11071	Round	10		✓	
PFE11074	Round	12		✓	
PFE11066	Round	6			✓
PFE11069	Round	8			✓
PFE11072	Round	10			✓
PFE11075	Round	12			✓

02 Cutting & Demo Tools



02 Cutting & Demo Tools

DRILL BITS & SETS



Jobber drill sets in high speed steel with black oxide finish. 118° point, straight shank.

ITEM NO.	SIZE "	QTY.
DCT200A15	1/16-1/2 by 32 ^{nds}	15
DCT200A21	1/16-3/8 by 64 ^{ths}	21
DCT200A29	1/16-1/2 by 64 ^{ths}	29
DCT200AW29	1/16-1/2 by 64 ^{ths}	29



DCT200A15



DCT200A21



DCT200A29



DCT200AW29



Jobber drill bits with straight shank.

ITEM NO.	SIZE "	POINT	ITEM NO.	SIZE "	POINT
DCT400N104	1/16	135°	DCT400N118	9/32	135°
DCT400N105	5/64	135°	DCT400N119	19/64	135°
DCT400N106	3/32	135°	DCT400N120	5/16	135°
DCT400N107	7/64	135°	DCT400N121	21/64	135°
DCT400N108	1/8	135°	DCT400N122	11/32	135°
DCT400N109	9/64	135°	DCT400N123	23/64	135°
DCT400N110	5/32	135°	DCT400N124	3/8	135°
DCT400N111	11/64	135°	DCT400N125	25/64	135°
DCT400N112	3/16	135°	DCT400N126	13/32	135°
DCT400N113	13/64	135°	DCT400N127	27/64	135°
DCT400N114	7/32	135°	DCT400N128	7/16	135°
DCT400N115	15/64	135°	DCT400N129	29/64	135°
DCT400N116	1/4	135°	DCT400N130	15/32	135°
DCT400N117	17/64	135°	DCT400N131	31/64	135°



Drillco Prentice drill bits.

ITEM NO.	SIZE "	POINT	ITEM NO.	SIZE "	POINT
DCT1000E133	33/64	118°	DCT1000E158	29/32	118°
DCT1000E134	17/32	118°	DCT1000E159	59/64	118°
DCT1000E135	35/64	118°	DCT1000E160	15/16	118°
DCT1000E136	9/16	118°	DCT1000E161	61/64	118°
DCT1000E137	37/64	118°	DCT1000E162	31/32	118°
DCT1000E138	19/32	118°	DCT1000E163	63/64	118°
DCT1000E139	39/64	118°	DCT1000E164	1	118°
DCT1000E140	5/8	118°	DCT1000E202	1-1/32	118°
DCT1000E141	41/64	118°	DCT1000E204	1-1/16	118°
DCT1000E142	21/32	118°	DCT1000E206	1-3/32	118°
DCT1000E143	43/64	118°	DCT1000E208	1-1/8	118°
DCT1000E144	11/16	118°	DCT1000E210	1-5/32	118°
DCT1000E145	45/64	118°	DCT1000E212	1-3/16	118°
DCT1000E146	23/32	118°	DCT1000E214	1-7/32	118°
DCT1000E147	47/64	118°	DCT1000E216	1-1/4	118°
DCT1000E148	3/4	118°	DCT1000E218	1-9/32	118°
DCT1000E149	49/64	118°	DCT1000E219	1-19/64	118°
DCT1000E150	25/32	118°	DCT1000E220	1-5/16	118°
DCT1000E151	51/64	118°	DCT1000E221	1-21/64	118°
DCT1000E152	13/16	118°	DCT1000E222	1-11/32	118°
DCT1000E153	53/64	118°	DCT1000E224	1-3/8	118°
DCT1000E154	27/32	118°	DCT1000E226	1-13/32	118°
DCT1000E155	55/64	118°	DCT1000E228	1-7/16	118°
DCT1000E156	7/8	118°	DCT1000E230	1-15/32	118°
DCT1000E157	57/64	118°	DCT1000E232	1-1/2	118°



Drillco multi-step drills bits.

ITEM NO.	SIZE "
DCT890A001	1/8 to 1/2
DCT890A002	3/16 to 1/2
DCT890A003	1/4 to 3/4
DCT890A004	3/16 to 7/8
DCT890A005	1/4 to 1-3/8

ANNULAR CUTTERS



Ultra-Kut™ Gold Annular Cutters.

ITEM NO. / P/N 1" DOC	ITEM NO. / P/N 2" DOC	CUTTER DIA. "	DECIMAL EQUIVALENT
PREUA0059	PREUA0159	Use with Pilot	
PREUA0000	PREUA0100	7/16	0.4375
PREUA0002	PREUA0102	1/2	0.5
PREUA0060	PREUA0160	Use with Pilot	
PREUA0003	PREUA0103	9/16	0.5625
PREUA0005	PREUA0105	5/8	0.625
PREUA0006	PREUA0106	11/16	0.6875
PREUA0008	PREUA0108	3/4	0.75
PREUA0010	PREUA0110	13/16	0.8125
PREUA0011	PREUA0111	7/8	0.875
PREUA0013	PREUA0113	15/16	0.9375
PREUA0014	PREUA0114	1	1
PREUA0016	PREUA0116	1-1/16	1.0625
PREUA0018	PREUA0118	1-1/8	1.125
PREUA0019	PREUA0119	1-3/16	1.1875
PREUA0021	PREUA0121	1-1/4	1.25
PREUA0022	PREUA0122	1-5/16	1.3125
PREUA0024	PREUA0124	1-3/8	1.375
PREUA0026	PREUA0126	1-7/16	1.4375
PREUA0027	PREUA0127	1-1/2	1.5
PREUA0029	PREUA0129	1-9/16	1.5625
PREUA0030	PREUA0130	1-5/8	1.625
PREUA0032	PREUA0132	1-11/16	1.6875
PREUA0033	PREUA0133	1-3/4	1.75
PREUA0035	PREUA0135	1-13/16	1.8125
PREUA0037	PREUA0137	1-7/8	1.875
PREUA0039	PREUA0139	1-15/16	1.9375
PREUA0040	PREUA0140	2	2
	PREUA0141	2-1/16	2.0625
	PREUA0143	2-1/8	2.125
	PREUA0145	2-3/16	2.1875
	PREUA0146	2-1/4	2.25
	PREUA0148	2-5/16	2.3125
	PREUA0149	2-3/8	2.375



High speed steel annular cutters comes with multipurpose 3/4" Weldon shank.

ITEM NO. / P/N 2" DOC	CUTTER DIA. "	DECIMAL EQUIVALENT	ITEM NO. / P/N 2" DOC	CUTTER DIA. "	DECIMAL EQUIVALENT
MIL49-59-2050	1/2	0.5	MIL49-59-2144	1-7/16	1.4375
MIL49-59-2056	9/16	0.5625	MIL49-59-2150	1-1/2	1.5
MIL49-59-2063	5/8	0.625	MIL49-59-2156	1-9/16	1.5625
MIL49-59-2069	11/16	0.6875	MIL49-59-2163	1-5/8	1.625
MIL49-59-2075	3/4	.75	MIL49-59-2169	1-11/16	1.6875
MIL49-59-2081	13/16	0.8125	MIL49-59-2175	1-3/4	1.75
MIL49-59-2089	7/8	0.875	MIL49-59-2181	1-13/16	1.8125
MIL49-59-2094	15/16	0.9375	MIL49-59-2188	1-7/8	1.875
MIL49-59-2100	1	1	MIL49-59-2194	1-15/16	1.9375
MIL49-59-2106	1-1/16	1.0625	MIL49-59-2200	2	2
MIL49-59-2113	1-1/8	1.125	MIL49-59-2206	2-1/16	2.0625
MIL49-59-2119	1-3/16	1.1875	MIL49-59-2212	2-1/8	2.125
MIL49-59-2125	1-1/4	1.25	MIL49-59-2218	2-3/16	2.1875
MIL49-59-2131	1-5/16	1.3125	MIL49-59-2225	2-1/4	2.25
MIL49-59-2138	1-3/8	1/375			

PILOT PINS



Milwaukee® 2" retractable pilot pin.

ITEM NO.	LENGTH "	QTY.
MIL49-59-0012	2	2/Pk



ITEM NO.	COMPATIBILITY "	LENGTH "
PREUA0059	7/16 and 1/2	1
PREUA0060	9/16 and up	1
PREUA0159	7/16 and 1/2	2
PREUA0160	9/16 and up	2



CIRCULAR SAW BLADES



Metal and wood.

ITEM NO.	DIA. "	TPI	APPLICATION
MIL48-40-0620	6-1/2	24	Framing
MIL48-40-0622	6-1/2	40	Fine Finish
MIL48-40-0710	7-1/4	24	Framing
MIL48-40-0726	7-1/4	40	Fine Finish
MIL48-40-4515	8	42	Metal/Stainless
MIL48-40-4520	8	50	Metal/Stainless
MIL48-40-1024	10	40	General Purpose
MIL48-40-1028	10	60	Fine Finish
MIL48-40-1036	10	60	General Purpose/Fine Finish
MIL48-40-1038	10-1/4	28	Framing
MIL48-40-1220	12	44	General Purpose
MIL48-40-1228	12	100	Ultra Fine Finish
MIL48-40-4505	14	72	Metal/Stainless



Looking for a saw? See our **POWER TOOLS**, page 132.



RECIPROCATING BLADES



The Torch™

The Torch™ Sawzall® blades.

ITEM NO.	LENGTH "	TPI	QTY.
MIL48-00-5712	6	10	5/Pk
MIL48-00-5713	9	10	5/Pk
MIL48-00-5714	12	10	5/Pk
MIL48-00-5782	6	14	5/Pk
MIL48-00-5787	9	14	5/Pk
MIL48-00-5794	12	14	5/Pk
MIL48-00-5784	6	18	5/Pk
MIL48-00-5788	9	18	5/Pk
MIL48-00-5789	12	18	5/Pk
MIL48-00-5786	6	24	5/Pk
MIL48-00-5790	9	24	5/Pk
MIL48-00-5791	12	24	5/Pk



The Torch™ Ice Hardened

The Torch™ Ice Hardened Sawzall® blades.

ITEM NO.	LENGTH "	TPI	QTY.
MIL48-00-4712	6	10	5/Pk
MIL48-00-4713	9	10	5/Pk
MIL48-00-4782	6	14	5/Pk
MIL48-00-4787	9	14	5/Pk
MIL48-00-4784	6	18	5/Pk
MIL48-00-4788	9	18	5/Pk



The Wrecker™

WRECKER™ multi-material Sawzall® blades.

ITEM NO.	LENGTH "	TPI	QTY.
MIL48-00-5701	6	7/11	5/Pk
MIL48-00-5706	9	7/11	5/Pk
MIL48-00-5711	12	7/11	5/Pk



Ice Hardened™ Thin Kerf

Ice Hardened™ Thin Kerf Sawzall® blades.

ITEM NO.	LENGTH "	TPI	QTY.
MIL48-00-4091	6	8/12	5/Pk
MIL48-00-4093	8	8/12	5/Pk
MIL48-00-4182	6	14	5/Pk
MIL48-00-4187	9	14	5/Pk
MIL48-00-4184	6	18	5/Pk
MIL48-00-4188	9	18	5/Pk
MIL48-00-4189	12	18	5/Pk
MIL48-00-4186	6	24	5/Pk



Thin Kerf

Thin Kerf Sawzall® blades.

ITEM NO.	LENGTH "	TPI	QTY.
MIL48-00-5181	4	14	5/Pk
MIL48-00-5182	6	14	5/Pk
MIL48-00-5187	9	14	5/Pk
MIL48-00-5183	4	18	5/Pk
MIL48-00-5184	6	18	5/Pk
MIL48-00-5188	9	18	5/Pk
MIL48-00-5189	12	18	5/Pk
MIL48-00-5185	4	24	5/Pk
MIL48-00-5186	6	24	5/Pk



The Ax™

Ax™ nail embedded wood Sawzall® blades.

ITEM NO.	LENGTH "	TPI	QTY.
MIL48-00-5021	6	5	5/Pk
MIL48-00-5026	9	5	5/Pk
MIL48-00-5027	12	5	5/Pk

JIG SAW BLADES



Wood cutting jig saw blades.

ITEM NO.	LENGTH "	TPI	SHANK	QTY.
MIL48-42-2385	2-3/4	20	U	5/Pk
MIL48-42-0200	4	6	U	5/Pk
MIL48-42-2311	4	10	U	5/Pk
MIL48-42-5390	3	12	T	5/Pk
MIL48-42-5385	3	20	T	5/Pk
MIL48-42-5302	4	6	T	5/Pk
MIL48-42-5311	4	10	T	5/Pk

See our great selection of Milwaukee products, including Recip Saws on page 133.



General purpose jig saw blades.


ITEM NO.	LENGTH "	TPI	SHANK	QTY.
MIL48-42-0650	2-3/4	12	U	5/Pk
MIL48-42-0240	3-1/8	8	U	5/Pk
MIL48-42-0512	3-5/8	6	U	5/Pk
MIL48-42-0540	3-5/8	10	U	5/Pk
MIL48-42-0421	4	6	U	5/Pk
MIL48-42-0500	4	6	U	5/Pk
MIL48-42-0220	4	8	U	5/Pk
MIL48-42-0640	4	10	U	5/Pk
MIL48-42-2310	4-1/8	10	U	5/Pk
MIL48-42-5640	3	12	T	5/Pk
MIL48-42-5500	4	6	T	5/Pk
MIL48-42-5220	4	8	T	5/Pk
MIL48-42-5540	4	10	T	5/Pk



Metal cutting jig saw blades.

ITEM NO.	LENGTH "	TPI	SHANK	QTY.
MIL48-42-0101	2-3/4	14	U	5/Pk
MIL48-42-2120	2-3/4	18	U	5/Pk
MIL48-42-2160	2-3/4	24	U	5/Pk
MIL48-42-2190	3-5/8	14	U	5/Pk
MIL48-42-0850	4	8	U	5/Pk
MIL48-42-2192	5	14	U	5/Pk
MIL48-42-2166	5	24	U	5/Pk
MIL48-42-5190	3	14	T	5/Pk
MIL48-42-5121	3	18	T	5/Pk
MIL48-42-5161	3	24	T	5/Pk
MIL48-42-5850	4	8	T	5/Pk
MIL48-42-5192	5-1/4	14	T	5/Pk
MIL48-42-5166	5-1/4	24	T	5/Pk

BAND SAW BLADES



Portable band saw blades cut a variety of metal including strut, conduit, angle iron, copper, threaded rod and pipe.

ITEM NO.	LENGTH "	TPI	SHANK	QTY.
MIL48-39-0500	44-7/8	10	Thick Metal	1
MIL48-39-0501	44-7/8	10	Thick Metal	3/Pk
MIL48-39-0550	44-7/8	10/14	Thick Metal	1
MIL48-39-0551	44-7/8	10/14	Thick Metal	3/Pk
MIL48-39-0510	44-7/8	14	Thick Metal	1
MIL48-39-0511	44-7/8	14	Thick Metal	3/Pk
MIL48-39-0520	44-7/8	18	Thin Metal	1
MIL48-39-0521	44-7/8	18	Thin Metal	3/Pk
MIL48-39-0530	44-7/8	24	Thin Metal	1
MIL48-39-0531	44-7/8	24	Thin Metal	3/Pk



M18™ FUEL™ Deep Cut Band Saw Kit
Item No. MIL2729-22, page 132

CARBIDE BURRS

1-3/4" standard length with 1/4" shank. 6" overall length with 1/4" shank. CNC machined from high quality tungsten carbide.



Cylinder A-shaped carbide burrs are used for interior contour work, such as peripheral and face milling.

DIA. X LENGTH "	DOUBLE CUT (D/C)	6" LENGTH D/C	FAST MILL CUT (FMC)
1/8 x 5/8	PRESA12DC		
3/16 x 5/8	PRESA14DC		
3/4 x 3/4	PRESA16DC		
1/4 x 5/8	PRESA1DC	PRESA1DC6OAL	PRESA1FMC
1/4 x 1	PRESA1ADC		
5/16 x 3/4	PRESA2DC		
5/16 x 1	PRESA2ADC		
3/8 x 3/4	PRESA3DC	PRESA3DC6OAL	PRESA3FMC
3/8 x 1	PRESA3ADC		
7/16 x 1	PRESA4DC		
1/2 x 1	PRESA5DC	PRESA5DC6OAL	PRESA5FMC
5/8 x 1	PRESA6DC		
3/4 x 1	PRESA7DC		
1 x 1	PRESA9DC		



Cylinder end Cut B-shaped carbide burrs are used for interior contour work such as peripheral and face milling.

DIA. X LENGTH "	DOUBLE CUT (D/C)	6" LENGTH D/C	FAST MILL CUT (FMC)
1/8 x 5/8	PRESB12DC		
3/16 x 5/8	PRESB14DC		
1/4 x 5/8	PRESB1DC	PRESB1DC6OAL	
1/4 x 1	PRESB1ADC		
5/16 x 3/4	PRESB2DC		
5/16 x 1	PRESB2ADC		
3/8 x 3/4	PRESB3DC	PRESB3DC6OAL	PRESB3FMC
3/8 x 1	PRESB3ADC		
7/16 x 1	PRESB4DC		
1/2 x 1	PRESB5DC	PRESB5DC6OAL	PRESB5FMC
5/8 x 1	PRESB6DC		
3/4 x 3/4	PRESB16DC		
3/4 x 1	PRESB7DC		
1 x 1	PRESB9DC		



Cylinder ball end C-shaped carbide burrs are used for surface milling and contour work.

DIA. X LENGTH "	DOUBLE CUT (D/C)	6" LENGTH D/C	FAST MILL CUT (FMC)
1/8 x 5/8	PRESA12DC		
3/16 x 5/8	PRESA14DC		
1/4 x 5/8	PRESA1DC	PRESA1DC6OAL	PRESA1FMC
1/4 x 1	PRESA1ADC		
5/16 x 3/4	PRESA2DC		
5/16 x 1	PRESA2ADC		
3/8 x 3/4	PRESA3DC	PRESA3DC6OAL	PRESA3FMC
3/8 x 1	PRESA3ADC		
7/16 x 1	PRESA4DC		
1/2 x 1	PRESA5DC	PRESA5DC6OAL	PRESA5FMC
5/8 x 1	PRESA6DC		
3/4 x 1	PRESA7DC		



Ball nose D-shaped carbide burrs are used for contouring, bore deburring and milling in preparation of build-up welding.

DIA. X LENGTH "	DOUBLE CUT (D/C)	6" LENGTH D/C	FAST MILL CUT (FMC)
1/8	PRESD12DC		
3/16	PRESD14DC		
1/4	PRESD1DC	PRESD1DC6OAL	
5/16	PRESD2DC		
3/8	PRESD3DC	PRESD3DC6OAL	PRESD3FMC
7/16	PRESD4DC		
1/2	PRESD5DC	PRESD5DC6OAL	PRESD5FMC
5/8	PRESD6DC		
3/4	PRESD7DC		
1	PRESD9DC		

CARBIDE BURRS continued



Oval E-shaped carbide burrs are used for contouring.

DIA. X LENGTH "	DOUBLE CUT (D/C)	6" LENGTH D/C	FAST MILL CUT (FMC)
1/4 x 3/8	PRESE1DC	PRESE1DC6OAL	
1/4 x 1/2	PRESE1ADC		
3/8 x 5/8	PRESE3DC	PRESE3DC6OAL	PRESE3FMC
1/2 x 7/8	PRESE5DC	PRESE5DC6OAL	PRESE5FMC
5/8 x 1	PRESE6DC		
3/4 x 1	PRESE7DC		



Tree with radius end F-shaped carbide burrs are used for work on narrow contours.

DIA. X LENGTH "	DOUBLE CUT (D/C)	6" LENGTH D/C	FAST MILL CUT (FMC)
1/4 x 5/8	PRESF1DC	PRESF1DC6OAL	
1/4 x 3/4	PRESF1ADC		
3/8 x 3/4	PRESF3DC	PRESF3DC6OAL	PRESF3FMC
7/16 x 1	PRESF4DC		
1/2 x 3/4	PRESF13DC		
1/2 x 1	PRESF5DC	PRESF5DC6OAL	PRESF5FMC
5/8 x 1	PRESF6DC	PRESF6DC6OAL	
3/4 x 1	PRESF7DC		
3/4 x 1-1/2	PRESF15DC		



Pointed tree G-shaped carbide burrs are used for narrow contouring and milling.

DIA. X LENGTH "	DOUBLE CUT (D/C)	6" LENGTH D/C	FAST MILL CUT (FMC)
1/4 x 5/8	PRESG1DC	PRESG1DC6OAL	
1/4 x 3/4	PRESG1ADC		
3/8 x 3/4	PRESG3DC	PRESG3DC6OAL	PRESG3FMC
1/2 x 3/4	PRESG13DC		
1/2 x 1	PRESG5DC	PRESG5DC6OAL	PRESG5FMC
5/8 x 1	PRESG6DC		
3/4 x 1	PRESG7DC		
3/4 x 1-1/2	PRESG15DC		



Flame H-shaped carbide burrs are used for contouring.

DIA. X LENGTH "	DOUBLE CUT (D/C)	6" LENGTH D/C	FAST MILL CUT (FMC)
1/4 x 1/2	PRESH1DC	PRESH1DC6OAL	
5/16 x 3/4	PRESH2DC		
1/2 x 1-1/4	PRESH5DC	PRESH5DC6OAL	
5/8 x 1-7/16	PRESH6DC		
3/4 x 1-5/8	PRESH7DC		



Cone 60° J-shaped carbide burrs are suitable for counterboring and chamfering with defined chamfer angles.

DIA. X LENGTH "	SINGLE CUT (D/C)
3/8 x 1/4	PRESJ3SC
1/2 x 7/16	PRESJ5SC
5/8 x 1/2	PRESJ6SC
3/4 x 5/8	PRESJ7SC
1 x 3/4	PRESJ9SC



Cone 90° K-shaped carbide burrs are suitable for counterboring and chamfering with defined chamfer angles.

DIA. X LENGTH "	SINGLE CUT (D/C)
3/8 x 3/16	PRESK3SC
1/2 x 1/4	PRESK5SC
5/8 x 5/16	PRESK6SC
3/4 x 3/8	PRESK7SC
1 x 1/2	PRESK9SC

CARBIDE BURRS continued



Taper 14° L-shaped carbide burrs are used for work on narrow workpiece contours and surfaces. CNC machines from high quality tungsten carbide.



DIA. X LENGTH "	DOUBLE CUT (D/C)	6" LENGTH D/C	FAST MILL CUT (FMC)
1/4 x 5/8	PRESL1DC	PRESL1DC6OAL	
5/16 x 7/8	PRESL2DC		
3/8 x 1-1/16	PRESL3DC	PRESL3DC6OAL	PRESL3FMC
1/2 x 1-1/8	PRESL4DC	PRESL4DC6OAL	PRESL4FMC
5/8 x 1-5/16	PRESL6DC		
3/4 x 1-1/2	PRESL7DC		



Cone M-shaped carbide burrs are used for narrow contouring and surface machining. CNC machined from high quality tungsten carbide.



DIA. X LENGTH "	DOUBLE CUT (D/C)	6" LENGTH D/C	FAST MILL CUT (FMC)
1/4 x 1/2	PRESM1DC	PRESM1DC6OAL	
1/4 x 3/4	PRESM2DC		
1/4 x 1	PRESM3DC	PRESM3DC6OAL	
1/4 x 1-1/4	PRESM3ADC		
5/16 x 3/4	PRESM3BDC		
3/8 x 5/8	PRESM4DC		
3/8 x 1	PRESM4ADC		
1/2 x 7/8	PRESM5DC	PRESM5DC6OAL	
5/8 x 1	PRESM6DC		

HOLE SAWS & ACCESSORIES



HOLE DOZER™ hole saw bi-metal cups. Features Rip Guard™, the strongest tooth form in the industry. The HOLE DOZER™ includes Plug Jack™, an all-access slot design that allows for full access during plug removal. The Plug Jack™ gives access lower into the cup for thick material and higher towards the teeth for thin material.

ITEM NO.	SIZE "	ITEM NO.	SIZE "	ITEM NO.	SIZE "
MIL49-56-0023	3/4	MIL49-56-0102	1-3/4	MIL49-56-0197	3-5/8
MIL49-56-0032	7/8	MIL49-56-0117	2	MIL49-56-0213	4
MIL49-56-0043	1	MIL49-56-0127	2-1/8	MIL49-56-0217	4-1/8
MIL49-56-0052	1-1/8	MIL49-56-0147	2-1/2	MIL49-56-0223	4-1/4
MIL49-56-0062	1-1/4	MIL49-56-0158	2-5/8	MIL49-56-0233	4-1/2
MIL49-56-0072	1-3/8	MIL49-56-0163	2-3/4	MIL49-56-0237	4-3/4
MIL49-56-0082	1-1/2	MIL49-56-0173	3	MIL49-56-0243	5
MIL49-56-0092	1-5/8	MIL49-56-0193	3-1/2	MIL49-56-0253	6

HOLE SAW KITS



15-Piece General Purpose Hole Saw Kit Item No. MIL49-22-4027

Includes:

- (8) hole saws: 3/4", 7/8", 1-1/8", 1-1/2", 2", 2-1/8", 2-1/4", 2-1/2"
- (2) arbors
- (4) pilot bits
- (1) hex key
- (1) plastic case



19-Piece Electrician Hole Saw Kit Item No. MIL49-22-4105

Includes:

- (13) hole saws: 3/4", 7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/4", 2-1/2", 2-5/8", 3", 3-5/8", 4-1/8", 4-3/4"
- (1) small arbor, 3/8" shank
- (1) large thread quick change arbor, 7/16" shank
- (1) high speed steel pilot bit 1/4" x 3-1/2"
- (1) plastic case



15-piece All Purpose Hole Saw Kit Item No. MIL49-22-4175

Includes:

- (11) hole saws: 3/4", 7/8", 1", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/8", 2-1/4", 2-1/2"
- (1) 3/8" hex shank arbor
- (2) 3-1/2" pilot bit
- (2) 1/8" hex key
- (1) 7/16" no-wobble arbor
- (1) plastic case



10-Piece General Purpose Hole Dozer Packout Kit Item No. MIL49-22-5607

Includes:

- (6) hole saws: 1-1/2", 2", 2-1/2", 3", 3-5/8", 4-1/4"
- (2) 3-1/2" pilot bits
- (1) 7/16" no-wobble arbor
- (1) 3/8" hex shank arbor
- (1) 1/8" hex key
- (1) one packout case (48-22-8435)



HOLE SAWS & ACCESSORIES continued



Arbor hole saw. Universal, quick change with other hole saw brands. Tool-free operation. Hollow shank for full pilot bit access.

ITEM NO.	SIZE "
MIL49-56-7055	7/16
MIL49-56-7240	7/16
MIL49-56-7250	3/8
MIL49-56-9100	7/16



High-speed steel pilot bit for holesaw.

ITEM NO.	SIZE "
MIL49-56-8010	1/4 x 3-1/2
MIL49-56-8031	1/4 x 4
MIL49-56-8033	1/4 x 3-1/2

SDS PLUS BITS



MX4™ 4-Cutter SDS PLUS rotary hammer drill bits with solid head carbide deliver up to 5x longer life in concrete with rebar.

ITEM NO.	SIZE "	ITEM NO.	SIZE "	ITEM NO.	SIZE "
MIL48-20-7312	3/16 x 6 x 8	MIL48-20-7374	1/2 x 10 x 12	MIL48-20-7210	3/4 x 6 x 8
MIL48-20-7313	3/16 x 8 x 10	MIL48-20-7377	1/2 x 16 x 18	MIL48-20-7215	3/4 x 10 x 12
MIL48-20-7331	1/4 x 4 x 6	MIL48-20-7381	9/16 x 4 x 6	MIL48-20-7220	3/4 x 16 x 18
MIL48-20-7332	1/4 x 6 x 8	MIL48-20-7384	9/16 x 10 x 12	MIL48-20-7236	7/8 x 16 x 18
MIL48-20-7354	3/8 x 10 x 12	MIL48-20-7200	5/8 x 6 x 8	MIL48-20-7246	1 x 16 x 18
MIL48-20-7357	3/8 x 16 x 18	MIL48-20-7203	5/8 x 10 x 12	MIL48-20-7256	1-1/8 x 16 x 18
MIL48-20-7371	1/2 x 4 x 6	MIL48-20-7206	5/8 x 16 x 18	MIL48-20-7266	1-1/4 x 16 x 18



Milwaukee® SDS Plus.

ITEM NO.	SIZE "	STYLE
MIL48-62-6012	5-1/2	Bull Point
MIL48-62-6010	10	Bull Point
MIL48-62-6013	7	Precision Point
MIL48-62-6014	3/4 x 5-1/2	Flat Chisel
MIL48-62-6015	3/4 x 10	Flat Chisel
MIL48-62-6022	1-3/16 x 5-1/2	Scaling Chisel
MIL48-62-6020	1-1/2	Scaling Chisel
MIL48-62-6024	7/8 x 10	Concrete Channel Chisel
MIL48-62-6026	1 x 10	Winged Channel Chisel
MIL48-62-6028	1-1/4 x 10	Slotting Chisel
MIL48-62-6030	1-7/8 x 9-1/2	Tile Chisel
MIL48-62-6035	9/16 x 7	Mortar Scraper
MIL48-62-6046	4 x 10	Floor Scraper
MIL48-62-6050	1/2	Bull Point
MIL48-62-6052	3/4	Flat Chisel
MIL48-62-6056	1-1/2 x 10	Scaling Chisel
MIL48-62-6058	3 x 6	Tile Chisel

03 Lighting & Electrical



EXTENSION CORDS

6-Outlet power bar surge protector.



ITEM NO.	GAUGE	RATING
BRIP010772SL	14/3 SJT	125V



2' triple tap adapter cord. CEND10612002 CEND10914004

ITEM NO.	GAUGE	RATING	TEMP. °C	END TYPE
CEND10612002	12/3 STW	660V	-40	Fantail
CEND10914004	14/3 SJTW	300V	-40	Lighted/Fantail



PowerTech® 3' GFCI triple tap extension cord.

ITEM NO.	GAUGE	RATING	TEMP. °C	END TYPE
CEND18020003	12/3 SJTW	300V	-40	Fantail

LED LIGHT BULB



EcoSmart™ 60W equivalent A19 non-dimmable daylight LED light bulb.

ITEM NO.	WATT	LUMENS
LIG060LED	8.5	800

MALE PLUG & FEMALE CONNECTOR



CENPS5266X

CENPS5269X

Straight blade plug 15 amp. Nylon housing, two-piece cord grip, internal dust shield, tri-drive assembly screws, heavy-duty brass alloy blades and contacts, and recessed cord-grip screws.

ITEM NO.	NO. OF POLES	VOLT.	WIRE SIZE	NO. OF WIRES
CENPS5266X	2	125	4	3
CENPS5269X	2	125	4	3



We will custom-make your extension cords:
U-Ground, Twist Lock, Explosion Proof



Extension cords with lighted ends.

Lighted

Lighted/Fantail

ITEM NO.	GAUGE	RATING	TEMP. °C	END TYPE	LENGTH '
CEND11712025	12/3 SJTW	300V	-40	Lighted	25
CEND11712050	12/3 SJTW	300V	-40	Lighted	50
CEND11712100	12/3 SJTW	300V	-40	Lighted	100
CEND11710025	10/3 SJTW	300V	-40	Lighted	25
CEND11710050	10/3 SJTW	300V	-40	Lighted	50
CEND11710100	10/3 SJTW	300V	-40	Lighted	100
CEND17222025	12/3 SJTW	300V	-40	Lighted/Fantail	25
CEND17222050	12/3 SJTW	300V	-40	Lighted/Fantail	50
CEND17222100	12/3 SJTW	300V	-40	Lighted/Fantail	100

WORKLIGHTS, FLASHLIGHTS & HEADLAMPS



Portable light strings. Sockets at ten foot intervals. Hang from the eyelets or from messenger wire. Made with heavy duty 12/3 water-resistant cable and heavy duty grounded PVC epoxy coated metal cages.



ITEM NO.	GAUGE	RATING	TEMP. °C	LENGTH '	SOCKETS
CEND12012050	12/3 STW	600V	-40	50	5
CEND11912100	12/3 SJTW	300V	-40	100	10



LED light strings with slide lock connection. Sockets and LED panels at ten foot intervals. 50,000 hour lamp life. 90 LED - 6.6 watts per fixture. Outdoor approved for wet locations.



ITEM NO.	GAUGE	LUMENS	WATT	LENGTH '	FIXTURES
CEP97135	18/2 SJTW	900	6.6	50	5
CEP97132	18/2 SJTW	900	6.6	100	10

WORKLIGHTS, FLASHLIGHTS & HEADLAMPS continued



Portable work lamp. 30,000 hours LED life. Die cast aluminum housing. Cushioned metal carrying handle. Impact-resistant glass lens. Sealed on/off switch. Adjustable tilting head. 5-foot cord.



ITEM NO.	LUMENS	WATT
TRAL002656	1000	10
TRAL002659	2000	20
TRAL002661	3000	30
TRAL002663	4700	50



Work light with tripod. 30,000 hours LED life. Sealed die cast aluminum housing. Removable twin heads. Impact-resistant glass lens. Sealed on/off switch. Adjustable tilting head. 10-foot cord.



ITEM NO.	LUMENS	WATT
TRAL002673	6000	2 x 30



M18™ ROCKET™ Dual Pack Tower Light with One-Key™
Item No. MIL2120-22HD

Includes:

- (1) light
- (2) batteries
- (1) rapid charger
- (1) shoulder strap

Features:

- 5400 lumens
- TRUEVIEW™ high definition output
- 5'5" deployment height
- Waterproof up to 1 metre submersed
- Dust-proof and impact-resistant
- Set light remotely from 100 feet
- Track, lock and disable remotely
- 26-hours run-time
- Compact case collapses to 22"



M18™ ROCKET™ Tower Light/Charger
Item No. MIL2136-21

Includes:

- (1) light/charger
- (1) battery
- (1) carry bag

Features:

- 6000 lumens
- Powered by M18™ REDLITHIUM™ battery or extension cord
- Built-in M18™ charger and USB port
- TRUEVIEW™ high definition output
- 7-foot deployment height
- 3 independently pivoting light heads
- Water- and impact-resistant



M18™ ROCKET™ Dual Power Tower Light
Item No. MIL2131-20 (tool only)

Features:

- 2500 lumens
- Powered by M18™ or extension cord
- TRUEVIEW™ high definition output
- 7-foot deployment height
- Adjustable head rotates 230° vertically and pivots 240° horizontally
- Impact-resistant, reinforced legs



MX Fuel™ ROCKET™ Tower Light/Charger
Item No. MILMXF041-1XC

Includes:

- (1) light/charger
- (1) battery

Features:

- 27,000 lumens
- Adjustable light heads extend to 10 feet
- One-Key™ compatible and push button activation

See our extensive selection of Milwaukee M18™ REDLITHIUM™ batteries and chargers in Power Tools, page 129.



WORKLIGHTS, FLASHLIGHTS & HEADLAMPS continued



M18™ ROVER™ Dual Power Flood Light
Item No. MIL2360-20 (tool only)

Features:

- 3000 lumens
- TRUEVIEW™ high definition output
- Light head rotates 240°
- Powered by M18™ REDLITHIUM™ battery or extension cord (not included)
- Three light output modes
- Durable roll cage
- Up to 9 hours of run-time
- Integrated keyhole for hanging overhead



M18™ RADIUS™ Compact Site Light with Flood Mode

Item No. MIL2144-20 (tool only)

Features:

- 2200 lumens
- 4-1/4" hanging hook for overhead lighting
- TRUEVIEW™ high definition output
- Dual function 360° area lighting and 90° flood lighting
- Powered by M18™ REDLITHIUM™ battery or extension cord (not included)
- Three area and task modes



M18™ Trouble Light with USB Charging
Item No. MIL2363-20 (tool only)

Features:

- 700 lumens
- TRUEVIEW™ high definition output
- Water and dust resistant
- Four light modes
- Rotating collar adjusts light from task to area mode
- One stainless steel hook for overhead mounting



LED Heavy-Duty Flashlight
Item No. EVE1251L

Features:

- 35 lumens
- Battery size: 2 x D
- Bright yellow, corrosion-resistant polypropylene construction
- Water- and impact-resistant
- Constructed from non-conductive materials



LED Compact Aluminum Flashlight
Item No. PEL1920

Features:

- 224 lumens
- Battery size: 2 x AAA
- Long run times with high and low light output modes
- On/off/momentary switch



REDLITHIUM™ USB Hard Hat Headlamp
Item No. MIL2111-21

Features:

- 475 lumens
- Battery: USB rechargeable
- TRUEVIEW™ high definition output
- 5 output modes
- Up to 33 hours of run-time
- 2-foot heavy duty micro-USB braided cord with metal ends
- Clips and rubber grip for hard hat
- 7-position tilting head
- Waterproof and dust-proof



Headlamp
Item No. PEL2745B

Features:

- 33 lumens
- Battery: 3 x AAA
- Class 1 Division 1 safety certified
- Adjustable cloth and rubber straps included
- Hands-free design
- High, low and flashing modes



Vision Headlamp
Item No. ENRHDA32E

Features:

- 200 lumens
- Battery: 3 x AAA
- Reaches up to 35 metres
- High or low light modes



HeadsUp Lite™ Headlamp
Item No. PEL2690

Features:

- 74 lumens
- Battery: 3 x AAA
- Class 1, II, III Division 1 safety certified
- Adjustable cloth and rubber straps included
- Hands-free design
- Water-resistant

BATTERIES



RAY6VHD



RAYAL9V



RAYALAA



RAYALAAA



RAYALC



RAYALD

ITEM NO.	SIZE	VOLT	CAPACITY (mAh)	CLASS
RAY6VHD	6V	6	10500	Alkaline
RAYAL9V	9V	9	500	Alkaline
RAYALAA	AA	1.5	1800 - 2700	Alkaline
RAYALAAA	AAA	1.5	860 - 1200	Alkaline
RAYALC	C	1.5	7800	Alkaline
RAYALD	D	1.5	12000 - 18000	Alkaline



ENRECR2032BP



ENREL223APBP



ENREN22



ENREN91



ENREN92



ENREN93



ENREN95

ITEM NO.	SIZE	VOLT	CAPACITY (mAh)	CLASS
ENRECR2032BP	2032	3	235	Lithium
ENREL223APBP	A23	6	1500	Lithium Ion
ENREN22	9V	9	600	Alkaline
ENREN91	AA	1.5	2850	Alkaline
ENREN92	AAA	1.5	1100	Alkaline
ENREN93	C	1.5	8000	Alkaline
ENREN95	D	1.5	20000	Alkaline

HEAT SHRINK TUBING



Dual wall (adhesive-lined) heat shrink tubing. 3:1 shrink ratio. Bonds to plastic, rubber, neoprene, steel and polyethylene.

ITEM NO.	SIZE "	COLOUR	QTY.
TCH669900	1/8 x 6	Black	6/Pk
TCH669939	3/16 x 6	Black	6/Pk
TCH669940	1/4 x 6	Black	6/Pk
TCH669941	3/8 x 6	Black	6/Pk
TCH669942	1/2 x 6	Black	6/Pk
TCH669944	1 x 6	Black	6/Pk
TCH669971	1/8 x 6	Red	6/Pk
TCH669982	3/16 x 6	Red	6/Pk
TCH669983	1/4 x 6	Red	6/Pk
TCH669984	3/8 x 6	Red	6/Pk
TCH669985	1/2 x 6	Red	6/Pk
TCH669987	1 x 6	Red	6/Pk

CABLE TIES



Nylon cable ties.



ITEM NO.	LENGTH "	TENSILE STRENGTH LB)	COLOUR	QTY.
TCH76-2762PK	7.5	50	Red	100/Pk
TCH76-2763PK	7.5	50	Orange	100/Pk
TCH76-2764PK	7.5	50	Yellow	100/Pk
TCH76-2765PK	7.5	50	Green	100/Pk
TCH76-2766PK	7.5	50	Blue	100/Pk
TCHE4180C	4	18	Black	100/Pk
TCHE7500C	7.5	50	Black	100/Pk
TCHE11500C	11	50	Black	100/Pk
TCHE14500C	14	50	Black	100/Pk
TCHE201750C	20	175	Black	100/Pk
TCHE7509C	8	50	Natural	100/Pk
TCHE11509C	12	50	Natural	100/Pk
TCHE14509C	14	50	Natural	100/Pk
TCHE17509C	17	50	Natural	100/Pk

04 Material Handling



TIE WIRE

ASGW Annealed Solid Steel Rebar Wire

Item No. BRIW004040

- Gauge: 16
- Length: 340'
- Colour: Black



Annealed Wire

Item No. TRE06626

- Gauge: 12
- Weight: 50 LB roll
- Colour: Black



TARPAULIN



Full weather protection. Mildew proof. Tear-resistant with reinforced corners. Eyelets every 3 feet. Standard double coated design with an 8 x 8 weave. Blue.

ITEM NO.	SIZE '
TOO180608	6 x 8
TOO181012	10 x 12
TOO181220	12 x 20
TOO182024	20 x 24
TOO182030	20 x 30
TOO183040	30 x 40

ROPES



Nylon rope. Double braided.

ITEM NO.	SIZE (" X ')	COLOUR
ROPN5/8X600DBN	5/8 x 600	White
ROPN1/2X600DBN	1/2 x 600	White
ROPN3/4X600DBN	3/4 x 600	White



Polypropylene rope that floats. Resists rot, mildew, moisture and chemicals. 3-strand twisted.

ITEM NO.	SIZE (" X ')	COLOUR
ROPP1/4	1/4 x 1300	Yellow
ROPP1/2	1/2 x 335	Yellow
ROPP3/8	3/8 x 630	Yellow
ROPP5/8	5/8 x 200	Yellow
ROPP3/4	3/4 x 125	Yellow

PAILS & LIDS



Metal Yard-Gard pre-galvanized 31 gauge steel utility pail with 3/16" galvanized wire handle. Water-tight sealant.



ITEM NO.	CAPACITY	HEIGHT "	TOP DIA. "
GWM20343	10-1/2 QT	8-1/2	10.62

Plastic Handle Pail

Item No. PAIL747994000P11

- Capacity: 20 L/5 GAL
- Food approved
- HDPE
- Pail only



Plastic Pail Lid

Item No. PAILLID

- Fits: 5 GAL
- Spout: No



Plastic Pail Lid

Item No. PAIL6561050B92

- Fits: 5 GAL
- Spout: Yes



SHRINK WRAP



ITEM NO.	COLOUR	WIDTH "	LENGTH '
LOW200001691	Clear	18	1000
LOWHP15S	Black	15	1500

STEEL BANDING & ACCESSORIES



Banding Seals

- Open snap-on
- Closed push-type
- Galvanized steel

ITEM NO.	WIDTH "	TYPE	QTY.
KTNP408	1/2	Open	2000/Box
KTNP415	1/2	Closed	2000/Box
KTNP410	3/4	Open	2000/Box
KTNP417	3/4	Closed	2000/Box



Strapping dispenser

- Compatible with polyester, steel, and polypropylene strapping
- Accommodates 16" x 3", 16" x 6", 8" x 8" strapping sizes
- 8" rubber wheels
- For use with 1/2" - 3/4" strapping



ITEM NO.	WIDTH "	DIA. "	CORE DIA "
KTNP555	3/6/8	16/8	16/8

STEEL BANDING & ACCESSORIES *continued*

KLETON

Steel strapping. Black painted and waxed finish. Oscillated wound.



ITEM NO.	WIDTH "	LENGTH '	THK. "
KTNPF404	1/2	2940	0.02
KTNPF406	3/4	1960	0.02

KLETON



KTNPC938

KTNPC399

Steel strapping tensioners, feed-wheel style. Heavy-duty. Accepts steel strapping 0.035" thick. Medium/heavy tension. Unlimited take-up.

ITEM NO.	WIDTH "	THK."
KTNPC938	3/8 to 3/4	0.035
KTNPC399	3/4 to 1-1/4	0.035

KLETON



KTNPA550

KTNPE351

Steel strapping sealers, for use with open/double-notch and closed/semi-closed seals.

ITEM NO.	WIDTH "	TYPE	STRAPPING THK. "
KTNPA550	1/2	Open	0.018 to 0.023
KTNPA551	3/4	Open	0.018 to 0.027
KTNPE351	1/2	Closed/Semi-closed	0.018 to 0.023
KTNPE353	3/4	Closed/Semi-closed	0.18 to 0.027

KLETON



Standard duty safety cutter for steel strapping. Safety design holds strapping in place to prevent injuries from flying ends. Rubber pads gently release strapping when being cut.

ITEM NO.	WIDTH "	THK."
KTNPC446	3/8 to 1-1/4	0.036

HAND TRUCKS



Hand trucks built from welded tubular construction. Powder-coat finish.



COM890/804



COM890/HL8S



COM890/HL10P

ITEM NO.	CAPACITY (LB)	WHEELS	WHEEL SIZE "	HEIGHT " X WIDTH "	NOSE SIZE "	WEIGHT (LB)	TYPE
COM890/804	400	Pneumatic	10 x 4	45 x 21	7 x 13-1/2	25	All-Purpose
COM890/HL8S	900	Semi-pneumatic	8 x 2	50 x 19	7 x 13-5/8	27	Commercial
COM890/HL10P	650	Pneumatic	10 x 4	50 x 21	7 x 13-3/4	29	Commercial

CARTS



Medium-duty steel platform carts. Steel frame with 2 swivel and 2 rigid casters.

ITEM NO.	CAPACITY (LB)	WHEEL SIZE "	DECK SIZE "
COM890/S2436-5	1200	5	24 x 36
COM890/S2442-5	1200	5	24 x 42
COM890/S2448-5	1200	5	24 x 48



Service carts constructed from heavy gauge steel and have a powder-coat finish. 5" non-marking two swivel and two rigid casters.


ITEM NO.	CAPACITY (LB)	DIA. "	SHELVES
COM890/2436	1200	24 x 36 x 34	2
COM890/2448	1200	24 x 36 x 48	2
COM890/2436-3	1200	24 x 36 x 34	3
COM890/2448-3	1200	24 x 36 x 48	3

PALLET JACKS



Pallet Jack
Item No. **ITC024852**

- Capacity: 5500 LB
- Diameter: 27" x 48"
- Entry rollers at fork tip
- Polyurethane coated steel steer wheels
- Polyurethane load rollers Heavy duty pump



Pallet Jack
Item No. **JET190918**

- Capacity: 5500 LB
- Diameter: 27" x 48"
- 3-position control lever
- Large diameter polyurethane coated steel steer wheels and polyurethane load rollers
- Steering column swivels 202°
- Fully adjustable push rods for fork height adjustment



WHEELBARROWS



True Temper Wheelbarrow with Flat-Free Tire
Item No. **TRUTIFS600FF**

- Capacity: 600 LB
- 6 cubic foot steel tray
- 16" flat-free tire
- 3/4" steel axle
- Roller bearings with zert fitting
- Steel with hardwood handles
- Features tray braces, leg stabilizers, stays and leg shoe pads



We will assemble your wheelbarrow for you!

LADDERS

Fibreglass step ladders, Type IA. Da Boot™ technology provides slip-resistant footing. The SHOXTM and ProTop™ designs provide a non-conductive structural molded top. Multifunctional raptor top with multiple tool slots and magnet. Raptor boot with slip-resistant non-marring bonded tread. Inside spreader braces. Double-rivet step construction. Wide back braces.



Fibreglass extension ladders, Type IA. MAXLOCK engineered. Patented Quicklatch Runglock system. Steel swivel safety shoe with metal shield. Direct rung-rail connection. Mar-resistant rail end caps. Outside slide guides. D-shaped rungs.

ITEM NO.	SIZE '	CAPACITY (LB)
LOUFS1504	4	300
LOUFS1506	6	300
LOUFS1508	8	300
LOUFS1510	10	300
LOUFS1512	12	300

ITEM NO.	SIZE '	CAPACITY (LB)
LOUFE3216	16	300
LOUFE3220	20	300
LOUFE3224	24	300
LOUFE3228	28	300
LOUFE3232	32	300
LOUFE3240	40	300

RAKES & SHOVELS



GAREAL36



GARLBR14



GARLLR22



GARLPLR22

ITEM NO.	DIM. L X W "	HEAD WIDTH "	TINES
GAREAL36	84.5 x 4.5	36	36
GARLBR14	59.5 x 14	14	14
GARLLR22	59 x 21	21	22
GARLPLR22	59 x 22.5	22.5	22



GARLHS2L



GARLHR2L



GARLHR2D



GARLHS2D



GARTHDS14FD



GARLHGS2D



GARGPG12D



GARBAG10

ITEM NO.	LENGTH "	WIDTH "	BLADE MAT.	HANDLE TYPE
GARLHS2L	55	9.5	Tempered Steel	Straight
GARLHR2L	55	8	Tempered Steel	Straight
GARLHR2D	39.5	8	Tempered Steel	D-Grip
GARLHS2D	38.5	8.5	Tempered Steel	D-Grip
GARTHDS14FD	42.5	6	Tempered Steel	D-Grip
GARLHGS2D	40.5	6.5	Tempered Steel	D-Grip
GARGPG12D	47.5	14.5	ABS Poly	D-Grip
GARBAG10	48.5	12.5	Aluminum	D-Grip

05 Adhesives, Sealants & Tapes



ADHESIVES



Ultra Bond® 495 Instant Adhesive Item No. PER49512

- Size: 28 G
- General purpose super glue (rubber, metal, wood, ceramic, porcelain, leather, vinyl, paper, cork, fabric and most plastics)
- Temperature range -54°C to 82°C



Adhesive Spray Item No. PER27829

- Size: 474 G
- High-strength
- Weather-resistant
- Water-resistant
- Dries clear
- Cures in 24 hours



Super 77 Spray Adhesive Item No. MMM77

- Size: 24 OZ
- Fast tack, long bonding range
- Little or no soak-in
- Versatile tool for bonding many lightweight materials



Hi-Strength 90 Spray Adhesive Item No. MMM90

- Size: 24 OZ
- High-strength, high contact bond strength
- One-minute dry time



SEALANTS



Gasket Maker. RTV thixotropic paste, temperature range -54°C to 260°C. Cures in 24 hours. Non-corrosive, non-flammable, non-toxic and low-odour silicone sealant.

ITEM NO.	SIZE (ML)	COLOUR
PER59813	300	Ultra Black
PER59913	300	Ultra Grey



DAP73461 DAP73473 DAP73485

Silicone Rubber Sealant is an all-purpose, one component, acetoxy cure sealant ideal for indoor/outdoor use. It provides a watertight, flexible seal that won't crack, crumble or shrink. Once cured, unaffected to -40° F.

ITEM NO.	SIZE (ML)	COLOUR
DAP73461	300	White
DAP73473	300	Clear
DAP73485	300	Aluminum



Alex Plus® acrylic latex caulk for windows, doors, siding, pipes and trim. 30-minute dry time. Cures in 24 hours.

ITEM NO.	SIZE (ML)	COLOUR
DAP74250	300	White

TAPE



Electrical tape. PVC 7ML. Cold-resistant temperature rating -7° C to 80° C.



ITEM NO.	COLOUR	WIDTH "	LENGTH'
DOC554-500	Black	3/4	66
DOC554-510	White	3/4	66
DOC554-520	Yellow	3/4	66
DOC554-530	Blue	3/4	66
DOC554-540	Green	3/4	66
DOC554-550	Red	3/4	66
DOC554-570	Brown	3/4	66
DOC554-580	Orange	3/4	66



Temflex™ vinyl electrical tape. Temperature rating -7° C to 80° C. Thickness 6 ML.



ITEM NO.	COLOUR	WIDTH "	LENGTH'
MMMTEMFLEX-3/4X60	Black	3/4	60



Thread sealing tape. 100% TFE fluorocarbon. Temperature rating -268° C to 316° C.



ITEM NO.	COLOUR	WIDTH "	LENGTH'
DOC554-710	White	1/2	40
DOC554-720	White	3/4	40



Petro-Tape sealant. PTFE. 2000 psi liquid pressure range. Temperature rating -240° C to 260° C.



ITEM NO.	COLOUR	WIDTH "	LENGTH'
JTL30793	White	1/2	45
JTL30794	White	3/4	45



Aluminum foil tape. Designed to be used in duct insulation.



ITEM NO.	COLOUR	WIDTH "	LENGTH (M)
CNT90-21	Silver	2	45

05 Adhesives, Sealants & Tapes

TAPE continued

3M



Duct Tape. Polyethylene film over cloth scrim and rubber adhesive.

ITEM NO.	COLOUR	WIDTH "	LENGTH (YD)	USAGE
MMM2929	Silver	2	50	General Use
MMM3939-2	Silver	2	60	Industrial Grade

3M



Tartan™ box sealing tape. Can be custom printed. Suitable for hard to stick to surfaces and cold temperature applications.

ITEM NO.	COLOUR	WIDTH "	LENGTH (M)
MMM30248100	Clear	2	100

3M



Construction sheathing tape. For use as a closure system and vapour seal on all interior and exterior sheathing materials.

ITEM NO.	COLOUR	WIDTH "	LENGTH (M)
MMM8088X6066	Red	2-1/2	66

3M



Tartan™ filament tape. Constructed on a clear polypropylene backing, reinforced with glass yarn filaments for strapping, bundling, and reinforcing applications. It has a tensile strength of 100 lbs/in (1751 N/cm) width and a pressure-sensitive synthetic rubber adhesive offers good shear strength to fibreboard, plastics and most metal surfaces.

ITEM NO.	COLOUR	WIDTH "	LENGTH (M)
MMM8934-12X55	Clear	1/2	55
MMM8934-18X55	Clear	3/4	55
MMM8934-24X55	Clear	1	55

3M



General purpose crepe tape. Provides solid coverage. Resists lifting or curling. Backing resists slivering, yet is hand-tearable. Good paint hold-out that resists bleed-through.

ITEM NO.	COLOUR	WIDTH "	LENGTH (M)
MMM203-24X55	Beige	1	55
MMM203-48X55	Beige	2	55

Painter's Mate BRAND



Green masking tape. Professional grade, multi-surface painter's tape for interior use on painted walls, woodwork, glass, metal and vinyl. Medium adhesion. Removes cleanly for up to 8 days even in direct sunlight.

ITEM NO.	COLOUR	WIDTH "	LENGTH (M)
PMB174284038	Green	1	55
PMB185083742	Green	2	55

3M



Automotive refinish masking tape. No edge lifting. Removes cleanly. Leaves sharp paint lines while bending and stretching to follow curved body lines. Solvent and moisture resistance minimizes bleed through.

ITEM NO.	COLOUR	WIDTH "	LENGTH (M)
MMM06652	Yellow	3/4	55

06 Lubricants & Fluids



LUBRICANTS



WDDWD40-311G WDDWD40-311GGBB WDDWD40-BOTTLE WDDWD40-4L

Multi-Use Product protects metal from rust and corrosion, penetrates stuck parts, displaces moisture and lubricates almost anything.



ITEM NO.	SIZE	TYPE
WDDWD40-311G	311 G	Aerosol
WDDWD40-311GGBB	311 G	Aerosol
WDDWD40-BOTTLE	473 ML	Empty Bottle
WDDWD40-4L	4 L	Refill



Nickel High-Temp Anti-Seize Lubricant. Prevents galling during assembly and allows for easy disassembly. Inhibits rusting, cold welding and galvanic corrosion. Effective under extreme pressure and high temperatures up to 1315°C (2400°F).



ITEM NO.	SIZE	TYPE
PER77164	454 G	Brush Top



White Lithium Grease. For use in any weather or temperature as a break-in lubricant for bearings or as a general purpose lubricant and corrosion inhibitor for tools, machinery and equipment.



ITEM NO.	SIZE	TYPE
CRC73200	283 G	Aerosol



Clear Penetrating Grease. A high tack, clear lubricating gel which provides lubrication at temperatures from -34°C to 260°C. High adhesive strength ensures the product will resist throw-off and water wash-out.



ITEM NO.	SIZE	TYPE
CRC73156	368 G	Aerosol

CUTTING FLUID



Rapid Tap® cutting fluid is effective on tough materials such as aluminum, beryllium, brass, bronze, cast iron, copper, inconel, magnesium, molybdenum, stainless steel, and stellite.



ITEM NO.	SIZE	TYPE
BESRT455	16 OZ	Squeeze Bottle



Rust Blast. A professional, foamy penetrating lubricant, designed to stay where it is sprayed to penetrate and loosen rusted and corroded parts and fittings. Premium lubricating oils stop squeaks and will displace moisture for long lasting protection.



ITEM NO.	SIZE	TYPE
KLOKL-CH4030	320 G	Aerosol



ULTRA-TAC EP-2 is a premium, heavy duty grease fortified with polymers, anti-wear agents, tackiness additives, and rust and oxidation inhibitors. A technically advanced, extended service interval grease for a wide variety of applications.



ITEM NO.	SIZE	TYPE
KLOKL-GR1830	14 OZ	Cartridge



MOLY-TAC EP-1 grease is an advanced lithium complex grease formulated with 3% molybdenum disulfide to provide excellent lubricating qualities over a wide range of temperatures. Typical ambient operating temperature range is from -35°C to 150°C.



ITEM NO.	SIZE	TYPE
KLOKL-GR2430	14 OZ	Cartridge



MOLY-TAC EP-2 grease is an advanced lithium complex grease formulated with 3% molybdenum disulfide to provide excellent lubricating qualities over a wide range of temperatures. Typical ambient operating temperature range is from -20°C to 150°C.



ITEM NO.	SIZE	TYPE
KLOKL-GR2830	14 OZ	Cartridge



Lithium-based multi-purpose red grease fortified with polymers, anti-wear agents, tackiness additives, and rust and oxidation inhibitors. Ideal for moderate duty applications. Does not easily wash out under heavy water ingress and exhibits good pumpability even at lower temperatures.



ITEM NO.	SIZE	TYPE
KLOKL-GR0430	14 OZ	Cartridge



DIESEL EXHAUST FLUID



Used in vehicles with Selective Catalytic Reduction technology to meet EPA clean air standards. The SCR system makes the vehicle more fuel efficient and releases less pollution into the air.



ITEM NO.	SIZE
RCHDEF946	9.46 L

CAR WASH CLEANER



California Gold® car wash liquid cleaner. Balanced pH for added safety with continuous use. Sudsy formula resists water spotting. Designed to shine without removing wax.



ITEM NO.	SIZE
JAN35632	946 ML

SPRAY PROTECTANT



Protectant. UV blocker protects rubber, vinyl, plastic and fibreglass. Resists ozone and smog on most uncoated plastic or rubber. Preserves and protects.



ITEM NO.	SIZE
MTR35316	473 ML

BRAKE PARTS CLEANER



Brake Blast quickly dissolves and removes grease, oil, brake fluid, road grime and dirt. Non-chlorinated, low odour formula dries fast, leaves no residue, and is safe for use on most materials including plastics.



ITEM NO.	SIZE
KLOKL-CH8630	390 G



The brake cleaner to use where compliance calls for a chlorine-free product. Formulated to quickly remove brake fluid, grease, oil, and other contaminants from brake linings and pads.



ITEM NO.	SIZE
CRC75088	397 G



Brake parts cleaner. Removes grease, brake dust, brake fluids, oils, and other contaminants from brake parts, lining, and pads.



ITEM NO.	SIZE
CRC75089	539 G

LUBRICANTS



Dry lubricant for use where petroleum products must be avoided. Resists dirt, dust and oil build-up. Temperature range up to 850° F constant.



ITEM NO.	SIZE
CRC75101	320 G



Cutting oil, a thread-cutting lubricant for use on all types of metals, including brass, copper and aluminum.



ITEM NO.	SIZE
CRC75500	340 G

For more automotive fluids, see page 159 in our Seasonal Winter section.



STRAPS



Proloc™ ratchet straps.

Wire Hook

Flat Hook

ITEM NO.	WIDTH "	LENGTH '	WORKING LOAD LIMIT (LB)	HOOK TYPE
LOARS-100-12-W	1	12	835	Wire
LOARS-100-16-W	1	12	835	Wire
LOARS-150-15-W	1-1/2	15	1670	Wire
LOARS-150-20-W	1-1/2	20	1670	Wire
LOARS-150-25-W	1-1/2	25	1670	Wire
LOARS-150-30-W	1-1/2	30	1670	Wire
LOARS-200-15-W	2	15	3335	Wire
LOARS-200-20-W	2	20	3335	Wire
LOARS-200-25-W	2	25	3335	Wire
LOARS-200-30-W	2	30	3335	Wire
LOARS-300-30-W	3	30	5000	Wire
LOARS-200-15-F	2	15	3335	Flat
LOARS-200-20-F	2	20	3335	Flat
LOARS-200-25-F	2	25	3335	Flat
LOARS-200-30-F	2	30	3335	Flat
LOARS-300-20-F	3	20	5000	Flat
LOARS-300-30-F	3	30	5000	Flat



Dynaline EPDM rubber tarp S-hook straps.

ITEM NO.	LENGTH '	CAPACITY (LB)	HOOK TYPE
DYN11191	9	50	S
DYN11192	15	50	S
DYN11193	21	50	S
DYN11194	31	50	S

BEACONS



SWS201ZS-12V-A



SWS201ZB-12V-A

Low-profile amber strobing beacons. Fully encapsulated electronics. Precision molded Fresnel lens. 3-user selectable flash patterns.



SWS201ZM-12V-A



SWS201Z-12V-A

ITEM NO.	MOUNT	COLOUR	OP LUMENS
SWS201ZS-12V-A	Suction	Amber	456
SWS201ZB-12V-A	Mirror Bracket	Amber	456
SWS201ZM-12V-A	Magnetic	Amber	456
SWS201Z-12V-A	Permanent	Amber	456

JERRY CANS



AccuFlow™ steel safety can for flammables, Type II with 5/8" metal hose. Stainless steel flame arrester. Easy-to-use Safe-Squeeze® trigger for controlled pouring. Approved by FM, UL/ULC and TUV.

ITEM NO.	USAGE	SIZE	COLOUR
JUS7250120	Gasoline	5 GAL	Red
JUS7250220	Diesel	5 GAL	Yellow



Plastic jerry can made of HDPE. Easy-to-pour flexible spout stores inside the can when not in use.

ITEM NO.	USAGE	SIZE	COLOUR
SCE105	Gasoline	20 L	Red
SCE520	Diesel	20 L	Yellow

LED WHIP LIGHTS & MOUNTS




Safety Whips Canada LED light buggy whips. Standard night visibility. Preprogrammed with 7 flash patterns or constant illumination. Durable and weather-resistant. Rated to 100,000 hours.



Amber White

ITEM NO.	FLASH/CONSTANT	COLOUR
SWCAL8FA	Flash	Amber
SWCAL8CA	Constant	Amber
SWCAL8FW	Flash	White
SWCAL8CW	Constant	White



Safety Whips Canada threaded whip receiving steel mounts.

ITEM NO.	TYPE
SWC519.343	With wire in pigtail
SWC519.343.RCA	RCA type power connector with RCA type pigtail
SWC519.343NP	Non-powered



Safety Whips Canada super heavy duty spring mounts.

ITEM NO.	TYPE
SWC519.30B	Powered with RCA type pigtail. Zinc plated.
SWC519.30BNP	Non-powered. Zinc plated steel.
SWCABM	Angle bracket mount



SWCHM1



SWCHM1A



SWCHM1S



SWCHM1SA

Safety Whips Canada hitch mounts for 2" buggy whips.

ITEM NO.	MOUNT TYPE	POWER	ALARM
SWCHM1	Screw	Yes	--
SWCHM1NP	Screw	--	--
SWCHM1A	Screw	Yes	107 dB
SWCHM1NPA	Screw	--	107 dB
SWCHM1S	Spring	Yes	--
SWCHM1SA	Spring	Yes	107 dB



Safety Whips Canada hold-down hook for fiberglass whips.

ITEM NO.

SWCRH01



Safety Whips Canada buggy whips with base and screw mount.

ITEM NO.	POWER	FLAG SIZE "	WHIP SIZE '
SWCW05NP-SXY	--	11.5	5
SWCW08NP-SXY	--	11.5	8
SWCW10NP-SXY	--	11.5	10
SWCW12NP-SXY	--	11.5	12
SWCW05-SXY	Yes	11.5	5
SWCW08-SXY	Yes	11.5	8
SWCW10-SXY	Yes	11.5	10
SWCW12-SXY	Yes	11.5	12



BROOMS, MOPS & ACCESSORIES

boardwalk.



Threaded metal-tip lacquer wood handle.

ITEM NO.	MAT.	DIM. (W" X L')
BWKC34076	Wood	15/16 x 54



Push broom rod style brace. Metal construction. Connects quickly.

ITEM NO.	MAT.	BROOM SIZE "
JANMI351	Metal	24 to 36



Combination synthetic fill push broom heads. Stiff/medium.

ITEM NO.	MAT.	LENGTH "
JANM216BR18	Synthetic	18
JANM216BR24	Synthetic	24
JANM216BR36	Synthetic	36



Horsehair and PVC fibre mix. 60" assembled handle. Medium.

ITEM NO.	MAT.	LENGTH "
JANM222M24-SK	Synthetic	24



Corn broom bound with polyester stitching. 3 string.

ITEM NO.	MAT.	SIZE "
JANC34001	Corn	1-1/8 x 56
JANC34003	Corn	11



RUB6385

RUB6389

Angle broom. Stain-resistant polypropylene bristles. Permanent fusion set bristles won't pull out. 1" diameter handle.

ITEM NO.	HANDLE MAT.	LENGTH "	COLOUR
RUB6385	Aluminum	48-7/8	Grey
RUB6389	Metal	46	Black

boardwalk.



Counter brush and dustpan set.

ITEM NO.	MAT.	WIDTH "
JANBR-CO206D	Plastic	9



BWKC33005

BWKC34088

Broom dust pan.

ITEM NO.	MAT.	WIDTH "
BWKC33005	Plastic	12
BWKC34088	Metal	16

boardwalk.



Lobby dust pan.

ITEM NO.	MAT.	WIDTH "
BWKC33031	Plastic	16

BROOMS, MOPS & ACCESSORIES continued

boardwalk.



Quick change mop handle.

ITEM NO.	MAT.	LENGTH "
BWKC33119	Fibreglass	54
BWKC33120	Fibreglass	60
BWKC33121	Metal	60

boardwalk.



Narrow band synthetic wet mop.

ITEM NO.	SIZE (OZ)	COLOUR
BWKC33087	20	White
BWKC33088	24	White
BWKC33089	32	White

boardwalk.



Side press bucket and wringer.

ITEM NO.	SIZE (QT)	COLOUR
BWKC33080	35	Yellow

boardwalk.



Straight squeegee, black rubber with handle.

ITEM NO.	SIZE "
BWKC44094	24



Pioneer® bilingual janitorial yellow floor signs. Black safety messages on both sides. Heavy-duty, durable, reinforced design. Deluxe hinge/carry handle. A-frame design folds flat for easy storage.

ITEM NO.	WT. (LB)	DIM. "	COLOUR
PIO301	2.9	12 x 29	Yellow



SPILL CONTAINMENT

Ep Minerals



Eagle Picher Floor-Dry® Dry-25 coarse, model 250P, granular absorbent. Absorbs oil and spills immediately.

ITEM NO.	SIZE (LB)
EAPFD85N	20



Spill pads.

ITEM NO.	SIZE "	USE	COLOUR
JANGA100	16 x 18	General	Grey
JANGA100W	16 x 18	Oil	White



Sweeping compound, oil-based.

ITEM NO.	SIZE (LB)	TYPE
JAN39095	20	Box
JAN39090	300	Drum

SPILL TRAYS



PPMP18STDT



PPMP7DT

Safe for solvents, oils and chemicals. Large area drip coverage. Low profile and light weight. Easy to clean.

ITEM NO.	DIA. "	HANDLE
PPMP7DT	24 x 36 x 4	Yes
PPMP18STDT	40 x 48 x 4	No

Portable berm. Easy fold up for storage and quickly unfold when needed. Constructed of high strength PVC material and is a high-viz yellow, one-piece containment vessel.



ITEM NO.	SIZE "	CAPACITY (GAL)
SPILBERM336	36 x 36 x 6	34
SPILBERM446	48 x 48 x 6	60
SPILBERM556	60 x 6 x 6	94

PAPER PRODUCTS



PRO Select® standard bathroom tissue. Eco-friendly product made from 100% recycled fibre. 420 sheets/roll.



ITEM NO.	PLY	SIZE "	QTY.
CAS4841	2	4.2 x 4.2	48/Case



2-ply bathroom tissue. Quilted. 506 sheets/roll.



ITEM NO.	PLY	SIZE "	QTY.
JAN05705	2	4.2 x 4	60/Case



Scott® standard bathroom tissue. ECOLOGO® certified. 550 sheets/roll.



ITEM NO.	PLY	SIZE "	QTY.
KIM48040	2	4 x 4.1	40/Case



PRO Select® centre-pull paper towel. 500 sheets/roll. White.



ITEM NO.	PLY	SIZE "	QTY.
CASH140	2	10 x 7.8	6/Case



Scott® essential centre-pull paper towel roll. ECOLOGO® certified.



ITEM NO.	PLY	SIZE "	QTY.
KIM01010	2	8 x 15	4/Case



Single-fold paper towel. 250 sheets/package.



ITEM NO.	PLY	SIZE FOLDED "	QTY.
JAN01900	1	4.5 x 10.7	16/Case



Scott® essential single-fold paper towel. ECOLOGO® certified. 250 sheets/package.



ITEM NO.	PLY	SIZE "	QTY.
KIM01700	1	9.3 x 10.5	16/Case



White Swan® multi-fold towel. 334 sheets/package.



ITEM NO.	PLY	SIZE "	QTY.
JAN01920	1	9 x 9.5	12/Case



Scott® essential multi-fold paper towel. ECOLOGO® certified. 250 sheets/package.



ITEM NO.	PLY	SIZE "	QTY.
JAN1804	1	9.2 x 9.4	16/Case

PAPER PRODUCTS continued

RESPONSE®



Perforated roll towel. Embossed paper towel. Made from 100% recycled fibre. 85 sheets/roll.



PRO Select® kitchen roll towels. 100% recycled fibre. 70 sheets/roll.



Scott® Wypall L40 towels. ECOLOGO® certified. 70 sheets/roll.



ITEM NO.	PLY	SIZE "	QTY.
JAN30800	2	9 x 11	30/Case

ITEM NO.	PLY	SIZE "	QTY.
CASK070	2	8 x 11	30/Case

ITEM NO.	PLY	SIZE "	QTY.
KIM05027	2	11 x 10.4	24/Case

TOWEL DISPENSERS



JAN93-728



JAN800-450



JAN09110

ITEM NO.	STYLE
JAN93-728	Centre-pull
JAN800-450	Single-fold
JAN09110	Multi-fold

RAGS



General purpose economy wiper. Recycled materials.

ITEM NO.	QTY. (LB)	MAT.	COLOUR
JANRC002C20	20	Recycled	Mixed
JANRC710-C20	20	Flannel	Mixed
JANRD462-C20	20	Recycled	White

TRASH BAGS, CANS & LIDS



Trash bags.



ITEM NO.	COLOUR	SIZE "	QTY.	USE/STRENGTH
BWKC2224U-B	Black	22 x 24	500/Box	Utility
BWKC2636XS-B	Black	26 x 36	125/Case	X-Strong
BWKC3038XS-B	Black	30 x 38	125/Case	X-Strong
BWKC3550XS-B	Black	35 x 50	100/Box	X-Strong
BWKC2224U-C	Clear	22 x 24	500/Case	Utility
BWKC2636XS-C	Clear	26 x 36	125/Case	X-Strong
BWKC3038XS-C	Clear	30 x 38	125/Case	X-Strong
BWKC3550XS-C	Clear	35 x 50	100/Case	X-Strong
BWKC3038S-BL	Blue	30 x 38	200/Case	Recycling Strong
BWKC3550S-BL	Blue	35 x 50	125/Case	Recycling Strong

BRUTE® lids feature self-draining channels that prevent water from pooling and reduce water build-up on the lid. Snap-lock ensures a secure fit.

ITEM NO.	COLOUR	LID CAPACITY	FOR CAN
RUB2609GRY	Grey	10 GAL	2610
RUB2619GRY	Grey	20 GAL	2620
RUB2631GRY	Grey	32 GAL	2632



BRUTE® containers with venting channels to make lifting out liners up to 50% easier.

ITEM NO.	COLOUR	CAPACITY	FITS BAG SIZE "
RUB2610GRY	Grey	10 GAL	26 x 36
RUB2620GRY	Grey	20 GAL	30 x 38
RUB2632GRY	Grey	32 GAL	35 x 50



Waste baskets.

ITEM NO.	COLOUR	CAPACITY	FITS BAG SIZE "
RUBFG295600BLA	Black	27 L	22 x 24
RUBFG295673BLUE	Blue	27 L	22 x 24



CIGARETTE BUTT DISPOSAL



Ceasefire® cigarette butt disposal made of flame-retardant, polyethylene. Rain bonnet opening. Interior galvanized steel pail. Tie-down notches offer security and stability. Drip-lip internal construction prevents tar condensation from escaping.



ITEM NO.	COLOUR	DIM. "	WT. (LB)
JUS26800	Pewter	16.5 x 38.5	12.5

TRIGGER SPRAYER



Sprayer trigger for bottle. Trigger only.

ITEM NO.	QTY.
DOC650-721	1

SPRAY BOTTLE



Bottle only.

ITEM NO.	SIZE (ML)
DOC650-722	500

MICROFIBRE CLOTHS



Cleaning cloths.

ITEM NO.	SIZE "
JANBWKC43131Y	14 x 14
JANBWKC43132Y	12 x 12

GLASS CLEANER



JAN90139



JAN006722



JAN70773

Institutional strength formula with Ammonia-D® cuts through grease and grime with no streaking or filming on stainless steel, chrome, porcelain, ceramic tile, Plexiglas® and Formica®. Pleasantly scented and phosphate-free.

ITEM NO.	QTY.	TYPE
JAN90139	765 ML	Trigger Spray
JAN006722	5 L	Jug
JAN70773	560 G	Foaming Aerosol

CLEANERS & DISINFECTANTS



JANC26832



JANC26804



JANC26820

Heavy-duty cleaner disinfectant. Disinfects in 45 seconds, non-abrasive, non-flammable. Kills viruses and bacteria. EPA and NSF approved.

ITEM NO.	QTY.	TYPE
JANC26832	946 ML	Trigger Spray
JANC26804	4 L	Jug
JANC26820	20 L	Pail

CLEANERS & DISINFECTANTS continued



JANMRCLEAN-1L

JANMRCLEAN-4L

Antibacterial cleaner.

ITEM NO.	QTY. (L)	TYPE
JANMRCLEAN-1L	1.3	Jug
JANMRCLEAN-4L	3.78	Jug



Advanced Hand Rub gel. Kills 99.9% of germs on hands, including staphylococcus aureus, escherichia coli and staphylococcus epidermis. Fragrance and dye free.



ITEM NO.	QTY. (ML)	TYPE
GOJ9652-12-CAN00	236	Pump



BAC24-PAWIP



BAC24-C800

Water-based VOC cleaner and disinfectant for nonporous surfaces. It prevents the growth of bacteria, mould and mildew. Kills 99.99% of viruses, bacteria and fungi.

ITEM NO.	QTY.	TYPE
BAC24-PAWIP	50/Pk	Wipes
BAC24-C800	800 ML	Trigger Sprayer



PER25217

PER25219

Fast Orange® fine pumice lotion hand cleaner. Biodegradable, waterless, petroleum solvent-free hand cleaner that contains no harsh chemicals, petroleum solvents or ammonia. Fortified with aloe, lanolin, glycerin, and other skin conditioners.

ITEM NO.	QTY. (L)	TYPE
PER25217	1.89	Pump
PER25219	3.78	Pump



SUPHSA250



SUPHSA550



SUPHSA1500



SUPHSA4000

Synergy™ hand sanitizer with aloe gel, 70% alcohol. Citrus scented.

ITEM NO.	QTY.	TYPE
SUPHSA250	250 ML	Pump
SUPHSA500	500 ML	Pump
SUPHSA1500	1500 ML	Pump
SUPHSA4000	4 L	Refill Pump



Cordless electrostatic disinfectant sprayer. Rechargeable, 24-volt battery operated system. 2.5-hour charge time. To be used with BAC24-C378 cleaner.

ITEM NO.	QTY.	TYPE
BACESPRAYER	300 W	2 L
BAC24-C378	3.78 L	Refill



Clean wipes.

ITEM NO.	QTY.	TYPE
JAN05963	80	Wipe



BACESPRAYER

BAC24-C378

CLEANERS & DISINFECTANTS continued



All-purpose cleaner in amber colour. Pine fragrance.

ITEM NO.	QTY.
JANCL40294	828 ML
JANCL40153	4.25 L



Disinfecting bleach with CLOROMAX® - concentrated formula. Kills 99.9 % of germs and bacteria.

ITEM NO.	QTY. (L)
JAN1000051	3.57



Dish washing soap. Tough grease-fighting action and lemon fresh scent.

ITEM NO.	QTY. (L)
JAN5850506	1.2



Multi-purpose cleaner with fresh scent. Kills 99.9% of viruses and bacteria. Trigger spray.

ITEM NO.	QTY. (ML)
JANSCJ-P-F73525	946

RESTROOM SUPPLIES



Toilet bowl cleaner.

ITEM NO.	QTY. (L)
JANC50814	1



Toilet bowl brush and caddy set.

ITEM NO.	
BWKC43452	




Toilet plunger with funnel and wooden handle.

ITEM NO.	LENGTH "
BWKC33455	20




Hand care liquid hand soap.

ITEM NO.	QTY. (L)	TYPE
JANN024L	4	Jug



Vinyl urinal screen.

ITEM NO.	SCENT
BWKC63251B	Bubble Gum
BWKC63251R	Cherry



Anti-splash Eva urinal Screen.

ITEM NO.	SCENT
BWKC63250B	Blue Mint
BWKC63250G	Green Apple



Urinal screen with non-para deodorant block.

ITEM NO.	SCENT
BWKC63252	Blue Citrus



Urinal puck. Eliminates odors.

ITEM NO.	SIZE (OZ)	QTY.
JAN21105	3	12/Bx

09 Paint & Painting Supplies



09 Paint & Painting Supplies

PAINTING ACCESSORIES



Disposable paint tray liner.

ITEM NO.	SIZE "
BRIP003822	9



Plastic paint tray.

ITEM NO.	SIZE "
BRIP003820	9-1/2



Offset paint roller frame. Free wheeling roller cage. Plastic handle threaded to accept standard extension poles.

ITEM NO.	SIZE "
BRIP004990	4



Paint roller sleeve. Fits most paint roller frames. Polyacrylic.

ITEM NO.	SIZE "
BRIP005065	4



Economy roller cage. 5-wire frame. Plastic handle.

ITEM NO.	SIZE "
PFE89772	9



General purpose rollers. Polyester/knit fabric. PVC core.

ITEM NO.	SIZE "
PFE89757	9 x 1/2
PFE89758	9 x 3/4



Pure bristle paint brush with unpainted wooden handle.

ITEM NO.	SIZE "
GHJ5052-100	1
GHJ5053-150	1-1/2
GHJ5054-200	2
GHJ5056-300	3
GHJ5057-400	4



Polyester bristle paint brush with metal ferrule plastic handle.

ITEM NO.	SIZE "
GHJ031-100	1
GHJ031-200	2
GHJ031-300	3



Clear plastic film, medium gauge. 2 mm.

ITEM NO.	SIZE "
POL05C40505	102 x 59

PAINTING ACCESSORIES continued



Metal paint can and lid. Epoxy coated inside.

ITEM NO.	SIZE (QT)
PBE1QTMETAL	1



14-day painter's masking tape. UV resistant. Provides clean removal for up to 14 days. Resists most paints and varnishes. Blue colour.

ITEM NO.	SIZE (\" X M)
DOC554-261	1 x 50
DOC554-263	2 x 50



The Pumper® industrial paint marker has a heavy duty and crush-resistant barrel. Temperature ranges -20° to 150° F. Excellent adhesion to cold and oily parts. Use for permanent marks on wet and underwater surfaces. Comes with an extra tip, 2.3 mm. Valve actuated.



ITEM NO.	COLOUR
GEN04010012	White
GEN04010013	Yellow
GEN04010014	Black
GEN04010015	Red
GEN04010016	Blue
GEN04010017	Green

PAINT MARKERS



JIFEK400 series



JIFJK420 series

Paint marker marks most surfaces like metal, rubber, wood, glass/porcelain, plastic and garden. Quick dry, highly water and fade-resistant ink. Completely opaque even on dark or transparent surfaces. Xylene-free permanent ink. 2.3 mm writing width.



ITEM NO.	COLOUR	TYPE
JIFEK400B	Black	-
JIFEK400BL	Blue	-
JIFEK400G	Green	-
JIFEK400R	Red	-
JIFEK400W	White	-
JIFEK400Y	Yellow	-
JIFJK420BL	Blue	Low chloride
JIFJK420R	Red	Low chloride
JIFJK420W	White	Low chloride
JIFJK420Y	Yellow	Low chloride



Paint-Riter® Valve Action® is a fast-drying liquid paint marker. Long-lasting and wear- and weather-resistant marks. Safe for almost any surface. Xylene-free paint. 3.2 mm tip size.



ITEM NO.	COLOUR
MAR96820	White
MAR96821	Yellow
MAR96822	Red
MAR96823	Black
MAR96824	Orange
MAR96825	Blue



Paintstik® solid paint marker combines the durability of paint in the convenience of a crayon. Has superior marking performance on oily, icy, wet, dry or cold surfaces, and is weather- and UV-resistant. Works on rough, rusty, smooth, or dirty surfaces.



ITEM NO.	COLOUR
MAR80220	White
MAR80221	Yellow
MAR80222	Red
MAR80223	Black
MAR80225	Blue
MAR80226	Green



Fine



Chisel

INKZALL™ Jobsite Markers feature clog-resistant tips. Writes through dusty, wet or oily surfaces. Durable marker tip is designed for writing on rough surfaces. The ink dries quickly to reduce smearing markings without drying out quickly when cap is left off.



ITEM NO.	COLOUR	POINT TYPE
MIL48-22-3100	Black	Fine
MIL48-22-3103	Black	Chisel
MIL48-22-3170	Red	Fine
MIL48-22-3180	Blue	Fine
MIL48-22-3190	Green	Fine

SPRAY PAINT



SEY98-series

Spruce® general use spray paint provides a tough finish that is durable and inhibits rust. Hides well, dries fast, and resists chipping and peeling.



ITEM NO.	COLOUR/TYPE	TYPE	SIZE (G)
SEY98-1	Chrome Aluminum	Metallic	480
SEY98-10	Flat Black	Enamel	480
SEY98-12	Flat White	Enamel	480
SEY98-15	Light Gray	Primer	480
SEY98-2	Gloss White	Enamel	480
SEY98-26	Red Iron Oxide	Primer	480
SEY98-28	Gloss Orange	Enamel	480
SEY98-3	Gloss Black	Enamel	480
SEY98-34	Gloss Light Yellow	Enamel	480
SEY98-35	Gloss Medium Blue	Enamel	480
SEY98-39	Gloss Pink	Enamel	480
SEY98-4	Gloss Cherry Red	Enamel	480
SEY98-87	Gloss Dark Blue	Enamel	480
SEY98-88	Gloss Bright Green	Enamel	480



SEY20-series

Stripe® inverted tip marker is a water-based, fast drying permanent marking paint designed to be applied in the inverted position. It is lead free and VOC compliant. Will not wash away. Improved colours retain their vivid colour for a longer period of time, even in direct sunlight. Safe on grass. Special overcap allows fingertip control without removing the colour-coded cap. May be applied by hand, with a SEYZ-605 Spot Marker, or with a SEYZ-606 Marking Stick.



ITEM NO.	COLOUR	SIZE (G)
SEY20-652	White	480
SEY20-654	Fluorescent Red	480
SEY20-657	Fluorescent Orange	480
SEY20-668	Fluorescent Green	480
SEY20-669	Fluorescent Blue	480
SEY20-671	Red	480
SEY20-676	Hi-Viz Yellow	480
SEY20-679	Fluorescent Pink	480

TRAFFIC MARKERS



Spot marker is compact and lightweight. Ideal for freehand marking with any Stripe® traffic or inverted tip cans.

ITEM NO.

SEYZ-605



Paint marking wand uses a variety of Stripe® inverted tip marking paints (those with a straight tip). This lightweight tool is ideal for a wide range of precise marking applications.

ITEM NO.

SEYZ-606



Sprayon® zinc-cold galvanizing compound is a high performance primer. Stops rust and protects the base metal.

ITEM NO.

KRYS00740

SIZE (OZ)

14



Graffiti remover. Gel-like environmentally safe formula adheres to vertical surfaces and is neutralized by rinsing with water.

ITEM NO.

SEY20-047

SIZE (OZ)

13

10 Safety



FIRE EXTINGUISHERS & ACCESSORIES

Did you know that we inspect and service fire extinguishers?

Call us (780) 413-0029
ARC Service Centre



Running board brackets. Welded steel construction with catch pin to keep bracket from vibrating open.



ITEM NO.	CAPACITY (LB)	SHELL DIA. "
FIRVB5	10	4-3/4 to 5-1/4
FIRVB6	10	5-1/2 to 6
FIRVB7	10 - 20	6-1/4 to 6 3/4
FIRVB8	20	6-3/4 to 7-1/4




Horn Signal
Item No. **FALPB8HNCN**

- Capacity: 8 OZ
- Air push button
- Sport safety



Extinguisher Tag
Item No. **SAFTAG**

- Size: 2-1/4" x 3"
- 4-year
- Metal



Heavy-Duty Punch for Fire Extinguisher
Item No. **SAFPUNCHHD**

- Metal
- 1/8" hole
- 2" reach



ABC multi-purpose dry chemical portable fire extinguishers with wall bracket. Steel cylinder complete with protective skirt. Polyester powder paint finish with superior corrosion resistance. Waterproof stainless steel gauge. Handle reinforced, full grip hardcoat anodized aluminum. Oversized pull pin with retaining strap for easier and faster activation. Colour and bar coded labels. Complies with NFPA 10 Standard. Meets D.O.T. requirements. U.S.C.G. approved with bracket listed on label. Temperature range: -65°F to 120°F (-54°C to 49°C).

ITEM NO.	CAPACITY (LB)	DIA. "	RATING	RANGE '	PSI
FIRABC2.5	2.5	3-1/8	1-A : 10-B : C	8 - 10	150
FIRABC5	5	4-1/4	3-A : 10-B : C	8 - 10	195
FIRABC10	10	5-1/8	6-A : 80-B : C	10 - 15	235
FIRABC20	20	7-1/8	10-A : 120-B : C	10 - 15	235
FIRABC30	30	7-1/8	10-A : 120-B : C	10 - 15	195

EYE WASH



Bio med wash for skin and eye. Washes dirt and other contaminants from cuts and chemicals from eyes and skin.

Complete bio med wash mount station with panel, 2 bio med wash bottles, and mirror.

Isotonic solution sterile solution with eye cup. Single use.

ITEM NO.	CAPACITY
DSIFAEBM07	7 OZ

ITEM NO.	SIZE
DSIFAESBMDWMF	2 x 7 OZ

ITEM NO.	SIZE
DSIFAEW016SU	16 OZ
DSIFAEW032SU	32 OZ



DSIFAESW1113F



DSIFAESW6514F



DSIFAESW1416F

Eye wash station with panel, mirror, and isotonic solution with eye cup attached.

ITEM NO.	SIZE
DSIFAESW1113F	16 OZ
DSIFAESW6514F	32 OZ
DSIFAESW1416F	2 x 32 OZ

FIRST AID KITS



DSIFAKALT1BM/897



DSIFAKALT1BN/897



DSIFAKALT2BM/897



DSIFAKALT2BN/897



DSIFAKALT2BP/897



DSIFAKALT3BM/897

Quality Canadian-made Alberta first aid kits containing an assortment of first aid supplies for treating common workplace injuries. Meets and exceeds the Alberta Occupational Health and Safety code first aid requirements (AR 87/2009) Section 178 (Schedule 2).

ITEM NO.	LEVEL	NO. PEOPLE SERVED/KIT	MAT.	NO. COMPONENTS
DSIFAKALT1BM/897	1AB	2 - 10	Metal Box	16
DSIFAKALT1BN/897	1AB	2 - 10	Nylon Bag	16
DSIFAKALT2BM/897	2AB	11 - 49	Metal Box	18
DSIFAKALT2BN/897	2AB	11 - 49	Nylon Bag	18
DSIFAKALT2BP/897	2AB	11 - 49	Plastic Box	18
DSIFAKALT3BM/897	3AB	50 - 99	Metal Box	19

ALBERTA FIRST AID CONTENTS			ITEM DESCRIPTION
LEVEL 1	LEVEL 2	LEVEL 3	
1	1	1	First Aid Manual
1	1	1	Safety Pins (Pack of 12)
1	1	1	Tweezers
1	1	1	Scissors
25	50	100	3/4" x 3" Sterile Plastic Adhesive Strip
2	3	6	4" Sterile Pressure Bandage
2	3	6	6" Sterile Pressure Bandage
10	20	50	4" x 4" Sterile Gauze Pad
1	1	2	1" x 5 yd Adhesive Tape
-	1	4	8" x 10" Sterile Abdominal Pad
1	2	4	3" x 5" Tensor Bandage
2	2	6	3" x 5" Conform Bandage
3	4	12	Triangular Bandage
-	-	1	Tubular Gauze/Applicator
-	1	2	Eye Pad Oval Sterile
1	1	1	Rescue Breather
1	1	2	8 x 10 in Ziplock® Bag
10	10	24	Antiseptic Benzalkonium Sachets
4	6	12	Nitrile Disposable Gloves (1 Pair)



DSIFAKBCNBABN/897



DSIFAKBCN1BM/897



DSIFAKBCN1BN/897



DSIFAKBCN1BP/897



DSIFAKBCN2BM/897



DSIFAKBCN2BN/897



DSIFAKBCN2BP/897



DSIFAKBCN3BN/897

First aid kits containing first aid station supplies in accordance with British Columbia first aid room requirements.

ITEM NO.	LEVEL	NO. PEOPLE SERVED/KIT	MAT.	NO. COMPONENTS
DSIFAKBCNBABN/897	Basic	5	Nylon Pouch	30
DSIFAKBCN1BM/897	1	30	Metal Box	20
DSIFAKBCN1BN/897	1	30	Nylon Pouch	109
DSIFAKBCN1BP/897	1	30	Plastic Box	20
DSIFAKBCN2BM/897	2	50	Metal Box	127
DSIFAKBCN2BN/897	2	50	Nylon Pouch	21
DSIFAKBCN2BP/897	2	50	Plastic Box	21
DSIFAKBCN3BN/897	3	75	Nylon Pouch	138

PADLOCKS



Safety padlock features a 1-1/2" wide plastic body and a 1-1/2" tall, 1/4" diameter metal shackle. Designed for Lockout/Tagout applications. Non-conductive lock body. Padlock features high security, reserved-for-safety cylinder with key retaining, to ensure padlock is not left unlocked.



ITEM NO.	COLOUR
ABU7440KD-BK	Black
ABU7440KD-BL	Blue
ABU7440KD-G	Green
ABU7440KD-O	Orange
ABU7440KD-P	Purple
ABU7440KD-R	Red
ABU7440KD-Y	Yellow

TAPES

Duratech flagging tape is a non-stick flagging tape. Polyvinyl. Operates to -35° C.



ITEM NO.	COLOUR	WIDTH "	LENGTH '
FLA11169	Lime Green	1	125
FLA11170	Bright Orange	1	125
FLA11171	Pink	1	125
FLA11172	Hi-Viz Blue	1	125
FLA11173	Arctic Red	1	125
FLA11174	Yellow	1	125
FLA11186	Green	1	125
FLA11189	White	1	125



Barricade tape made from low-density polyethylene.

ITEM NO.	COLOUR	WIDTH "	LENGTH '	TEXT
INCBT5058	Yellow	3	1000	CAUTION
INCBT5057	Red	3	1000	DANGER
INCBT5061	Red	3	1000	DANGER DO NOT ENTER

WORKSITE & TRAFFIC



Safety cones in solid high-viz orange with UV protection. Soft, high-quality, injection-molded PVC. One-piece design for strength and durability. Bounces back to shape when run over. Durable heavy, black rubberized base. Stackable. 100% recyclable design. Not recommended for use below -20°C.



ITEM NO.	SIZE "
PIO180P	12
PIO181P	18
PIO183P	28



Premium PVC flexible safety cones in solid high-viz orange with UV protection. Factory-attached 4" high-luminance Type 3 band for superior visibility. Made of soft, high-quality, injection-molded PVC. One-piece design for strength and durability. Bounces back to shape when run over. Durable heavy, black rubberized base. Stackable. 100% recyclable design.



ITEM NO.	SIZE "
PIO181N	18
PIO183N	28



Premium PVC flexible safety cones in orange with UV protection. Factory-attached 4" and 6" high-luminance Type 3 bands for superior visibility. Made of soft, high-quality, injection-molded PVC. One-piece design for strength and durability. Bounces back to shape when run over. Durable heavy, black rubberized base. Stackable. 100% recyclable design. Not recommended for use below -20°C.



ITEM NO.	SIZE "
PIO183	28
PIO186	36

WORKSITE & TRAFFIC continued




Red/white connecting rod. Single-side extendable from 3.3 to 7 feet. Durable, lightweight and retractable. For temporary barricading applications. Reflective bands for enhanced visibility. Loops at each end for use with any standard cone.

ITEM NO.	SIZE '
PIO189	Extendable 3.3 to 7



Barricade light. Can be used with delineator post, traffic drum or A-frame barricade using 175B bolt in middle of battery holder. Rugged polycarbonate lens with advanced optics for increased visibility and durability. Tamper-proof switch. On at dusk, off at dawn photo sensor. Steady-on or flashing settings. LED flashing rate of 65 times per minute. 360° swivel head. Uses two 4R25 6V lantern batteries (not included).

ITEM NO.	SIZE "
PIO177	7



Delineator base. Made of rubber. Easy to carry hand hold. Black.

ITEM NO.	WT. (LB)
PIO201	11
PIO202	13.2



PIO191 PIO192

Delineator post. High-visibility orange reflective post. Two 4-inch high intensity reflective bands at the top of the post. 2-piece construction for compact storage. UV inhibitors resist fading. Top can be used to tie barricade tape or to support standard barricade lights.

ITEM NO.	TOP	LENGTH "
PIO191	T	47
PIO192	Loop	44



Traffic STOP/SLOW paddle. Lightweight and durable aluminum octagonal bat. Hi-luminance Type III reflective. 12" handle with foam grip. Open bottom handle accommodates extension pole. Stainless steel bolts.

ITEM NO.	SIZE "	PROVINCIAL STDS.
PIO455	16 x 16	BC
PIO456	18 x 18	AB, MB, SK



PIO429 PIO430

LED traffic baton. Shock- and weather-resistant. Equipped with steel belt grip and nylon lanyard. Six LED lights and a reflector holder for maximum visibility. Switch between flash, steady-on and off. Uses two D-cell batteries (not included).

ITEM NO.	COLOUR	LENGTH "
PIO429	Orange	21
PIO430	Yellow	21



WORKSITE & TRAFFIC continued



PIO281



PIO282




PIO286



PIO287

Channel cable protectors. Tough, commercial-grade rubber base construction. Durable, high-visibility, yellow plastic-hinged lid for easy cable access. Protects multiple cables from pedestrians and car traffic. 30-tonne capacity.

ITEM NO.	CHANNELS	CHANNEL WIDTH "	CABLE DIA. "
PIO281	1	2.2	2
PIO282	2	1.4	1.4
PIO286	3	2.2	2
PIO287	5	1.4	1.4



Snow/safety fencing. Heavy-duty 230 GSM (280 g/lm) extruded polyethylene. Wind and snow resistant. Engineered to control drifting snow and sand. Will not rust or corrode. For highways, driveways, ski areas and winter trails, and for construction, excavation and demolition sites.

ITEM NO.	WIDTH '	LENGTH '	COLOUR
PIO777	4	50	Orange
PIO778	4	100	Orange



Safety warning triangle, 3-pack. Easily unfolds from weighted tubular base. Non-slip pads. Air flow design helps reduce wind turbulence. 4-point bracing for stability. Foldable for storage in carrying case.

ITEM NO.	LENGTH "
PIO373	17.3



Double-sided wheel chock. For loading dock safety. Rugged rubber with safe, secure grip. Hook for security chain for theft prevention. Resilient rubber compound reinforced for maximum wearability and strength. Traditional eye-bolt for sturdy chain connection.

ITEM NO.	WT. (LB)	DIM. W X D X H (CM)
PIO298	9	24.8 x 20.3 x 15.2



Barrier fencing steel T-post. Free-standing.

ITEM NO.	WIDTH '	COLOUR
VAN4204-0856	6	Black

SAFETY GLASSES & GOGGLES



Firebird Series

Wraparound lightweight. One-piece lens with soft rubber temple ends. Hard nose piece. CSA Z94.3-7 certified. Meets and/or exceeds ANSI Z87.1 requirements.



DSIEP800C



DSIEP800S



DSIEP800IO

ITEM NO.	LENS COATING	LENS MAT.	LENS COLOUR	FRAME COLOUR
DSIEP800C	Anti-Scratch, Anti-Static, Anti-UV	Polycarbonate	Clear	Frameless
DSIEP800IO	Anti-Scratch, Anti-Static, Anti-UV	Polycarbonate	Mirror I/O	Frameless
DSIEP800S	Anti-Scratch, Anti-Static, Anti-UV	Polycarbonate	Smoke	Frameless



OTG-Extra EP750 Series

Glasses with extra large size lens to fit over prescription glasses. Extra soft adjustable nose piece and temples EZ-ON temple system. CSA Z94.3-7 certified.



DSIEP750C



DSIEP750S



DSIEP750IO

ITEM NO.	LENS COATING	LENS MAT.	LENS COLOUR	FRAME COLOUR
DSIEP750C	Anti-Fog, Anti-Scratch, Anti-Static, Anti-UV	Polycarbonate	Clear	Clear
DSIEP750S	Anti-Fog, Anti-Scratch, Anti-Static, Anti-UV	Polycarbonate	Smoke	Smoke
DSIEP750IO	Anti-Fog, Anti-Scratch, Anti-Static, Anti-UV	Polycarbonate	Mirror I/O	Mirror



SecureFit™ 400 Series

Features soft adjustable nose pads, dual injected temples and proprietary 3M™ Pressure Diffusion Temple Technology.



MMMSF401AF-CA



MMMSF402AF-CA



MMMSF410AS-CA

ITEM NO.	LENS COATING	LENS MAT.	LENS COLOUR	FRAME COLOUR
MMMSF401AF-CA	Anti-Fog	Polycarbonate	Clear	Frameless
MMMSF402AF-CA	Anti-Fog, Anti-Scratch	Polycarbonate	Gray	Frameless
MMMSF410AS-CA	Anti-Fog, Anti-Scratch	Polycarbonate	Mirror I/O	Frameless



Virtua™

Safety glasses with Cord Control System. Foam gasket seal. Meets CSA Z94.3-07 requirements.



MMM11872-00000-20



MMM11873-00000-20



MMM11874-00000-20

ITEM NO.	LENS COATING	LENS MAT.	LENS COLOUR	FRAME COLOUR
MMM11872-00000-20	Anti-fog	Polycarbonate	Clear	Clear/Blue
MMM11873-00000-20	Anti-fog	Polycarbonate	Grey	Black
MMM11874-00000-20	Anti-fog	Polycarbonate	Clear Mirror I/O	Clear/Blue

SAFETY GLASSES & GOGGLES continued



Solus™

Safety glasses with Clear Scotchgard™ lens coating. Comes with foam gasket and strap attachments.



MMMS1101SGAF-KT



MMMS1102SGAF-KT



MMMS1107SGAF-KT

ITEM NO.	LENS COATING	LENS MAT.	LENS COLOUR	FRAME COLOUR
MMMS1101SGAF-KT	Scotchgard, Anti-fog	Polycarbonate	Clear	Blue/Black
MMMS1102SGAF-KT	Scotchgard, Anti-fog	Polycarbonate	Grey	Blue/Black
MMMS1107SGAF-KT	Scotchgard, Anti-fog	Polycarbonate	Gray I/O	Clear



V2G® Series

Headband and temples feature ratchet adjustment. Interchangeable temples and headband included with each pair of V2G. Flame-resistant foam padding.



PYRGB1810ST



PYRGB1820ST



PYRGB1880ST

ITEM NO.	LENS COATING	LENS MAT.	LENS COLOUR	FRAME COLOUR
PYRGB1810ST	Anti-Fog, Anti-Scratch, Anti-Reflective	Polycarbonate	Clear	Black
PYRGB1820ST	Anti-Fog, Anti-Scratch, Anti-Reflective	Polycarbonate	Grey	Black
PYRGB1880ST	Anti-Fog, Anti-Scratch, Anti-Reflective	Polycarbonate	Clear Mirror I/O	Black



OTS®

Glasses are lightweight nylon. Temples adjust for length and pitch. Designed to fit over prescription eyewear. Protects 99% UV-A/UV-B rays. Meets CAN/CSA Z94.3-07 requirements.



PYRS3510SJ



PYRS3520SJ



PYRS3580SJ

ITEM NO.	LENS COATING	LENS MAT.	LENS COLOUR	FRAME COLOUR
PYRS3510SJ	Anti-Scratch, Anti-Reflective	Polycarbonate	Clear	Black
PYRS3520SJ	Anti-Scratch, Anti-Reflective	Polycarbonate	Grey	Black
PYRS3580SJ	Anti-Scratch, Anti-Reflective	Polycarbonate	Mirror I/O	Black

LENS CLEANING



Pre-moistened anti-fog lens cleaning towelettes, individually packaged. For use on plastic, glass and polycarbonate lenses. Safe and effective with all lens coatings. Ideal for glasses, goggles and face shields. Anti-fog, anti-static formula.

ITEM NO.	QTY.	SIZE "
PYRLCT100	100/Pkg	5 x 8



LCS20 cleaning station with cleaning solution. For plastic, glass and polycarbonate lenses. Low lint non-abrasive tissues. Anti-fog, anti-static formula.

ITEM NO.	QTY.	SIZE (OZ)
PYRLCS20	1200 tissues	16

HEAD & FACE PROTECTION



Universal capmount hard hat adapter. Made from lightweight aluminum. Fits most cap-style hard hats and accommodates a variety of face shields. Cap mount with 3-swivel.



ITEM NO.	ADJ. TYPE	MAT.	SPRING/HINGE
PYRHAA	Spring	Aluminum	Silver



Headgear ratchet. Accepts a wide range of face shield styles. Large spark guard. Adjustable cross strap. Full floating mount spark guard. Comes with pin lock or ratchet adjustment.



ITEM NO.	ADJ. TYPE	MAT.	COLOUR	CROWN SIZE "
DSIEPHG300R	Ratchet	HDPE	Black	3
DSIEPHG700R	Ratchet	HDPE	Black	7



Safety visors features multi-fit attachment pattern consisting of 5 slots strategically located to fit a wide variety of headgear and brackets. Meets ANSI Z87.1 and CSA Z94.3.



ITEM NO.	HEIGHT "	WIDTH "	THK. "	MAT.	COLOUR
DSIEP815/40	8	15-1/2	0.04	PETG	Clear
DSIEP815PG/40	8	15-1/2	0.04	Polycarbonate	Green



Yellow Dyna-Brite™ stick-on reflective strips for hard hat.



ITEM NO.	MAT.	HEIGHT "	WIDTH "
DSIHP1X4YLW	Plastic	1	4



Hard hat with rain trough, HDPE shell, 4-point nylon suspension, pin-lock adjustment. Fits hat size 6-1/2 to 8. Certified CSA Type 1 Class E and ANSI Type I Class E.



ITEM NO.	COLOUR
DSIHP241R/01	White
DSIHP241R/02	Yellow
DSIHP241R/03	Orange
DSIHP241R/04	Dark Green
DSIHP241R/07	Sky Blue
DSIHP241R/08	Navy Blue
DSIHP241R/09	Grey
DSIHP241R/11	Black
DSIHP241R/15	Red



Hard hat with rain trough, HDPE shell, foam liner for lateral side, front and rear impact protection. Sure-Lock ratchet adjustment suspension. Accessory slots and chin strap attachments. Certified CSA Type 2 Class E and ANSI Type 2 Class E.



ITEM NO.	COLOUR
DSIHP542R/01	White
DSIHP542R/08	Navy Blue
DSIHP542R/09	Grey
DSIHP542R/15	Red



2-point nylon chin strap for HP241, HP241R, HP341, HP341R, HP741 and HP741R.

ITEM NO.	COLOUR
DSIHP241C	Black



Terry cloth sweat band with Velcro® closure for hard hat.

ITEM NO.	COLOUR
DSIHP5B470PK	Blue



HEAD & FACE PROTECTION continued



Safety visor provides distortion-free optics along with chemical and impact resistance. Visor is compatible with Fibre-Metal® hard hats with Quick-Lok™ blocks. Used with F-400, F-500, FH-66, FM-70, FM-71 Series.

ITEM NO.	HEIGHT "	WIDTH "	THK. "	MAT.	COLOUR
FBM4178CL	8	16-1/2	0.06	Propionate	Clear
FBM4178DGN	8	16-1/2	0.06	Propionate	Green



High performance face shield with extended view. Injection molded from propionate.

ITEM NO.	HEIGHT "	WIDTH "	THK. "	MAT.	COLOUR
FBM4199CL	9-3/4	19	0.06	Propionate	Clear



Ratchet headgear crown protector used with face protection windows. F400 model has a wide view, medium-duty style and a 4" crown protector.

ITEM NO.	CROWN SIZE "
FBMF400CSA	4



Hard hat, Roughneck P2A series. Front brim and side slots for accessory mounting options. 8-point ratchet. Thermoplastic. Certified CSA Class G or C (Class C for Quick-Lok) Type 1, ANSI Class G Type 1.

ITEM NO.	COLOUR
FBMP2AQRW01A000	White
FBMP2AQRW09A000	Grey
FBMP2AQRW11A000	Black
FBMP2AQRW71A000	Blue
FBMP2AQRW74A000	Green



Quick-Lok™ complete kit for Fibre-Metal® welding helmets.

ITEM NO.
FBM4000



Quick-Lok™ female adapter for Fibre-Metal® welding helmets.

ITEM NO.
FBM4001



Quick-Lok™ male adapter for Fibre-Metal® welding helmets.

ITEM NO.
FBM4002



Elastic chin strap for hard hat.

ITEM NO.
FBMC2



FBMF4400



FBMF4500


Crown protector with Quick-Lok™ mounting cup. Made from Noryl®.

ITEM NO.	CROWN SIZE "	FOR SERIES
FBMF4400	4	F-400
FBMF4500	7	F-500

HEARING PROTECTION



HOWLL1



HOWLL30

Laser Lite™ foam earplugs. Self-adjusting foam expands to fit virtually every wearer. Smooth, soil-resistant foam skin prevents dirt build-up. Contoured T-shape for easy insertion and wear. Disposable. Yellow/pink.

ITEM NO.	NRR	CORDED	QTY.
HOWLL1	32 dB	No	200/Box
HOWLL30	32 dB	Yes	100/Box



Peltor™ Optime™ earmuffs.

ITEM NO.	NRR	STYLE
PLTH6B/V	21 dB	Behind the Head
PLTH6F/V	21 dB	Foldable Over the Head
PLTH7B	26 dB	Behind the Head
PLTH7P3E	24 dB	Cap Mount
PLTH10A	30 dB	Over the Head
PLTH10B	29 dB	Behind the Head



PLTH6B-V



PLTH6F-V



PLTH7B



PLTH7P3E



PLTH10A



PLTH10B

RESPIRATORY PROTECTION



DSIRP513N95



DSIRP714N95

NIOSH approved particulate N95 respirator. Latex free.

ITEM NO.	VALVE	QTY.
DSIRP513N95	No	20/Box
DSIRP714N95	Yes	10/Box



MMM8210



MMM8511

NIOSH approved particulate N95 respirator. Two-strap design with dual point attachment.

ITEM NO.	VALVE	QTY.
MMM8210	No	20/Box
MMM8511	Yes	10/Box

RESPIRATORY PROTECTION continued

3M



NIOSH approved particulate filter. Made with electrostatic media to enhance the capture of airborne particles and reduce breathing resistance. Flame resistant. Bayonet compatibility allows use with many 3M™ half and full facepieces and certain 3M™ Scott™ full facepieces.

ITEM NO.	FILTER	NIOSH COLOUR	PROTECTION TYPE	QTY.
MMM2091	P100, Particulate	Magenta	Particulates	2

3M



NIOSH approved particulate filter. Flame and water resistant. Carbon layer helps reduce the odour of nuisance organic vapours such as certain solvents, degreasers, and resins. Use with 3M™ 6000, 6500 and 7500 Series facepieces.

ITEM NO.	FILTER	NIOSH COLOUR	PROTECTION TYPE	QTY.
MMM2097	P100, Particulate	Magenta	Organic Vapour, Particulates	2

3M



NIOSH approved advanced particulate filter. Nuisance odour relief for organic vapour levels below the Permissible Exposure Level (PEL). Bayonet compatibility allows use with many 3M™ half and full facepieces and certain 3M™ Scott™ full facepieces.

ITEM NO.	FILTER	NIOSH COLOUR	PROTECTION TYPE	QTY.
MMM2297	P100 Particulate	Magenta	Organic Vapour, Particulates	2

3M



NIOSH approved organic vapour cartridge. Swept-back design allows an enhanced field of view and comfort. Bayonet compatibility allows use with many 3M™ half and full facepieces and certain 3M™ Scott™ full facepieces.

ITEM NO.	FILTER	NIOSH COLOUR	PROTECTION TYPE	QTY.
MMM6001	Gas and Vapour	Black	Organic Vapour	2

3M



NIOSH approved ammonia methylamine cartridge. Swept-back design allows an enhanced field of view and comfort. Bayonet compatibility allows use with many 3M™ half and full facepieces and certain 3M™ Scott™ full facepieces.

ITEM NO.	FILTER	NIOSH COLOUR	PROTECTION TYPE	QTY.
MMM6004	Combination	Green	Ammonia, Methylamine	2

3M



NIOSH approved organic vapour cartridge. Swept-back design allows an enhanced field of view and comfort. Bayonet compatibility allows use with many 3M™ half and full facepieces and certain 3M™ Scott™ full facepieces.

ITEM NO.	FILTER	NIOSH COLOUR	PROTECTION TYPE	QTY.
MMM60921	P100, Gas and Vapour	Magenta/Black	Organic Vapour	2

3M



NIOSH approved organic vapour/acid gas cartridge. Swept-back design allows an enhanced field of view and comfort. Bayonet compatibility allows use with many 3M™ half and full facepieces and certain 3M™ Scott™ full facepieces.

ITEM NO.	FILTER	NIOSH COLOUR	PROTECTION TYPE	QTY.
MMM60923	P100, Gas and Vapour	Magenta/Yellow	Organic Vapour, Acid Gas	2

3M



NIOSH approved multi gas/vapour cartridge for protection against certain organic vapours, acid gases, ammonia, methylamine, formaldehyde and particulates. Swept-back design allows an enhanced field of view and comfort. Bayonet compatibility allows use with many 3M™ half and full facepieces and certain 3M™ Scott™ full facepieces.

ITEM NO.	FILTER	NIOSH COLOUR	PROTECTION TYPE	QTY.
MMM60926	P100, Gas and Vapour	Magenta/Olive	Ammonia, Chlorine, Chlorine Dioxide, Formaldehyde, Hydrogen Chloride, Hydrogen Fluoride, Hydrogen Sulfide, Methylamine, Organic Vapour, Sulfur Dioxide	2

RESPIRATORY PROTECTION continued



ITEM NO.	SIZE
MMM6100	S
MMM6200	M
MMM6300	L

Half facepiece reusable respirator. Easy to adjust head straps. 4-point harness. NIOSH approved for negative pressure air purifying and supplied air dual airline applications. TPE material. Can be disassembled and cleaned.



ITEM NO.	SIZE
MMM6501QL	S
MMM6502QL	M
MMM6503QL	L

Rugged Comfort Quick Latch Half Facepiece Reusable Respirator features a proprietary quick latch design that offers a one-hand touch drop-down mechanism for putting the facepiece on/off. 4-point quick latch. Silicone face seal and proprietary 3M™ Cool Flow™ valve helps reduce heat and moisture.



ITEM NO.	SIZE
MMM6700	S
MMM6800	M
MMM6900	L

Full facepiece reusable respirator. Large lens provides a wide field of view for excellent visibility. Silicone face seal. 4-point harness. Centre adapter directs exhaled breath downward.



ITEM NO.	COLOUR
MMM6885EA	Clear

Faceshield cover for use with 3M™ full facepiece reusable respirator 6000 Series to help protect lens from scratches, chips and dust.



by Honeywell



Pancake filter. Specifically designed to fit under most welding helmets and faceshields. Fits all North Safety half mask and full face respirators.

ITEM NO.	FILTER	NIOSH COLOUR	PROTECTION TYPE	QTY.
NOR75FFP100	P100	Magenta	Particulates	2



by Honeywell



Low profile pancake filter with odour relief. For use with 7700, 5500 half masks, 5400 and 7600-8A full facepiece.

ITEM NO.	FILTER	NIOSH COLOUR	PROTECTION TYPE	QTY.
NOR75FFP100NL	P100	Magenta	Particulates, Organic Vapour, Acid Gases	2



by Honeywell



Safety Defender multi-purpose respirator. Fits all North APR facepieces.

ITEM NO.	FILTER	NIOSH COLOUR	PROTECTION TYPE	QTY.
NOR75SCP100L	P100, Combination	Olive/Magenta	Organic Vapour, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide, Hydrogen Fluoride, Chlorine Dioxide, Ammonia, Methylamine, Formaldehyde	2



by Honeywell



Low profile OG/AG respirator filter.

ITEM NO.	FILTER	NIOSH COLOUR	PROTECTION TYPE	QTY.
NOR7583P100L	P100, Organic Vapour, Acid Gas	Yellow/Magenta	Organic Vapour, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide	2

We clean respirators! Call us at (780) 413-0029, ARC Service Centre

RESPIRATORY PROTECTION continued



Premium half mask features a soft contoured sealing flange and non-allergic silicone. The cradle suspension system gives an even seal without creating pressure points and doesn't slip like respirators with conventional strap systems. The low profile gives a wide field of vision and room for protective eyewear. Its low inhalation and exhalation resistance makes breathing easier.

ITEM NO.	SIZE
NOR770030S	S
NOR770030M	M
NOR770030L	L



Full face respirator. Features include a nose cup and wide field of vision. Chin cup helps to position the facepiece properly. All parts are replaceable. Latex free. Polycarbonate lens meets ANSI high impact requirements. Lightweight design.

ITEM NO.	SIZE
NOR54001S	S
NOR54001	M/L



Backpack adapter converts half or full facepiece to a welding respirator. Comfortable soft, lightweight face piece with easy-to-adjust head straps. NIOSH approved for negative pressure air purifying and supplied air dual airline applications. Can be disassembled, cleaned and reused.

ITEM NO.
NORBP1002



Alcohol free hygienic cleaning wipes. Removes body oils and perspiration from respirators and protective equipment. Individually wrapped in box dispenser.

ITEM NO.	QTY.
PYRHCW100	100/Pk



ERG5180



ERG5181

Arsenal respirator bags with belt straps to waist for protecting and storing half- and full-face respirator masks. Built with lightweight 420D nylon. Includes a hook and loop flap closure. Washable.

ITEM NO.	CAPACITY	DIM. "
ERG5180	Half-Face	7.5 x 3.5 x 6
ERG5181	Full-Face	10 x 3.5 x 6



ITEM NO.	TYPE	TYPE/SIZE
MMMFT-10	Sweet	Kit
MMMFT-11	Sweet Sensitivity	55 ML
MMMFT-12	Sweet	55 ML
MMMFT-30	Bitter	Kit
MMMFT-31	Bitter Sensitivity	55 ML
MMMFT-32	Bitter	55 ML



MMMFT-11 MMMFT-12 MMMFT-31 MMMFT-32



Respirator Fit-Test. Used to check face-to-respirator seal on any particulate respirator or gas/vapour respirator with a particulate prefilter.

RESPIRATORY PROTECTION continued



NORTH[®]

by Honeywell

Irritant smoke fit test kit. Includes 6 fit test tubes, aspirator bulb, tube tip breaker, record form, instruction manual and a hard shell plastic case.

ITEM NO.	TYPE
NOR140090	Kit



NORTH[®]

by Honeywell

Irritant smoke tube kit includes 10 smoke tubes.

ITEM NO.	TYPE
NOR770046	Kit

Ansell



HyFlex[®] breathable nitrile gloves offer 30% more breathability. Nitrile foam coating. White nylon liner.



ITEM NO.	MAT.	SIZE	THK.
ANL11-800	Nylon	6 to 11	15 ga

HAND PROTECTION

Ansell



AlphaTec[®] PVC gauntlet gloves provide good dexterity and pliability even at low temperature. Unique rough finish with superb wet-grip performance. 13 gauge knitted cotton liner. 12" glove length. Snorkel blue.



ITEM NO.	MAT.	SIZE	THK.
ANL04-644	PVC	8 to 11	13 ga

Ansell



HyFlex[®] gloves with breathable liner. DuPont[™] Kevlar[®] stretch liner. Nitrile foam coating. Extended knitwrist cuff.



ITEM NO.	MAT.	SIZE	THK.
ANL11-550	Nylon, Para-Aramid [®] , Spandex [®]	6 to 11	15 ga

Ansell



HyFlex[®] ultralight polyurethane gloves combine dexterity and advanced cut protection technology. Ultralight seamless liner. Dyneema[®] Diamond Technology. Durable PU coating.



ITEM NO.	MAT.	SIZE	THK.
ANL11-518	Nylon, Spandex [®] , Dyneema [®]	6 to 11	18 ga

ANSI CUT RATINGS



LIGHT	LIGHT - MEDIUM	MEDIUM	MEDIUM - HEAVY	HEAVY	EXTRA HEAVY
≥ 200G	≥ 500G	≥ 1000G	≥ 1500G	≥ 2200G	≥ 3000G

Ansell

TouchNTuff[®] disposable nitrile gloves for chemical splash protection. Silicone and powder free.



ITEM NO.	MAT.	SIZE	THK.	CUFF LENGTH "	COLOUR	QTY.
ANL92-600	Nitrile	6.5 to 10	5 ML	9-1/2	Green	100/Box

HAND PROTECTION continued



Split cowhide fitter with safety cuff and patch palm. Split cowhide palm, index finger and fingertips. Cotton backhand with split leather knuckle strap. Fleece palm lining. Safety cuff. Inside elastic wrist. Gunn cut with wing thumb.

ITEM NO.	MAT.	SIZE
BDG30-1-411PP	Cowhide	O/S



Grain cowhide fitter with safety cuff. Grain cowhide palm, index finger and fingertips. Cotton backhand with grain leather knuckle strap. Rubberized safety cuff. Inside elastic wrist. Gunn cut with wing thumb.

ITEM NO.	MAT.	SIZE
BDG40-1-281ECU	Cowhide	S to 3XL



Grain goatskin mechanics gloves with padded palm. Grain goatskin palm. Spandex backhand with neoprene knuckles. Elastic wrist with hook and loop closure. Keystone thumb. Foam padded palm. Reinforced fingertips.

ITEM NO.	MAT.	SIZE
BDG20-1-1215	Goatskin, Spandex	S to 2XL



Split cowhide welder with gauntlet cuff. Split cowhide palm and backhand. Fleece lining. Gunn cut with wing thumb. Weltd thumb and fingertips.

ITEM NO.	MAT.	SIZE
BDG60-1-7803B	Cowhide	O/S



Grain goatskin TIG welder with 5" cuff and heat patch. Grain goatskin palm and backhand. FR cotton backhand lining. 5" split cowhide gauntlet cuff. Shirred elastic wrist. Wing thumb. Backhand heat patch. Foam padded palm and reinforced thumb saddle. Stitched with Kevlar®.

ITEM NO.	MAT.	SIZE
BDG60-1-1940	Goatskin	S to 2XL



Grain cowhide welder with 5" cuff. Grain cowhide palm, thumb and index finger. Split cowhide backhand. Cut-resistant Kevlar® lining. 5" split cowhide gauntlet cuff. Wing thumb with thumb strap. Stitched with Kevlar®.

ITEM NO.	MAT.	SIZE
BDG60-1-1818KV	Cowhide	XS to 2XL



Grain goatskin driver. Grain goatskin palm and backhand. Slip-on cuff. Shirred elastic wrist. Gunn cut with keystone thumb.

ITEM NO.	MAT.	SIZE
BDG20-1-1610	Goatskin	XS to 2XL



Grain goatskin driver. Grain goatskin palm and backhand. Cut-resistant Kevlar® lining. Slip-on cuff. Shirred elastic wrist. Gunn cut with keystone thumb. Stitched with Kevlar®.

ITEM NO.	MAT.	SIZE
BDG20-1-1600	Goatskin	XS to 2XL



Grain goatskin driver. Grain goatskin palm and backhand. Cut-resistant lining. TPR backhand impact protection. Slip-on cuff. Shirred elastic wrist. Wing thumb. Reinforced thumb saddle. Stitched with Kevlar®.

ITEM NO.	MAT.	SIZE
BDG20-1-1880	Goatskin	S to 3XL

HAND PROTECTION continued



Grain goatskin gloves with 3" cuff. Grain goatskin palm and backhand. Cut-resistant lining. TPR backhand impact protection. 3" split cowhide cuff. Shirred elastic wrist. Wing thumb. Reinforced thumb saddle. Stitched with Kevlar®.

ITEM NO.	MAT.	SIZE
BDG20-1-1883	Goatskin	S to 3XL



Grain goatskin gloves with 5" cuff. Grain goatskin palm and backhand. Cut-resistant lining. TPR backhand impact protection. 5" split cowhide cuff. Shirred elastic wrist. Wing thumb. Reinforced thumb saddle. Stitched with Kevlar®.

ITEM NO.	MAT.	SIZE
BDG20-1-1885	Goatskin	S to 3XL



PU coated nylon shell. Polyurethane palm coating with smooth finish. Elastic knit wrist with hemmed cuff.

ITEM NO.	MAT.	SIZE	THK.
BDG99-1-9865	Nylon	XS to 2XL	18 ga



Nitrile coated nylon shell. Nitrile palm coating with smooth finish. Elastic knit wrist with hemmed cuff.

ITEM NO.	MAT.	SIZE	THK.
BDG99-1-9870	Nylon	XS to 2XL	15 ga



Nitrile HPPE shell. Foam nitrile palm coating with textured finish. Elastic knit wrist with hemmed cuff. Reinforced thumb saddle.

ITEM NO.	MAT.	SIZE	THK.
BDG99-1-9500	HPPE	XS to 2XL	15 ga



Double nitrile 13 ga. coated HPPE shell. Double dipped nitrile palm coating with textured finish. Elastic knit wrist with hemmed cuff.

ITEM NO.	MAT.	SIZE	THK.
BDG99-1-9623	HPPE	XS to 2XL	13 ga



Nitrile coated 13 ga. HPPE outer shell, 18 ga. HPPE inner shell. Nitrile palm coating with textured finish. Elastic knit wrist with hemmed cuff. Reinforced thumb saddle. Breathable inner membrane coating.

ITEM NO.	MAT.	SIZE	THK.
BDG99-1-9625	HPPE	XS to 2XL	13 ga



Nitrile coated 13 ga. HPPE shell. Nitrile palm coating with textured finish. Elastic knit wrist with hemmed cuff.

ITEM NO.	MAT.	SIZE	THK.
BDG99-1-9626	HPPE	XS to 2XL	13 ga



NBR coated 18 ga. HPPE fibreglass shell. Foam NBR palm coating with smooth finish. Elastic knit wrist with hemmed cuff.

ITEM NO.	MAT.	SIZE	THK.
BDG99-1-9772	HPPE	2XS to 2XL	18 ga

HAND PROTECTION continued



Nitrile coated 13 ga. HPPE shell. Nitrile palm coating with textured finish. TPR backhand impact protection. Elastic knit wrist with hemmed cuff.

ITEM NO.	MAT.	SIZE	THK.
BDG99-1-9791	HPPE	XS to 2XL	13 ga



Nitrile coated 13 ga. HPPE outer shell, 18 ga. HPPE inner shell. Nitrile palm coating with textured finish. TPR backhand impact protection. Elastic knit wrist with hemmed cuff. Reinforced thumb saddle. Breathable inner membrane coating.

ITEM NO.	MAT.	SIZE	THK.
BDG99-1-9793	HPPE	XS to 2XL	13 ga



Endura® cow grain TIG welding gloves. Reverse cowhide for longer wear. Reinforced cowhide back patch. Strapped thumbs and extended cowhide gauntlet cuffs. Fully Kevlar®-sewn throughout for seam strength and resistance to sparks. Heat protection up to 260°C/500°F. Gunn-cut styling and strapped thumbs.

ITEM NO.	MAT.	SIZE
SPR335CBP	Cow Grain	2XS to 3XL



Double-layer para-aramid cut-resistant and heat-resistant tubular knit sleeves. Provides a snug fit that conforms to arm contours for stay-in-place comfort. Flame-resistant properties. Sleeve will not burn, melt or drip. Latex free.



ITEM NO.	MAT.	LENGTH "	PLY	THUMB HOLE	COLOUR	QTY.
SPRKAWC10	Kevlar	10	2	No	Yellow	Pair
SPRKAWC10TH	Kevlar	10	2	Yes	Yellow	Pair



Endura® goatskin driver gloves with keystone thumb. High tensile-strength and abrasion-resistant properties. Keystone thumb for extra durability.

ITEM NO.	MAT.	SIZE
SPR378GKTA	Goatskin	2XS to 3XL



Endura® goat grain driver gloves with hi-viz fingertips. High tensile-strength goatskin provides outstanding abrasion resistance. Keystone thumb for better durability and comfort.

ITEM NO.	MAT.	SIZE
SPR378GOT	Goatskin	2XS to 3XL



Endura® cut-resistant arc flash goat grain driver gloves. Fully lined with a blended Kevlar®/ composite filament fibre. Cut-and-sewn knit for optimal fit and eliminates bunching in thumb area. Keystone thumb provides extra durability.

ITEM NO.	MAT.	SIZE
SPR378GKGE	Goatskin	2XS to 3XL



Endura® goat-grain driver gloves with Kevlar®/ composite filament fibre lining and gauntlet cuff. High tensile-strength goatskin. Lining is cut and sewn for a no-bunch custom fit. Wing thumb. Heat protection up to 284°F (140°C).

ITEM NO.	MAT.	SIZE
SPR399GKGL5	Goatskin	2XS to 3XL

HAND PROTECTION continued



ANSI 4 ABRASION
ANSI A6 CUT
ANSI 4 PUNCTURE
ANSI / ISEA 138 CUT 360°
ANSI / ISEA 138 2

Endura® goatskin Kevlar®-lined impact-resistant driver gloves. Impact-resistant back-of-hand protection. Vibration dampening padded palm.

ITEM NO.	MAT.	SIZE
SPR378GKGVBE	Goatskin	2XS to 3XL



ANSI 5 PUNCTURE

Endura® deluxe lineman gloves with 6" reflective gauntlet cuff. Made with 3-1/2 OZ grain horsehide leather. Excellent water, oil, and stain-repellent properties. Performance thumb/palm patch. Retro-reflective silver strips for greater night-time visibility. Sewn with Kevlar® thread for extra seam strength.

ITEM NO.	MAT.	SIZE
SPR365DLX6	Horsehide	2XS to 3XL



ANSI 4 ABRASION
ANSI A4 CUT
ANSI 4 PUNCTURE
MADE IN CANADA
FABRIQUE AU CANADA

TenActiv™ composite filament fibre cut-resistant knit gloves with foam nitrile palms. TenActiv™ gloves feature lint-free, continuous filament yarn. Specifically designed for electrostatic dissipative (ESD) properties when working with micro-electronic work. Silicone free. Treated with Ultra-Fresh to achieve 99.9% antimicrobial status.

ITEM NO.	MAT.	SIZE	THK.
SPRS18TAFGFN	TenActiv™	2XS to 3XL	18 ga



ANSI A6 CUT
ANSI 4 PUNCTURE
ANSI / ISEA 138 2

Endura® vibration-dampening gauntlet driver gloves. Features DuPont™ Kevlar® fibre/composite filament lining. Reinforced materials at the back of hand. Padding at the palm with extended gauntlet cuff.

ITEM NO.	MAT.	SIZE
SPR378GKGVBG	Goatskin	2XS to 3XL



ANSI A4 CUT
ANSI 5 PUNCTURE

Endura® deluxe Kevlar®-lined lineman gloves with 6" reflective gauntlet cuffs. 3-1/2 OZ cow grain leather. Performance thumb/palm patch. Gauntlet cuffs include two 3M™ retro-reflective silver strips, flanked by hi-viz bands. Meets ANSI/ISEA 107-2015 standard for hi-viz accessories. Inner Kevlar® lining. Sewn with Kevlar® thread.

ITEM NO.	MAT.	SIZE
SPR365DLX6KG	Cow Grain	S to XL



ANSI 4 ABRASION
ANSI A4 CUT
ANSI 3 PUNCTURE
TOUCH SCREEN

TenActiv™ 13-gauge grey knit cut-resistant gloves with foam nitrile palms. Nitrile thumb crotch reinforcement to reduce wear in critical areas. Touchscreen compatible.

ITEM NO.	MAT.	SIZE	THK.
SPRSTAFGFNT	TenActiv™	2XS to 3XL	13 ga



ANSI A5 CUT
ANSI 4 PUNCTURE
CUT 360°

Endura® TenActiv™ composite filament fibre goat-grain driver gloves with padded palm grips. High tensile-strength goatskin provides outstanding abrasion resistance. TenActiv™ composite filament fibre blend provides 360° cut protection. Hi-viz orange fingertips. Sewing thread made with DuPont™ Kevlar® fibre.

ITEM NO.	MAT.	SIZE
SPR378GTXTOT	Goatskin	2XS to 3XL



ANSI 4 ABRASION
ANSI A5 CUT
ANSI 3 PUNCTURE

TenActiv™ 13-gauge gloves knit with steel, TenActiv™ and composite filament-fibre. Foam nitrile palm.

ITEM NO.	MAT.	SIZE	THK.
SPRS13TAXFN	TenActiv™	2XS to 3XL	13 ga



ANSI 4 ABRASION
ANSI A4 CUT
ANSI 2 PUNCTURE

Dexterity® 13-gauge cut resistant gloves with polyurethane palms. Composite fine-gauge knit. Non-marring gloves will not leave residue, smudges, or fingerprints. Gloves are dipped over an ergonomic hand form for a natural, comfortable fit.

ITEM NO.	MAT.	SIZE	THK.
SPRS13KFGPU	Kevlar®	2XS to 3XL	13 ga

HAND PROTECTION continued



Full-grain cowhide leather gloves. Cotton drill back. Palm patch. Shirred elastic wrist. Slip-on style safety cuff.

ITEM NO.	MAT.	SIZE
WATA281BB	Cowhide	O/S



Full-grain cowhide leather gloves. Cotton drill back. Full leather index finger, pulse protector, knuckle bar and hooded fingertips. Outside elastic wrist. Slip-on style safety cuff.

ITEM NO.	MAT.	SIZE
WATA281E	Cowhide	S to 2XL



Dryhide™ water-resistant full-grain goatskin leather palm gloves. Spandex stretch back is flexible and provides form-fitting memory. Leather hooded fingertips and reinforced thumb for additional padding and protection. Snug-fitting elastic wrist and secure Velcro® closure keeps out dirt and debris.

ITEM NO.	MAT.	SIZE
WAT005	Goatskin, Spandex	S to 2XL



Premium split cowhide leather gloves. Full cotton fleece lining with foam lined back. Gunn cut design with wing thumb. 1.5" leather band seam protector. Reinforced welted seams. Stitched with Kevlar® thread. Gauntlet style cuff with leather gore.

ITEM NO.	MAT.	SIZE
WAT2761	Cowhide	S to XL



Split cowhide leather gloves. Cotton fleece lining. Gunn cut design with wing thumb. Reinforced welted seams. Stitched with Kevlar® thread. Gauntlet style cuff. Made for a woman's hand.

ITEM NO.	MAT.	SIZE
WAT9238W	Cowhide	S



Cutshield™ P-aramid/steel/polyester liner. Full-grain cowhide leather palm with thumb and index finger. Split cowhide back. Stitched with Kevlar® thread. Gauntlet style cuff. Snug-fitting shirred elastic wrist. Made for a woman's hand.

ITEM NO.	MAT.	SIZE
WAT2782	Cowhide	S to M



Full-grain goatskin leather gloves. Drivers style with keystone thumb. Shirred elastic wrist. Slip-on style cuff.

ITEM NO.	MAT.	SIZE
WAT546	Goatskin	XS to 2XL



Full-grain goatskin leather gloves. Classic gunn cut with inset thumb. Shirred elastic wrist. Gauntlet style cuff.

ITEM NO.	MAT.	SIZE
WAT546G	Goatskin	S to XXL



Full-grain goatskin leather gloves. Drivers style with keystone thumb. Heavy duty rubber on back of hand, fingers and wrist. Shirred elastic wrist. Slip-on style cuff.

ITEM NO.	MAT.	SIZE
WAT546TPR	Goatskin	XS to 3XL

HAND PROTECTION continued



Cutshield™ P-aramid/polyester/glass liner gloves. Kevlar® liner. Full-grain goatskin leather. Drivers style with inset thumb. Snug-fitting shirred elastic wrist. Slip-on style cuff.

ITEM NO.	MAT.	SIZE
WAT547	Goatskin	2XS to 2XL



Cutshield™ P-aramid/polyester/glass liner gloves. Kevlar® liner. Full-grain goatskin. Gunn cut. Wing thumb. Pulse protector. Gauntlet style cuff.

ITEM NO.	MAT.	SIZE
WAT549	Goatskin	M to 2XL



WAT5554PF WAT5555PF WAT5553PF



WAT5559PF WAT5557PF



Cutshield™ P-aramid/polyester/glass liner gloves. Full-grain goatskin leather. Drivers style with inset thumb. Impact protection heavy duty flame resistant rubber on back of hand, fingers and wrist. Stitched with Kevlar® thread. Snug-fitting shirred elastic wrist. Slip-on style cuff.

ITEM NO.	MAT.	SIZE
WAT547TPR	Goatskin	XS to 3XL



Full sock Cutshield™ P-aramid/steel/polyester liner gloves. Full-grain goatskin leather. Impact protection heavy duty flame resistant rubber on back of hand, fingers and wrist. Gunn cut. Wing thumb. Stitched with Kevlar® thread. Pulse protector. Gauntlet style cuff.

ITEM NO.	MAT.	SIZE
WAT549TPR	Goatskin	XS to 3XL

Nitrile disposable gloves. Powder free. Rolled cuff.

ITEM NO.	MAT.	SIZE	THK. (ML)	CUFF LENGTH "	COLOUR	QTY.
WAT5554PF	Nitrile	S to 2XL	5	9-1/2	Black	100/Box
WAT5555PF	Nitrile	S to 2XL	8	11	Black	50/Box
WAT5553PF	Nitrile	M to 2XL	15	11	Blue	50/Box

Nitrile disposable gloves. Powder free. Rolled cuff. Landfill biodegradable.

ITEM NO.	MAT.	SIZE	THK. (ML)	CUFF LENGTH "	COLOUR	QTY.
WAT5559PF	Nitrile	S to 2XL	4	9-1/2	Green	100/Box
WAT5557PF	Nitrile	S to 2XL	6	9-1/2	Orange	50/Box



HPPE/glass/WasteNot™ polyester seamless knit cut-resistant glove. Premium sandy nitrile palm with reinforced thumb saddle. Snug-fitting seamless knit wrist keeps out dirt and debris.

ITEM NO.	MAT.	SIZE	THK.
WAT379	HPPE	XS to XXL	18 ga



HPPE/glass/WasteNot™ polyester seamless knit cut-resistant glove. Sandy latex palm with PVC reinforced thumb saddle. Snug-fitting seamless knit wrist keeps out dirt and debris.

ITEM NO.	MAT.	SIZE	THK.
WAT351	HPPE	XS to XXL	13 ga

SASHES & BANDS



Daytime traffic sash belt with 1-1/2" Dyna-Lite™ silver and yellow-green reflective elasticized material. Adjustable buckles and 360° horizontal stripe around torso. 2-vertical reflective stripes on the front and an X in the back.

ITEM NO.	MAT.	SIZE
DSITSHG32/L	Elastic	L



Stretchy hi-viz ankle band with Velcro® closure. 2" premium elastic with 2" reflective tape. 14" long.

ITEM NO.	MAT.	SIZE
PIO1142	Elastic	O/S



Hi-Viz traffic cuffs. Polyester mesh with solid binding. 2" silver StarTech® double reflective tape. Long hook and loop system for adjustment.

ITEM NO.	MAT.	LENGTH "	COLOUR
PIO164A	Polyester	8	Yellow
PIO166A	Polyester	8	Orange

VESTS



Unisex hi-viz vest. Meets CSA Z96-09 Class 2, Level 2 and Table 2A standards. Made of orange coloured polyester mesh with 4" wide Dyna-Lite™ yellow/silver reflective stripes. Self-detachable 5-point design. Horizontal band covering 360° around the torso, 2 vertical bands on the front and an X on the back. Two inside pockets, two outside pockets and D-ring opening at the back.

ITEM NO.	MAT.	CLASS	LEVEL	5-PT. TEAR-AWAY	COLOUR	SIZE
DSITSV20G23	Polyester	2	2	Yes	Hi-Viz Orange	S/M, L, XL, 2XL/3XL, 4XL/5XL



Traffic vest with reflective tape. Made of orange polyester mesh. CSA Z96-02 Class 2 Level 2. StarTech® reflective tape. 5-point tear-away. 4 storage pockets. Radiophone clip strap. D-ring access slot.

ITEM NO.	MAT.	CLASS	LEVEL	5-PT. TEAR-AWAY	COLOUR	SIZE
PIO6926	Polyester	2	2	Yes	Hi-Viz Orange	O/S

VESTS continued



Traffic vest with reflective tape. Made of yellow/green polyester mesh. CSA Z96-02 Class 2 Level 2. StarTech® reflective tape. 5-point tear-away. 4 storage pockets. Radiophone clip strap. D-ring access slot.

ITEM NO.	MAT.	CLASS	LEVEL	5-PT. TEAR-AWAY	COLOUR	SIZE
PIO6927RB	Polyester	1	2	Yes	Royal Blue	O/S
PIO6927	Polyester	2	2	Yes	Hi-Viz Yellow/Green	O/S
PIO6927BK	Polyester	1	2	Yes	Black	O/S



High-visibility orange safety vest with reflective strip. 5-point tear-away. Tricot polyester interlock. StarTech® reflective tape. ID pocket. 4 sealed pockets. Radiophone clip strap. D-ring access slot.

ITEM NO.	MAT.	CLASS	LEVEL	5-PT. TEAR-AWAY	COLOUR	SIZE
PIO6930	Polyester	2	2	Yes	Hi-Viz Orange	S/M, L/XL, 2XL/3XL, 4XL/5XL



High-visibility yellow/green safety vest with StarTech™ reflective tape. 5-point tear-away. Tricot polyester interlock. ID pocket. 4 sealed pockets. Radiophone clip strap. D-ring access slot. Adjustable 1 size up at front.

ITEM NO.	MAT.	CLASS	LEVEL	5-PT. TEAR-AWAY	COLOUR	SIZE
PIO6931	Polyester	2	2	Yes	Hi-Viz Yellow/Green	S/M, L/XL, 2XL/3XL, 4XL/5XL



Black safety vest with StarTech™ reflective tape. 5-point tear-away. Polyester mesh. ID pocket. 4 sealed pockets. Radiophone clip strap. D-ring access slot. Adjustable 1 size up at front.

ITEM NO.	MAT.	CLASS	LEVEL	5-PT. TEAR-AWAY	COLOUR	SIZE
PIO6933BK	Polyester	1	2	Yes	Black	S/M, L/XL, 2XL/3XL, 4XL/5XL

VESTS continued



Red surveyor safety vest with StarTech™ reflective tape. 600 denier Oxford polyester, PU coated. Radio phone pocket on chest. 12 storage pockets. Back ruler slot. 2 large back pack pockets. D-ring access slot.

ITEM NO.	MAT.	CLASS	LEVEL	5-PT. TEAR-AWAY	COLOUR	SIZE
PIO695	Oxford Polyester	1	2	No	Red	S-5XL



Flame-resistant/ARC rated surveyors safety vest in hi-viz red. FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM). Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 certified to UL - must be worn with an FR/arc rated sleeved garment. Thermal Protective Performance (TPP) value: 9 cal/cm². 7731 - CSA Z96-15 Class 1 Level 2 and Class 1 Level FR. Meets ASTM F1506-18, NFPA 70E and CSA Z462-18. StarTech® FR reflective tape with Aramid backing. ATPV 10 cal/cm² (Arc Thermal Protective Value). ARC 2 Arc Rating Category. Metal snap front, radiophone clip strap and pocket. Multiple front pockets including cell phone pockets, 4 inner pockets, big back pouch with zipper opening. D-ring access slot and hanger loop.

ITEM NO.	MAT.	CLASS	LEVEL	5-PT. TEAR-AWAY	COLOUR	SIZE
PIO7731	FR-Tech® cotton blend	1	2	No	Red	S-4XL



Flame-resistant safety vest. FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM). Material and all components meet CGSB 155.20, 2017 and NFPA 2112-2018 certified to UL. Average Thermal Protective Performance (TPP) value: 9 cal/cm². Meets ASTM F1506-2018, NFPA 70E and CSA Z462-15. ATPV 10 cal/cm² (Arc Thermal Protective Value). ARC 2 Arc Rating Category. 7729/7730 - CSA Z96-15 Class 1 Level 2 and Class 1 Level FR. 7728 - CSA Z96-15 Class 2 Level 2 and Class 2 Level FR. StarTech® FR reflective tape. Sewn with inherently FR thread. Radiophone clip strap. Cell phone pocket. Non-conductive concealed snaps. D-ring access slot.

ITEM NO.	MAT.	CLASS	LEVEL	5-PT. TEAR-AWAY	COLOUR	SIZE
PIO7728	FR-Tech® cotton blend	2	2	No	Hi-Viz Orange	S-4XL
PIO7729	FR-Tech® cotton blend	1	2	No	Black	S-4XL

COVERALLS



Disposable SMS coverall with front zipper. 3-layer spunbond meltblown synthetic material. Breathable while protecting from dry particulates and fluids. Good abrasion and tear resistance. Elastic waist, ankles and wrists. Serged seams. For non-hazardous environment applications.

ITEM NO.	MAT.	SIZE
PIO2045	SMS	S-5XL



Disposable microporous coverall with front zipper. Microporous film laminate. Breathable, comfortable and lint free. Protects from dirt, grime and liquid splashes as well as from paints, bleach and blood. Elastic waist, ankles and wrists. Serged seams. For non-hazardous environment applications.

ITEM NO.	MAT.	SIZE
PIO2055	Film laminate	S-5XL



Disposable flame-resistant SMS coverall with front zipper. 100% FSR (flame-spread-resistant) treated SMS (Spunbond-Meltblown-Spunbond) non-woven material. Complies with Chemical Protective Coveralls Category III EN ISO 13982-1 Type 5 – Protection Against Hazardous Dry Particles. Complies with Chemical Protective Coveralls Category III EN ISO 13034 Type 6 – Protection Against Light Splashes and Light Sprays of Liquid Chemicals. Ideal for protection from asbestos, paint spray, dust and noxious splashes. Flame spread resistant tested to EN 14116 Index 1. For FSR applications only: must be worn over other CGSB approved flame resistant apparel. Premium sewn and bonded seams for increased holdout of liquids and dry particles. 2-way zipper front with resealable storm flap. Low lint. Elastic cuff, ankle, face line and waist at back.

ITEM NO.	MAT.	SIZE
PIO2075	SMS	S-5XL

RAIN JACKETS & PANTS



Flame-resistant waterproof PVC yellow rainsuit. FR treated .35 mm PVC/poly. Meets CGSB 155.20-2000 Type 3. 2 patch pockets. 3 pieces: jacket with zip, snap front placket and detachable snap hood; bib pant with self fabric suspenders.

ITEM NO.	MAT.	CLASS	LEVEL	RESISTANCE	COLOUR	SIZE
PIO578	FR PVC, Polyester	0	0	Water, flame	Yellow	S-6XL



RAIN JACKETS & PANTS continued



2-piece hooded jacket and bib pant folded into zippered storage pouch. 100% waterproof 150 Denier Oxford polyester with PVC backing. CSA Class 1 Level 2. StarTech™ reflective tape. Taped and heat sealed seams. Full back vent. Jacket has 2 lower flap pockets, drawstring with toggle on hem, half mesh lined back, full front zipper, hood folds into collar. Bib pant has elastic suspenders, metal buckles, snaps on leg hems to snug to boots.

ITEM NO.	MAT.	CLASS	LEVEL	RESISTANCE	COLOUR	SIZE
PIO5608	Oxford, Polyester, PVC	1	2	Water	Hi-Viz Orange	XS-4XL
PIO5609	Oxford, Polyester, PVC	1	2	Water	Hi-Viz Yellow/Green	XS-4XL



Waterproof safety jacket with detachable and adjustable hood. 150 denier PU coated polyester. 100% waterproof and windproof. StarTech™ reflective tape. Taped and heat sealed seams. Multiple front and back vents. Fully mesh lined. Adjustable wrists. 2 large front cargo pockets. Hood folds into comfort fleece collar. Full front zipper with storm flap closure.

ITEM NO.	MAT.	CLASS	LEVEL	RESISTANCE	COLOUR	SIZE
PIO5594	PU Coated Polyester	2	2	Water, Wind	Hi-Viz Orange	XS-5XL
PIO5596	PU Coated Polyester	2	2	Water, Wind	Hi-Viz Yellow/Green	XS-5XL

RAIN JACKETS & PANTS continued



Waterproof safety bib pants. 150 denier PU coated polyester, 10 oz (350 GSM). 100% waterproof and windproof. StarTech™ reflective tape. Taped and heat sealed seams. Extra liberal fit for working comfort. Elastic suspenders with quick-release clips. Boot access zippers with adjustable ankles. Fly access.



ITEM NO.	MAT.	CLASS	LEVEL	RESISTANCE	COLOUR	SIZE
PIO5595	PU Coated Polyester	3	2	Water, Wind	Hi-Viz Orange	XS-5XL
PIO5597	PU Coated Polyester	3	2	Water, Wind	Hi-Viz Yellow/Green	XS-5XL



Flame resistant PU stretch hi-viz rain jacket. FR treated 100% polyurethane/poly. Meets CGSB 155.20, 2000 Type 3. Oil and chemical resistant. 100% waterproof and windproof. Lightweight and tough 4-way stretch PU. StarTech™ FR reflective tape. Heat welded seams. Extra-large detachable hood. Full front zipper with snap closure storm front.



ITEM NO.	MAT.	CLASS	LEVEL	RESISTANCE	COLOUR	SIZE
PIO5892	PU	2	2	Water, Wind, Oil, Chemical, Flame	Hi-Viz Orange	XS-7XL
PIO5894	PU	2	2	Water, Wind, Oil, Chemical, Flame	Hi-Viz Yellow/Green	XS-4XL
PIO5894BK	PU	1	2	Water, Wind, Oil, Chemical, Flame	Black	XS-5XL

HIGH VISIBILITY STANDARD: CSA Z96

- CLASSES**
- Class 1:** Basic harness or stripes/bands over the shoulder and encircling the waist (stripes/bands only meet CSA standards). Can be Level 1, 2 and FR retro-reflection.
 - Class 2:** Full coverage of upper torso - front, back, sides and over the shoulder (stripes/bands and background fabric both meet CSA standards). Can be Level 1, 2 and FR retro-reflection.
 - Class 3:** Class 2 apparel in addition to bands encircling both arms and legs (all stripes/bands and background fabric meet CSA standards). Must have Level 2 retro-reflection.
- LEVELS**
- Level 1:** Lower performance level of the striping but still requires the background material to meet CSA standards. Retro-reflective level is at 70% of the Level 2 requirement.
 - Level 2:** Highest level of retro-reflection and requires the background fabric to meet CSA Standards as well as the striping/bands to meet the highest coefficient level.

RAIN JACKETS & PANTS continued



Flame-resistant waterproof safety bib pants. FR treated 100% polyurethane/poly. Meets CGSB 155.20-2000 Type 3. Passes ASTM D6413-13 flame resistance test. Lightweight and tough 4-way stretch PU. StarTech™ FR reflective tape. Heat welded seams. Heavy-duty suspenders with quick-release clips. Adjustable waist with snaps.

ITEM NO.	MAT.	CLASS	LEVEL	RESISTANCE	COLOUR	SIZE
PIO5893	PU	3	2	Water, Wind, Oil, Chemical, Flame	Hi-Viz Orange	XS-7XL
PIO5895	PU	3	2	Water, Wind, Oil, Chemical, Flame	Hi-Viz Yellow/Green	XS-4XL
PIO5895BK	PU	3	2	Water, Wind, Oil, Chemical, Flame	Black	XS-5XL

SAFETY BOOTS



CSA Class 1 steel toe/steel plate safety boots. Static dissipative. Flexible PVC shaft and heavy-duty PVC compounded sole. Puncture- and tear-resistant. 2 cut-off lines for shorter boot formats.

ITEM NO.	MAT.	COLOUR	SIZE
PIO1022	Rubber, PVC	Black	3-13

KNEE PADS



Tool Works™ heavy duty top grain leather kneepad. 1/2" thick water-repellent felt lining. Riveted for extra strength. Adjustable leather straps with steel buckles.

ITEM NO.	MAT.	CLOSURE	SIZE
KUNKP-300	Leather	Strap with steel buckle	O/S



Tool Works™ buckle-style soft shell knee pad is heavy duty construction. High-density, closed cell foam interior for all-day comfort. Buckle-style fastening system with adjustable straps.

ITEM NO.	MAT.	CLOSURE	SIZE
KUNKP-302	Soft shell, polyester	Strap with steel buckle	O/S



Tool Works™ molded dense foam kneepad. Hook and loop fasteners. Adjustable elastic straps.

ITEM NO.	MAT.	CLOSURE	SIZE
KUNKP-315	Foam	Strap with hook and loop	O/S



Tool Works™ professional gel kneepad. 1680D ballistic polyester throughout. Breathable neoprene lower straps secure below the knee. Over-sized large caps. Two-strap fastening. Upper elastic strap with slide buckle fasteners.

ITEM NO.	MAT.	CLOSURE	SIZE
KUNKP-340	Polyester, Gel	Strap with slide buckle	O/S

3M™ DBI-SALA® HARNESSES



DBI1102000C

DBI1110600C

DBI1103321C

Delta™ vest-style harness.

ITEM NO.	WT. (LB)	LEG STYLE	D-RINGS	SIZE
DBI1102000C	420	Grommeted	1 Dorsal	Universal
DBI1110600C	420	Quick-Connect	1 Dorsal	Universal
DBI1103321C	420	Pass-thru Buckle	1 Dorsal	Universal



ExoFit NEX™ Plus Comfort vest-style climbing harness.

ITEM NO.	WT. (LB)	LEG STYLE	D-RINGS	SIZE
DBI1140109C	420	Quick-Connect	1 Dorsal, 1 Front	S
DBI1140110C	420	Quick-Connect	1 Dorsal, 1 Front	M
DBI1140111C	420	Quick-Connect	1 Dorsal, 1 Front	L
DBI1140112C	420	Quick-Connect	1 Dorsal, 1 Front	XL



ExoFit™ Plus Comfort vest-style harness.

ITEM NO.	WT. (LB)	LEG STYLE	D-RINGS	SIZE
DBI1140001C	330	Quick-Connect	1 Dorsal	S
DBI1140002C	330	Quick-Connect	1 Dorsal	M
DBI1140003C	330	Quick-Connect	1 Dorsal	L
DBI1140004C	330	Quick-Connect	1 Dorsal	XL



ExoFit NEX™ Comfort arc flash vest positioning safety harness.



ITEM NO.	WT. (LB)	LEG STYLE	D-RINGS	SIZE
DBI1103070	420	Duo-Lok™ Quick-Connect	1 Dorsal, 2 Lateral	S
DBI1103071	420	Duo-Lok™ Quick-Connect	1 Dorsal, 2 Lateral	M
DBI1103072	420	Duo-Lok™ Quick-Connect	1 Dorsal, 2 Lateral	L
DBI1103073	420	Duo-Lok™ Quick-Connect	1 Dorsal, 2 Lateral	XL
DBI1103074	420	Duo-Lok™ Quick-Connect	1 Dorsal, 2 Lateral	2XL



**Need your harnesses cleaned and inspected?
Call us (780) 413-0029, ARC Service Centre**

3M™ DBI-SALA® HARNESSES continued



EZ-Stop™ shock-absorbing lanyard. Exclusive Hi-10™ Vectran™ energy absorption system. Repel™ webbing. Web lanyard with snap hooks at each end.

ITEM NO.	WT. (LB)	LENGTH '	LEG	HOOK MAT.
DBI1246011C	310	6	Single	Steel Snap



EZ-Stop™ shock-absorbing lanyard, E6, locking snap hook centre, snap hook leg ends, polyester. Transverse-load-rated self-locking/closing aluminum Comfort Grip connector. Hi-10™ Vectran™ energy-absorption system. Repel™ webbing.

ITEM NO.	WT. (LB)	LENGTH '	LEG	HOOK MAT.
DBI1246437C	418	6	Single	Aluminum Scaffold



EZ-Stop™ 100% tie-off shock-absorbing lanyard. Hi-10™ Vectran™ energy-absorption system. Repel™ webbing.

ITEM NO.	WT. (LB)	LENGTH '	LEG	HOOK MAT.
DBI1246022C	310	6	Double	Steel Snap



EZ-Stop™ 100% tie-off shock-absorbing lanyard. Hi-10™ Vectran™ energy-absorption system. Repel™ webbing.

ITEM NO.	WT. (LB)	LENGTH '	LEG	HOOK MAT.
DBI1246021C	310	6	Double	Aluminum Scaffold



EZ-Stop™ arc flash shock absorbing lanyard. Nomex®/Kevlar® fibre soft pack energy absorber. Nomex®/Kevlar® fibre fire-resistant webbing. Vectran™ energy-absorption system.

ITEM NO.	WT. (LB)	LENGTH '	LEG	HOOK MAT.
DBI1246306C	310	6	Single	Steel Snap



Force2™ adjustable 100% tie off shock absorbing lanyard. Arc flash and hot work rated. Nomex®/Kevlar® fibre soft pack energy absorber. Nomex®/Kevlar® fibre fire-resistant webbing. Vectran™ energy-absorption system.

ITEM NO.	WT. (LB)	LENGTH '	LEG	HOOK MAT.
DBI1246320C	310	6	Double	Steel Snap

3M™ DBI-SALA® LIFELINE ACCESSORIES



PRO™ rope lifeline with snap hook. Polyester/polypropylene blend. Built-in self-locking snap hook at one end.



ITEM NO.	WT. (LB)	DIA. "	LENGTH '
DBI1299996	310	5/8	25
DBI1299997	310	5/8	50
DBI1299998	310	5/8	100



PRO™ mobile rope grab. Inertia and cam-locking systems. Detachable anywhere along the line.



ITEM NO.	WT. (LB)	DIA. "
DBI5000003	310	5/8



Rope adjuster with lanyard. Manual design. Cam-locking system.



ITEM NO.	WT. (LB)	DIA. "	LENGTH '
DBI1340005	310	5/8	2



Sayline™ synthetic horizontal lifeline system. Includes 1 tensioner, 1 energy absorber, two 6-foot tie-off adaptor anchors, one 11/16" static kernmantle rope lifeline, 1 duffel bag.

ITEM NO.	WT. (LB)	DIA. "	LENGTH '
DBI7600701	310	11/16	20
DBI7600702	310	11/16	30
DBI7600703	310	11/16	40
DBI7600704	310	11/16	50
DBI7600705	310	11/16	60
DBI7600706	310	11/16	70
DBI7600707	310	11/16	80
DBI7600708	310	11/16	90
DBI7600709	310	11/16	100



Rebel™ self-retracting lifeline cable. Swiveling anchorage loop and carabiner. Galvanized steel wire rope lifeline. Self-locking swiveling snap hook on lifeline. Quick activating speed-sensing brake system. High capacity external energy absorber and impact indicator.

ITEM NO.	WT. (LB)	LENGTH '	CABLE MAT.	HOOK MAT.
DBI3590017	310	10	Galvanized	Steel Snap
DBI3590022	310	15	Galvanized	Steel Snap
DBI3590518	420	20	Galvanized	Steel Snap
DBI3590502	420	33	Galvanized	Steel Snap
DBI3590552	420	50	Galvanized	Steel Snap
DBI3590592	420	66	Galvanized	Steel Snap
DBI3590632	420	85	Galvanized	Steel Snap
DBI3590672	420	100	Galvanized	Steel Snap



Rebel™ self-retracting lifeline stainless steel cable. Swiveling self-locking snap hook with impact indicator. Speed-sensing all metal brake system. Side lifeline exit with ergonomic handle.

ITEM NO.	WT. (LB)	LENGTH '	CABLE MAT.	HOOK MAT.
DBI3590519	420	20	Stainless Steel	Steel Snap
DBI3590503	420	33	Stainless Steel	Steel Snap
DBI3590553	420	50	Stainless Steel	Steel Snap
DBI3590593	420	66	Stainless Steel	Steel Snap
DBI3590633	420	85	Stainless Steel	Steel Snap
DBI3590673	420	100	Stainless Steel	Steel Snap



We repair and recertify Type 2 lifelines at the ARC Centre, (780) 413-0029.

3M™ DBI-SALA® LIFELINE ACCESSORIES continued



Rebel™ suspension trauma safety straps. Attaches to most harnesses to help provide comfort and help prevent suspension trauma while worker is awaiting rescue by allowing the individual to stand up in their harness and to relieve pressure to arteries and veins around the legs.



ITEM NO.	WT. (LB)
DBI9501403C	420

MSA LANYARDS



V-Series standard shock absorbing lanyard. Single-leg adjustable energy absorbing lanyard. 6-feet, 36 C small snap hooks. Polyester thread/stitching and web material. ANSI Z359.13, CSA Z259.11-17 certified.

ITEM NO.	WT. (LB)	LENGTH '	LEG	HOOK MAT.
MSA10188100	310	6 (adjustable)	Single	Steel Snap



V-Series standard shock absorbing lanyard. Single-leg adjustable energy absorbing lanyard. 6-feet, 36 CL scaffold hooks. Polyester thread/stitching and web material. ANSI Z359.13, CSA Z259.11-17 certified.

ITEM NO.	WT. (LB)	LENGTH '	LEG	HOOK MAT.
MSA10188103	310	6 (adjustable)	Single	Steel Scaffold



V-Series standard shock absorbing lanyard. Twin-leg adjustable energy absorbing lanyard. 6-feet, 36 CL scaffold hooks. Polyester thread/stitching and web material. ANSI Z359.13, CSA Z259.11-17 certified.

ITEM NO.	WT. (LB)	LENGTH '	LEG	HOOK MAT.
MSA10188101	310	6 (adjustable)	Twin	Steel Scaffold

CABLES



Cable sling choker 1/4" (6 MM) galvanized cable with PVC coated flemish eye at both ends. One o-ring of 3" (50 MM) at one end and one snap hook model FP6650HS at the other end.

ITEM NO.	LENGTH '
DSIFP10/4FD	4
DSIFP10/6FD	6

MSA HARNESES



V-FORM™ safety harness. Back D-ring, Qwik-fit leg straps.

ITEM NO.	WT. (LB)	LEG STYLE	D-RINGS	SIZE
MSA10197195	150	Qwik-Fit	1 Dorsal	XS/M
MSA10197196	230	Qwik-Fit	1 Dorsal	Standard
MSA10197197	300	Qwik-Fit	1 Dorsal	XL



V-Series standard shock absorbing lanyard. Twin-leg adjustable energy absorbing lanyard. 6-feet, 36 C small snap hooks. Polyester thread/stitching and web material. ANSI Z359.13, CSA Z259.11-17 certified.

ITEM NO.	WT. (LB)	LENGTH '	LEG	HOOK MAT.
MSA10188102	310	6 (adjustable)	Twin	Steel Snap

MSA SELF-RETRACTING LIFELINES



MSA10157841 MSA10157843 MSA10157844 MSA10157845

Single Web

The Workman® Mini Personal Fall Limiter (PFL) is the premier option in MSA's line of self-retracting devices (SRDs) for users working at heights. The internal fast-acting pawl lock mechanism offers the most versatile, compact, self-retracting device on the market, allowing for increased user safety at lower heights.

Fall limiter design stops a fall quickly, providing workers with the ability to tie off at lower levels below the D-ring. Housing design is compact and lightweight; users can replace their standard 6-foot energy-absorbing lanyards. The Workman® Mini PFL is available in both single- and twin-leg, tie-back and non-tie-back configurations, at lengths of 6- and 9-foot working capacity.

Features

- Internal pawl-lock design provides many lower level tie-off points for numerous work applications
- 6- and 9-foot retractable lifeline for standard and tie-back models
- Swivel eye connection eliminates line twisting
- 400 LB user weight capacity
- Twin-leg carabiner connection keeps harness D-ring available for use with other equipment while climbing, or for rescue purposes



MSA10157858 MSA10157860 MSA10157861 MSA10157862

Twin Web

Workman® mini personal fall limiters. Polyester web lanyard. ANSI Z359.14 (Class A) certified.

ITEM NO.	WT. (LB)	LENGTH '	LEG	HOOK MAT.
Single Web				
MSA10157841	400	6	Single Web	Steel Snap
MSA10157843	400	6	Single Web	Steel Scaffold
MSA10157844	400	6	Single Web	Aluminum Snap
MSA10157845	400	6	Single Web	Aluminum Scaffold
Twin Web				
MSA10157858	400	6	Twin Web	Steel Snap
MSA10157860	400	6	Twin Web	Steel Scaffold
MSA10157861	400	6	Twin Web	Aluminum Snap
MSA10157862	400	6	Twin Web	Aluminum Scaffold



Workman® self-retracting lifelines. ANSI Z359.14-2012 and CSA Z259.2.2 certified.

ITEM NO.	WT. (LB)	LENGTH '	CABLE MAT.	HOOK
MSA10119507	400	30	Galvanized	Steel Swivel Snap
MSA10120724	400	30	Stainless Steel	Steel Swivel Snap
MSA10121834	400	50	Galvanized	Steel Swivel Snap
MSA10121778	400	50	Stainless Steel	Steel Swivel Snap



PEAKWORKS HARNESSSES



Peakpro harnesses. Certified to CSA Z259.10 and ANSI Z359.1

ITEM NO.	WT. (LB)	LEG STYLE	D-RINGS	SIZE
PKWFBH-60110A	400	Stab-Lock Buckles	1 Dorsal	O/S
PKWFBH-60110B	400	Stab-Lock Buckles	1 Dorsal, 2 Lateral	O/S
PKWFBH-60120A	400	Grommeted	1 Dorsal	O/S
PKWFBH-60120B	400	Grommeted	1 Dorsal, 2 Lateral	O/S



Peakpro harnesses. Certified to CSA Z259.10.

ITEM NO.	WT. (LB)	LEG STYLE	D-RINGS	SIZE
PKWFBH-70110A	400	Stab-Lock Buckles	1 Dorsal	S-XL
PKWFBH-70110B	400	Stab-Lock Buckles	1 Dorsal, 2 Lateral	S-XL
PKWFBH-70110G	400	Stab-Lock Buckles	1 Dorsal, 2 Lateral 2 Shoulder	S-XL

PEAKWORKS SELF-RETRACTING LIFELINES



Manufactured using 0.1" thick, 1" wide Dyneema core materials. Anchor point incorporates a heavy-duty, durable swivel eye. Features a sewn-in indicator on the lifeline.

ITEM NO.	WT. (LB)	LENGTH '	LEG	HOOK MAT.
PKWSRL-40302-12	300	12	Single Web	Steel Snap
PKWSRL-40302-18	300	18	Single Web	Steel Snap



Leading-Edge (LE) self-retracting lifelines ensure protection against sharp, abrasive and leading edges.

ITEM NO.	WT. (LB)	LENGTH '	LEG	HOOK MAT.
PKWSRL-50302-6LE	300	6	Single Web	Steel Snap
PKWSRL-50502-6LE	300	6	Twin Web	Steel Snap
PKWSRL-53302-10LE	300	10	Single Galvanized	Steel Swivel Snap
PKWSRL-53302-20LE	300	20	Single Galvanized	Steel Swivel Snap
PKWSRL-53302-40LE	300	40	Single Galvanized	Steel Swivel Snap
PKWSRL-53302-60LE	300	60	Single Galvanized	Steel Swivel Snap

PEAKWORKS CARABINERS



PKWCP-03015-2 PKWCP-03015-1 PKWCP-04011-1

Carabiners are lightweight, made with zinc plated steel. Resists rust, corrosion and weathering. Certified with a gate strength requirement of 3,600 LB. Meets ANSI Z359.12 standards.

ITEM NO.	SIZE "	OPENING "	MAX. LOAD	TYPE	MAT.
PKWCP-03015-2	3/4	3/4	5000 LB	Auto-Twist Lock	Alloy Steel
PKWCP-03015-1	1	3/4	5000 LB	Auto-Twist Lock	Alloy Steel
PKWCP-04011-1	2	2	5000 LB	Auto-Twist Lock	Alloy Steel

PEAKWORKS CONCRETE HOLE ANCHOR



Concrete hole anchor meets or exceeds CSA Z259.15 and ANSI Z359.18 requirements. 310 LB (140 KG) capacity for one worker (combined weight). Designed for use in an anchorage having a minimum strength rating of 5,000 LB (22.2 kN).

ITEM NO.	SIZE "
PKWCP-12010-1	3/4

PEAKWORKS ROOF ANCHOR BRACKETS



PKWRB-9701 PKWRB-9800

Roof brackets meet or exceeds CSA Z259.15 and ANSI Z359.18 standards. Built with a minimum tensile strength of 5000 LB. 310 LB (140 KG) capacity for one worker (combined weight).

ITEM NO.	REUSABLE
PKWRB-9701	No
PKWRB-9800	Yes

PEAKWORKS DROP-THROUGH ANCHORS



Removable and reusable anchor designed for overhead applications. Complies with ANSI Z359.7-2011 and ANSI Z359.1-2007.

ITEM NO.	PLATE SIZE "	CABLE LENGTH '
PKWAC-9452-DTA-4	4	8
PKWAC-9452-DTA-6	6	8
PKWAC-9452-DTA-12	12	8

TOOL TETHERING



DBI1500003 DBI1500007

Tool lanyard with D-ring attachment point.

ITEM NO.	SIZE "	WT. CAPACITY (LB)	QTY.
DBI1500003	0.5 x 2.25	2	10/Pk
DBI1500004	0.5 x 2.25	2	100/Pk
DBI1500007	1 x 3	5	10/Pk
DBI1500008	1 x 3	5	100/Pk



Quick-Wrap Tape II creates instant tethering points. Resists tears and stretches further. Proprietary 3M™ material and adhesive technology.

ITEM NO.	SIZE (" X ')	COLOUR	QTY.
DBI1500174	1 x 9	Yellow	1/Pk
DBI1500175	1 x 9	Yellow	10/Pk

TOOL TETHERING continued



Heat shrink protects Quick-Wrap Tape II from abrasives and harsh work environments. 200% reduction in size when heat is applied.

ITEM NO.	SIZE "	COLOUR	QTY.
DBI1500019	.75 x 1.75	Yellow	25/Pk
DBI1500020	1 x 1.75	Yellow	25/Pk
DBI1500021	1.5 x 2	Yellow	25/Pk
DBI1500022	2 x 4	Yellow	10/Pk
DBI1500023	3 x 4	Yellow	10/Pk



Squids® elastic hard hat lanyard with clamp. Tethers easily to hard hat with quick-release clamp.

ITEM NO.	SIZE "	WT. CAPACITY (LB)	COLOUR
ERG3155	18 - 48	2	Hi-Viz Lime



Squids® glove grabber. Keeps gloves, ice traction, cooling towels, safety glasses, etc., close at hand. Clips to clothing, belts, tool belts and D-rings. Detachable, usable with carabiners, D-rings, etc. Breakaway feature.

ITEM NO.	COLOUR
ERG3400BK	Black



Squids® tool lanyard with single carabiner. Energy absorbing cord with tubular nylon webbing. Single action aluminum carabiner. Captive eye carabiner. Reflective accent for higher visibility. Lock stitching at both ends for extra security. Third-party certified to a 2:1 safety factor.

ITEM NO.	SIZE "	WT. CAPACITY (LB)	COLOUR
ERG3100	34 - 42	10	Black
ERG3100EXT	42 - 54	10	Black or Lime



Skullerz 100% cotton lanyard for glasses. Adjustable barrel slide. Slides over temple ends.

ITEM NO.	COLOUR
ERG3200-L	Black



Hard hat lanyard features an easy release to disengage the side release buckle, leaving one piece secured to the hard hat and the other attached to an outer garment.

ITEM NO.	COLOUR
PROJLANHATRD	Red

11 Tools & Equipment



11 Tools & Equipment

1/4" DRIVE SOCKETS & ACCESSORIES



Quick-release ratchet-chrome handle.

ITEM NO.	DRIVE "	LENGTH "	TEETH
DNCD001301	1/4	5	45



Universal joint. 360° articulation. Chrome finish.

ITEM NO.	DRIVE "	LENGTH "
DNCD001601	1/4	1.46



1/4" drive standard and deep chrome sockets.

HEX SIZE	6-POINT STD	12-POINT STD	6-POINT DEEP
<i>SAE (inches)</i>			
5/32	DNCD003303	--	--
3/16	DNCD003304	DNCD003404	DNCD003504
7/32	DNCD003306	DNCD003406	DNCD003506
1/4	DNCD003308	DNCD003408	DNCD003508
9/32	DNCD003309	DNCD003409	DNCD003509
5/16	DNCD003310	DNCD003410	DNCD003510
11/32	DNCD003311	DNCD003411	DNCD003511
3/8	DNCD003312	DNCD003412	DNCD003512
7/16	DNCD003314	DNCD003414	DNCD003514
1/2	DNCD003316	DNCD003416	DNCD003516
9/16	DNCD003318	DNCD003418	DNCD003518
<i>Metric (mm)</i>			
4	DNCD003004	DNCD003104	DNCD003204
4.5	DNCD003045	--	--
5	DNCD003005	DNCD003105	DNCD003205
5.5	DNCD003055	--	DNCD003255
6	DNCD003006	DNCD003106	DNCD003206
7	DNCD003007	DNCD003107	DNCD003207
8	DNCD003008	DNCD003108	DNCD003208
9	DNCD003009	DNCD003109	DNCD003209
10	DNCD003010	DNCD003110	DNCD003210
11	DNCD003011	DNCD003111	DNCD003211
12	DNCD003012	DNCD003112	DNCD003212
13	DNCD003013	--	DNCD003213
14	DNCD003014	--	DNCD003214
15	DNCD003015	--	--



Flex handle bends 110° in either direction. Chrome finish.

ITEM NO.	DRIVE "	LENGTH "
DNCD001800	1/4	6



Adapter. Chrome finish.

ITEM NO.	DRIVE FEMALE "	DRIVE MALE "	LENGTH "
DNCD001201	1/4	1/4	1



Chrome extension.

ITEM NO.	DRIVE "	LENGTH "
DNCD001002	1/4	2
DNCD001004	1/4	4
DNCD001006	1/4	6"



Socket driver adapter. Chrome vanadium steel.

ITEM NO.	DRIVE "	LENGTH "
DNCD112001	1/4	2.5

1/4" DRIVE SOCKETS & ACCESSORIES continued



1/4" drive, 11-piece, 6-point standard SAE socket set in sizes 5/32, 3/16, 7/32 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16. Chrome finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD004000	SAE	Standard	11



1/4" drive, 10-piece, 6-point deep SAE socket set in sizes 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16. Chrome finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD004001	SAE	Deep	10



1/4" drive, 13-piece, 6-point standard metric socket set in sizes 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 mm. Chrome finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD004002	Metric	Standard	13



1/4" drive, 12-piece, 6-point deep metric socket set in sizes 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm. Chrome finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD004003	Metric	Deep	12



1/4" drive, 28-piece, 6-point standard SAE/metric socket set. 10 Standard SAE Sockets: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16. 13 Standard Metric Sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15mm. 2 and 6 extensions, hand driver, universal joint, 45-tooth chrome ratchet. Chrome finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD004004	SAE/Metric	Standard	28



1/4" drive, 25-piece, 6-point standard/deep SAE socket set. 10 Standard SAE Sockets: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16. 10 Deep SAE Sockets: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16. 2 and 6 extensions, hand driver, universal joint, 45-tooth chrome ratchet. Chrome finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD004005	SAE	Standard/Deep	25

3/8" DRIVE SOCKETS & ACCESSORIES



Quick release ratchet-chrome handle.

ITEM NO.	DRIVE "	LENGTH "	TEETH
DNCD005301	3/8	7.6	45



Flex handle bends 110° in either direction. Chrome finish.

ITEM NO.	DRIVE "	LENGTH "
DNCD005800	3/8	7.87



Chrome extension.

ITEM NO.	DRIVE "	LENGTH "
DNCD005003	3/8	3
DNCD005006	3/8	5
DNCD005010	3/8	10

11 Tools & Equipment

3/8" DRIVE SOCKETS & ACCESSORIES continued



Universal joint. 360° articulation. Chrome finish.

ITEM NO.	DRIVE "	LENGTH "
DNCD005601	3/8"	1.81"



3/8" drive standard and deep chrome sockets.

HEX SIZE	6-POINT STD	12-POINT STD	6-POINT DEEP	12-POINT DEEP
<i>SAE (inches)</i>				
1/4	DNCD008308	DNCD009408	DNCD008508	DNCD009608
5/16	DNCD008310	DNCD009410	DNCD008510	DNCD009610
3/8	DNCD008312	DNCD009412	DNCD008512	DNCD009612
7/16	DNCD008314	DNCD009414	DNCD008514	DNCD009614
1/2	DNCD008316	DNCD009416	DNCD008516	DNCD009616
9/16	DNCD008318	DNCD009418	DNCD008518	DNCD009618
5/8	DNCD008320	DNCD009420	DNCD008520	DNCD009620
11/16	DNCD008322	DNCD009422	DNCD008522	DNCD009622
3/4	DNCD008324	DNCD009424	DNCD008524	DNCD009624
13/16	DNCD008326	DNCD009426	DNCD008526	DNCD009626
7/8	DNCD008328	DNCD009428	DNCD008528	DNCD009628
15/16	DNCD008330	DNCD009430	DNCD008530	DNCD009630
1.00	DNCD008332	DNCD009432	DNCD008532	DNCD009632
<i>Metric (mm)</i>				
6	DNCD008006	DNCD009106	DNCD008206	DNCD009706
7	DNCD008007	DNCD009107	DNCD008207	DNCD009707
8	DNCD008008	DNCD009108	DNCD008208	DNCD009708
9	DNCD008009	DNCD009109	DNCD008209	DNCD009709
10	DNCD008010	DNCD009110	DNCD008210	DNCD009710
11	DNCD008011	DNCD009111	DNCD008211	DNCD009711
12	DNCD008012	DNCD009112	DNCD008212	DNCD009712
13	DNCD008013	DNCD009113	DNCD008213	DNCD009713
14	DNCD008014	DNCD009114	DNCD008214	DNCD009714
15	DNCD008015	DNCD009115	DNCD008215	DNCD009715
16	DNCD008016	DNCD009116	DNCD008216	DNCD009716
17	DNCD008017	DNCD009117	DNCD008217	DNCD009717
18	DNCD008018	DNCD009118	DNCD008218	DNCD009718
19	DNCD008019	DNCD009119	DNCD008219	DNCD009719
20	DNCD008020	DNCD009120	DNCD008220	--
21	DNCD008021	DNCD009121	DNCD008221	--
22	DNCD008022	DNCD009122	DNCD008222	--
23	DNCD008023	DNCD009123	DNCD008223	--
24	DNCD008024	--	--	--



Adapter. Chrome finish.

ITEM NO.	DRIVE FEMALE "	DRIVE MALE "	LENGTH "
DNCD005701	3/8	1/4	1.38
DNCD005702	3/8	1/2	1.81



Socket driver adapter. Chrome vanadium steel.

ITEM NO.	DRIVE "	LENGTH "
DNCD112002	3/8	2.5

3/8" DRIVE SOCKETS & ACCESSORIES continued



3/8" drive hex head socket standard and long length. Chrome finish.

HEX SIZE	STD	LONG
SAE (inches)		
1/8	DNCD006052	DNCD006452
5/32	DNCD006053	DNCD006453
3/16	DNCD006054	DNCD006454
7/32	DNCD006056	DNCD006456
1/2	DNCD006058	DNCD006458
5/8	DNCD006060	DNCD006460
3/4	DNCD006062	DNCD006462
Metric (mm)		
4	DNCD006004	DNCD006404
5	DNCD006005	DNCD006405
6	DNCD006006	DNCD006406
7	DNCD006007	DNCD006407
8	DNCD006008	DNCD006408
9	DNCD006009	DNCD006409
10	DNCD006010	DNCD006410



3/8" drive, 13-piece, 6-point SAE socket set in sizes 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1. Chrome finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD010000	SAE	Standard	13
DNCD010001	SAE	Deep	13



3/8" drive, 14-piece, 6-point metric socket set in sizes 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm. Chrome finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD010004	Metric	Standard	14
DNCD010005	Metric	Deep	14



3/8" drive, 7-piece standard length SAE hex socket set in sizes 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8. Chrome finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD010014	SAE	Standard	7



3/8" drive, 7-piece standard length metric hex socket set in sizes 4, 5, 6, 7, 8, 9, 10 mm. Chrome finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD010016	Metric	Standard	7



3/8" drive, 27-piece, 6-point standard/deep SAE socket set. 11 Standard SAE Sockets: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1. 11 Deep SAE Sockets: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1. 3 and 6 extensions, universal joint, 8 flex handle, 45-tooth chrome ratchet. Chrome finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD010009	SAE	Standard/Deep	27



3/8" drive, 35-piece, 6-point standard/deep metric socket set. 15 Standard Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20 mm. 15 Deep Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20mm. 3 and 6 extensions, universal joint, 8 flex handle, 45-tooth chrome ratchet. Chrome finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD010011	Metric	Standard/Deep	35



Impact extensions. Corrosion-resistant black phosphosphate finish.

ITEM NO.	DRIVE "	LENGTH "
DNCD005053	3/8	3
DNCD005056	3/8	6

11 Tools & Equipment

3/8" DRIVE SOCKETS & ACCESSORIES continued



Impact U-Joint. Corrosion-resistant black phosphate finish.

ITEM NO.	DRIVE "
DNCD008660	3/8



Impact adapter. Corrosion-resistant black phosphate finish.

ITEM NO.	DRIVE FEMALE "	DRIVE MALE "
DNCD005710	3/8	1/2



3/8" drive, 12-piece, 6-point metric impact socket set in sizes 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm. Corrosion-resistant black phosphate finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD010022	Metric	Standard	12
DNCD010023	Metric	Deep	12



3/8" drive, standard and deep impact sockets. Corrosion-resistant black phosphate finish.

HEX SIZE	6-POINT STD	6-POINT DEEP
SAE (inches)		
5/16	DNCD007310	DNCD007510
3/8	DNCD007312	DNCD007512
7/16	DNCD007314	DNCD007514
1/2	DNCD007316	DNCD007516
9/16	DNCD007318	DNCD007518
5/8	DNCD007320	DNCD007520
11/16	DNCD007322	DNCD007522
3/4	DNCD007324	DNCD007524
Metric (mm)		
8	DNCD007008	DNCD007208
9	DNCD007009	DNCD007209
10	DNCD007010	DNCD007210
11	DNCD007011	DNCD007211
12	DNCD007012	DNCD007212
13	DNCD007013	DNCD007213
14	DNCD007014	DNCD007214
15	DNCD007015	DNCD007215
16	DNCD007016	DNCD007216
17	DNCD007017	DNCD007217
18	DNCD007018	DNCD007218
19	DNCD007019	DNCD007219



3/8" drive, 8-piece, 6-point SAE impact socket set in sizes 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4. Corrosion-resistant black phosphate finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD010020	SAE	Standard	8
DNCD010021	SAE	Deep	8



1/2" DRIVE SOCKETS & ACCESSORIES



Dynamic



Quick-release ratchet-chrome handle.

ITEM NO.	DRIVE "	LENGTH "	TEETH
DNCD012301	1/2	9.33	45

Dynamic



Flex handle bends 110° in either direction. Chrome finish.

ITEM NO.	DRIVE "	LENGTH "
DNCD012803	1/2	26.25

Dynamic



Chrome extension.

ITEM NO.	DRIVE "	LENGTH "
DNCD012005	1/2	5
DNCD012010	1/2	10

Dynamic



Universal joint. 360° articulation. Chrome finish.

ITEM NO.	DRIVE "	LENGTH "
DNCD012600	1/2	2.76

Dynamic



Adapter. Chrome finish.

ITEM NO.	DRIVE FEMALE "	DRIVE MALE "	LENGTH "
DNCD012701	1/2	3/8	1.42

Dynamic



Socket driver adapter. Chrome vanadium steel.

ITEM NO.	DRIVE "	LENGTH "
DNCD112003	1/2	3

Dynamic



Sliding T-handle. Ball and spring socket retention mechanism. Chrome finish.

ITEM NO.	DRIVE "	LENGTH "
DNCD012500	1/2	9.75

Dynamic



Chrome extension with quick release. Chrome finish.

ITEM NO.	DRIVE "	LENGTH "
DNCD012023	1/2	3
DNCD012025	1/2	5
DNCD012030	1/2	10

11 Tools & Equipment

1/2" DRIVE SOCKETS & ACCESSORIES continued



1/2" drive standard and deep chrome sockets.

HEX SIZE	6-POINT STD	12-POINT STD	6-POINT DEEP	12-POINT DEEP
<i>SAE (inches)</i>				
3/8	DNCD016312	DNCD015412	DNCD016512	DNCD015612
7/16	DNCD016314	DNCD015414	DNCD016514	DNCD015614
1/2	DNCD016316	DNCD015416	DNCD016516	DNCD015616
9/16	DNCD016318	DNCD015418	DNCD016518	DNCD015618
5/8	DNCD016320	DNCD015420	DNCD016520	DNCD015620
11/16	DNCD016322	DNCD015422	DNCD016522	DNCD015622
3/4	DNCD016324	DNCD015424	DNCD016524	DNCD015624
13/16	DNCD016326	DNCD015426	DNCD016526	DNCD015626
7/8	DNCD016328	DNCD015428	DNCD016528	DNCD015628
15/16	DNCD016330	DNCD015430	DNCD016530	DNCD015630
1.00	DNCD016332	DNCD015432	DNCD016532	DNCD015632
1-1/16	DNCD016334	DNCD015434	DNCD016534	DNCD015634
1-1/8	DNCD016336	DNCD015436	DNCD016536	DNCD015636
1-3/16	DNCD016338	DNCD015438	DNCD016538	DNCD015638
1-1/4	DNCD016340	DNCD015440	DNCD016540	DNCD015640
1-5/16	DNCD016342	DNCD015442	DNCD016542	DNCD015642
<i>Metric (mm)</i>				
10	DNCD016010	DNCD015110	DNCD016210	DNCD015710
11	DNCD016011	DNCD015111	DNCD016211	DNCD015711
12	DNCD016012	DNCD015112	DNCD016212	DNCD015712
13	DNCD016013	DNCD015113	DNCD016213	DNCD015713
14	DNCD016014	DNCD015114	DNCD016214	DNCD015714
15	DNCD016015	DNCD015115	DNCD016215	DNCD015715
16	DNCD016016	DNCD015116	DNCD016216	DNCD015716
17	DNCD016017	DNCD015117	DNCD016217	DNCD015717
18	DNCD016018	DNCD015118	DNCD016218	DNCD015718
19	DNCD016019	DNCD015119	DNCD016219	DNCD015719
20	DNCD016020	DNCD015120	DNCD016220	DNCD015720
21	DNCD016021	DNCD015121	DNCD016221	DNCD015721
22	DNCD016022	DNCD015122	DNCD016222	DNCD015722
23	DNCD016023	DNCD015123	DNCD016223	DNCD015723
24	DNCD016024	DNCD015124	DNCD016224	DNCD015724
25	DNCD016025	DNCD015125	DNCD016225	DNCD015725
26	DNCD016026	DNCD015126	DNCD016226	DNCD015726
27	DNCD016027	DNCD015127	DNCD016227	DNCD015727
28	DNCD016028	DNCD015128	DNCD016228	--
29	DNCD016029	--	DNCD016229	--
30	DNCD016030	DNCD015130	DNCD016230	--
31	DNCD016031	--	DNCD016231	--
32	DNCD016032	DNCD015132	DNCD016232	--



1/2" drive hex head socket standard and long length. Chrome finish.

HEX SIZE	STD	LONG
<i>SAE (inches)</i>		
1/4	DNCD013058	DNCD013458
5/16	DNCD013060	DNCD013460
3/8	DNCD013062	DNCD013462
7/16	DNCD013064	DNCD013464
1/2	DNCD013066	DNCD013466
9/16	DNCD013068	DNCD013468
5/8	DNCD013070	DNCD013470
3/4	DNCD013074	DNCD013474
<i>Metric (mm)</i>		
6	DNCD013006	DNCD013406
8	DNCD013008	DNCD013408
10	DNCD013010	DNCD013410
12	DNCD013012	DNCD013412
14	DNCD013014	DNCD013414
17	DNCD013017	DNCD013417
19	DNCD013019	DNCD013419

1/2" DRIVE SOCKETS & ACCESSORIES continued



1/2" drive, 16-piece, 6-point SAE socket set in sizes 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16. Chrome finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD018000	SAE	Standard	16
DNCD018001	SAE	Deep	16



1/2" drive, 7-piece standard length metric hex socket set in sizes 6, 8, 10, 12, 14, 17, 19 mm. Chrome finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD018014	Metric	Standard	7



1/2" drive, 8-piece standard length SAE hex socket set in sizes 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4. Chrome finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD018018	SAE	Standard	8



1/2" drive 19-piece, 6-point metric socket set in sizes 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28 mm. Chrome finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD018004	Metric	Standard	19
DNCD018005	Metric	Deep	19



1/2" drive, 41-piece, 6-point standard SAE/metric socket set. 16 Standard SAE Sockets: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16. 19 Standard Metric Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28 mm, 5 and 10 extensions, 45-tooth ratchet, universal joint, flex handle, T-handle. Chrome finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD018010	SAE/Metric	Standard	41



1/2" drive, 43-piece, 6-point standard/deep metric socket set. 19 Standard Metric Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28 mm. 18 Deep Metric Sockets: 10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28 mm, 5 and 10 extensions, 45-tooth ratchet, universal joint, flex handle, T-handle. Chrome finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD018013	Metric	Standard/Deep	43



Impact extensions. Corrosion-resistant black phosphate finish.

ITEM NO.	DRIVE "	LENGTH "
DNCD012055	1/2	5
DNCD012060	1/2	10



Impact U-Joint. Corrosion-resistant black phosphate finish.

ITEM NO.	DRIVE "
DNCD016660	1/2



Impact adapters. Corrosion-resistant black phosphate finish.

ITEM NO.	DRIVE FEMALE "	DRIVE MALE "
DNCD012710	1/2	3/8
DNCD012711	1/2	3/4

11 Tools & Equipment

1/2" DRIVE SOCKETS & ACCESSORIES continued



1/2" drive standard and deep impact sockets. Corrosion-resistant black phosphate finish.



HEX SIZE	6-POINT STD	6-POINT DEEP
<i>SAE (inches)</i>		
3/8	DNCD014312	DNCD014512
7/16	DNCD014314	DNCD014514
1/2	DNCD014316	DNCD014516
9/16	DNCD014318	DNCD014518
5/8	DNCD014320	DNCD014520
11/16	DNCD014322	DNCD014522
3/4	DNCD014324	DNCD014524
13/16	DNCD014326	DNCD014526
7/8	DNCD014328	DNCD014528
15/16	DNCD014330	DNCD014530
1.00	DNCD014332	DNCD014532
1-1/16	DNCD014334	DNCD014534
1-1/8	DNCD014336	DNCD014536
1-3/16	DNCD014338	DNCD014538
1-1/4	DNCD014340	DNCD014540
1-5/16	DNCD014342	DNCD014542
1-3/8	DNCD014344	DNCD014544
1-7/16	DNCD014346	DNCD014546
1-1/2	DNCD014348	DNCD014548



HEX SIZE	6-POINT STD	6-POINT DEEP
<i>Metric (mm)</i>		
8	DNCD014008	DNCD014208
9	DNCD014009	DNCD014209
10	DNCD014010	DNCD014210
11	DNCD014011	DNCD014211
12	DNCD014012	DNCD014212
13	DNCD014013	DNCD014213
14	DNCD014014	DNCD014214
15	DNCD014015	DNCD014215
16	DNCD014016	DNCD014216
17	DNCD014017	DNCD014217
18	DNCD014018	DNCD014218
19	DNCD014019	DNCD014219
20	DNCD014020	DNCD014220
21	DNCD014021	DNCD014221
22	DNCD014022	DNCD014222
23	DNCD014023	DNCD014223
24	DNCD014024	DNCD014224
25	DNCD014025	--
26	DNCD014026	--
27	DNCD014027	DNCD014227
28	DNCD014028	--
29	DNCD014029	--
30	DNCD014030	DNCD014230
31	DNCD014031	--
32	DNCD014032	--
36	DNCD014036	DNCD014236



1/2" drive, 19-piece, 6-point SAE impact socket set in sizes 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD018024	SAE	Standard	19
DNCD018026	SAE	Deep	19



1/2" drive, 14-piece, 6-point impact metric socket set in sizes 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23 mm. Corrosion-resistant black phosphate finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD018023	Metric	Standard	14
DNCD018022	Metric	Deep	14

3/4" DRIVE SOCKETS & ACCESSORIES



Quick-release ratchet-chrome handle.

ITEM NO.	DRIVE "	LENGTH "	TEETH
DNCD019301	3/4	19.69	24



Flex handle bends 110° in either direction. Chrome finish.

ITEM NO.	DRIVE "	LENGTH "
DNCD019805	3/4	18.7



Chrome extension.

ITEM NO.	DRIVE "	LENGTH "
DNCD019004	3/4	4
DNCD019008	3/4	8
DNCD009016	3/4	16



Sliding T-handle. Ball and spring socket retention mechanism. Chrome extension.

ITEM NO.	DRIVE "	LENGTH "
DNCD019501	3/4	17.72



Universal joint. 360° articulation. Chrome finish.

ITEM NO.	DRIVE "	LENGTH "
GRA4295	3/4	3.5



Adapter. Chrome finish.

ITEM NO.	DRIVE FEMALE "	DRIVE MALE "	LENGTH "
GRA4299	3/4	1/2	2
GRA4211	3/4	1	2.25



Flex handle. Chrome finish.

ITEM NO.	DRIVE "	LENGTH "
GRA4288	3/4	21



Flex handle. Corrosion-resistant black oxide finish.

ITEM NO.	DRIVE "	LENGTH "
GRA4288B	3/4	21



3/4" drive standard and deep chrome sockets.

HEX SIZE	12-POINT STD	6-POINT DEEP
<i>SAE (inches)</i>		
7/8	DNCD022428	--
15/16	DNCD022430	GRARLH30
1.00	DNCD022432	GRARLH32
1-1/16	DNCD022434	GRARLH34
1-1/8	DNCD022436	GRARLH36
1-3/16	DNCD022438	--
1-1/4	DNCD022440	GRARLH40
1-5/16	DNCD022442	GRARLH42
1-3/8	DNCD022444	GRARLH44
1-7/16	DNCD022446	GRARLH46
1-1/2	DNCD022448	GRARLH48
1-9/16	DNCD022450	--
1-5/8	DNCD022452	GRARLH52
1-11/16	DNCD022454	--
1-3/4	DNCD022456	--
1-13/16	DNCD022458	--
1-7/8	DNCD022460	--
2.00	DNCD022464	--
<i>Metric (mm)</i>		
19	DNCD022119	--
20	DNCD022120	--
21	DNCD022121	--
22	DNCD022122	--
23	DNCD022123	--
24	DNCD022124	--
25	DNCD022125	--
26	DNCD022126	--
27	DNCD022127	--
28	DNCD022128	--
29	DNCD022129	--
30	DNCD022130	--
32	DNCD022132	--
35	DNCD022135	--
36	DNCD022136	--
38	DNCD022138	--
41	DNCD022141	--
46	DNCD022146	--
50	DNCD022150	--

11 Tools & Equipment

3/4" DRIVE SOCKETS & ACCESSORIES continued



3/4" drive, 10-piece, 12-point standard SAE socket set in sizes 15/16, 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8. Chrome finish.

ITEM NO.	MMT.	DEPTH	PIECES
GRA45110	SAE	Standard	10



3/4" drive, 20-piece, 12-point standard metric socket set. 15 Standard Metric Sockets: 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 35, 36mm, 4, 8 and 16 extensions, flex handle, 24-tooth chrome ratchet. Chrome finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD23001	Metric	Standard	20



Universal joint. 360° articulation. Corrosion-resistant black phosphate finish.

ITEM NO.	DRIVE "	LENGTH "
GRAP6-140A	3/4	4



3/4" drive, 21-piece, 12-point standard SAE socket set. 17 Standard SAE Sockets: 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-3/4, 1-13/16, 1-7/8, 2, 4, 8 and 16 extensions, flex handle, 24-tooth chrome ratchet. Chrome finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD23000	SAE	Standard	21



Impact extensions. Corrosion-resistant black phosphate finish.

ITEM NO.	DRIVE "	LENGTH "
GRAP6-107	3/4	7
GRAP6-110	3/4	10
GRAP6-113	3/4	13



Adapter. Corrosion-resistant black phosphate finish.

ITEM NO.	DRIVE FEMALE "	DRIVE MALE "	LENGTH "
GRAPA6-4	3/4	1/2	2-13/16
GRAPA6-7	3/4	1	2-9/16

3/4" DRIVE SOCKETS & ACCESSORIES continued



3/4" drive SAE standard and deep impact sockets. Corrosion-resistant black phosphate finish.

HEX SIZE "	G-POINT STD	G-POINT DEEP
9/16	GRAP2609	GRAPL2609
5/8	GRAP2610	GRAPL2610
11/16	GRAP2611	GRAPL2611
3/4	GRAP2612	GRAPL2612
13/16	GRAP2613	GRAPL2613
7/8	GRAP2614	GRAPL2614
15/16	GRAP2615	GRAPL2615
1	GRAP2632	GRAPL2632
1-1/16	GRAP2634	GRAPL2634
1-1/8	GRAP2636	GRAPL2636
1-3/16	GRAP2638	GRAPL2638
1-1/4	GRAP2640	GRAPL2640
1-5/16	GRAP2642	GRAPL2642
1-3/8	GRAP2644	GRAPL2644
1-7/16	GRAP2646	GRAPL2646
1-1/2	GRAP2648	GRAPL2648
1-9/16	GRAP2650	GRAPL2650
1-5/8	GRAP2652	GRAPL2652
1-11/16	GRAP2654	GRAPL2654
1-3/4	GRAP2656	GRAPL2656
1-13/16	GRAP2658	GRAPL2658
1-7/8	GRAP2660	GRAPL2660
1-15/16	GRAP2662	GRAPL2662
2	GRAP2664	GRAPL2664
2-1/16	GRAP2666	GRAPL2666
2-1/8	GRAP2668	GRAPL2668
2-3/16	GRAP2670	GRAPL2670
2-1/4	GRAP2672	GRAPL2672
2-5/16	GRAP2674	GRAPL2674
2-3/8	GRAP2676	GRAPL2676
2-7/16	--	GRAPL2678
2-1/2	--	GRAPL2680



3/4" drive metric standard impact sockets. Corrosion-resistant black phosphate finish.

HEX SIZE (MM)	G-POINT STD	G-POINT DEEP
17	GRAMP3417H	--
18	GRAMP3418H	--
19	GRAMP3419H	GRAMPD3419H
20	GRAMP3420H	--
21	GRAMP3421H	GRAMPD3421H
22	GRAMP3422H	GRAMPD3422H
23	GRAMP3423H	GRAMPD3423H
24	GRAMP3424H	GRAMPD3424H
25	GRAMP3425H	GRAMPD3425H
26	GRAMP3426H	GRAMPD3426H
27	GRAMP3427H	GRAMPD3427H
28	GRAMP3428H	--
29	GRAMP3429H	--
30	GRAMP3430H	GRAMPD3430H
31	GRAMP3431H	GRAMPD3431H
32	GRAMP3432H	GRAMPD3432H
33	GRAMP3433H	GRAMPD3433H
34	GRAMP3434H	GRAMPD3434H
35	GRAMP3435H	GRAMPD3435H
36	GRAMP3436H	GRAMPD3436H
37	--	GRAMPD3437H
38	GRAMP3438H	GRAMPD3438H
40	GRAMP3440H	--
41	GRAMP3441H	GRAMPD3441H
42	GRAMP3442H	--
43	GRAMP3443H	GRAMPD3443H
46	GRAMP3446H	GRAMPD3446H
50	GRAMP3450H	GRAMPD3450H



3/4" drive hex head socket standard length. Corrosion-resistant black phosphate finish.

HEX SIZE	STD
<i>SAE (inches)</i>	
9/16	GRAPB2618
5/8	GRAPB2620
3/4	GRAPB2624
7/8	GRAPB2628
1	GRAPB2632
<i>Metric (mm)</i>	
14	GRAPB2614M
17	GRAPB2617M
19	GRAPB2619M
22	GRAPB2622M
24	GRAPB2624M



3/4" drive, 10-piece, 6-point SAE impact socket set in sizes 15/16, 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8.

ITEM NO.	MMT.	DEPTH	PIECES
GRA45010	SAE	Standard	10
GRA45260	SAE	Deep	10

11 Tools & Equipment

3/4" DRIVE SOCKETS & ACCESSORIES continued



3/4" drive, 5-piece standard length SAE hex socket set in sizes 9/16, 5/8, 3/4, 7/8, 1.

ITEM NO.	MMT.	DEPTH	PIECES
GRA45805	SAE	Standard	5



3/4" drive, 5-piece standard length metric hex socket set in sizes 14, 17, 19, 22, 24 mm.

ITEM NO.	MMT.	DEPTH	PIECES
GRA46805	Metric	Standard	5



Adapter. Corrosion-resistant black phosphate finish.

ITEM NO.	DRIVE FEMALE "	DRIVE MALE "	LENGTH "
GRAPA7-6	1	3/4	2-7/8
GRAPA7-8	1	1/2	3-1/4

1" DRIVE SOCKETS & ACCESSORIES



Ratchet-chrome handle.

ITEM NO.	DRIVE "	LENGTH "	TEETH
GRAX101	1	24	45



Flex handle. Chrome finish.

ITEM NO.	DRIVE "	LENGTH "
GRAX106	1	26



Chrome extension.

ITEM NO.	DRIVE "	LENGTH "
GRAX8	1	8
GRAX9	1	17



Adapter. Chrome finish.

ITEM NO.	DRIVE FEMALE "	DRIVE MALE "	LENGTH "
GRA4213	1	3/4	2-5/8



Impact extensions. Corrosion-resistant black phosphate finish.

ITEM NO.	DRIVE "	LENGTH "
GRAP5406	1	7
GRAP5410	1	10
GRAP5413	1	13



Universal joint. 360° articulation. Corrosion-resistant black phosphate finish.

ITEM NO.	DRIVE "	LENGTH "
GRAP7-140A	1	4-3/8

1" DRIVE SOCKETS & ACCESSORIES continued



1" drive standard chrome sockets.

HEX SIZE	12-POINT STD
<i>SAE (inches)</i>	
1-7/16	GRAX46
1-1/2	GRAX48
1-5/8	GRAX52
1-11/16	GRAX54
1-3/4	GRAX56
1-13/16	GRAX58
1-7/8	GRAX60
2	GRAX64
2- 1/16	GRAX66
2-1/8	GRAX68
2- 3/16	GRAX70
2-1/4	GRAX72
2-5/16	GRAX74
2-3/8	GRAX76
2- 7/16	GRAX78
2-1/2	GRAX80
2- 9/16	GRAX82
2-5/8	GRAX84
2-3/4	GRAX88
2-15/16	GRAX94
3	GRAX96
3-1/8	GRAX100
3-1/2	GRAX112
<i>Metric (mm)</i>	
46	GRAMX46
50	GRAMX50
54	GRAMX54
55	GRAMX55
60	GRAMX60
65	GRAMX65
70	GRAMX70
75	GRAMX75



1" drive metric standard impact sockets.
Corrosion-resistant black phosphate finish.

HEX SIZE (MM)	6-POINT STD
19	GRAXP19H
22	GRAXP22H
24	GRAXP24H
26	GRAXP26H
27	GRAXP27H
28	GRAXP28H
29	GRAXP29H
30	GRAXP30H
32	GRAXP32H
33	GRAXP33H
35	GRAXP35H
36	GRAXP36H
38	GRAXP38H
41	GRAXP41H
46	GRAXP46H
50	GRAXP50H
54	GRAXP54H
55	GRAXP55H
58	GRAXP58H
60	GRAXP60H
65	GRAXP65H
70	GRAXP70H
75	GRAXP75H
80	GRAXP80H
85	GRAXP85H
90	GRAXP90H
95	GRAXP95H
100	GRAXP100H
105	GRAXP105H
110	GRAXP110H
115	GRAXP115H
120	GRAXP120H



11 Tools & Equipment

1" DRIVE SOCKETS & ACCESSORIES continued



1" drive SAE standard and deep impact sockets. Corrosion-resistant black phosphate finish.

HEX SIZE "	6-POINT STD	8-POINT STD	6-POINT DEEP
3/4	GRA7-624	--	--
13/16	GRA7-626	--	--
7/8	GRA7-628	--	GRA17-628
15/16	GRA7-630	--	GRA17-630
1	GRA7-632	--	GRA17-632
1-1/16	--	--	GRA17-634
1-1/6	GRA7-634	--	--
1-1/8	GRA7-636	--	GRA17-636
1-3/16	GRA7-638	--	GRA17-638
1-1/4	GRA7-640	--	GRA17-640
1-5/16	--	--	GRA17-642
1-1/3	GRA7-642	--	--
1-3/8	GRA7-644	--	GRA17-644
1-4/9	GRA7-646	--	--
1-7/16	--	--	GRA17-646
1-1/2	GRA7-648	--	GRA17-648
1-4/7	GRA7-650	--	--
1-5/8	GRA7-652	GRA7-652S	GRA17-652
1-2/3	GRA7-654	--	--
1-3/4	GRA7-656	GRA7-656S	GRA17-656
1-4/5	GRA7-658	--	--
1-9/16	--	--	GRA17-650
1-11/16	--	GRA7-654S	GRA17-654
1-13/16		GRA7-658S	GRA17-658
1-7/8	GRA7-660	GRA7-660S	GRA17-660
1-15/16	GRA7-662	--	GRA17-662
2	GRA7-664	GRA7-664S	GRA17-664

HEX SIZE "	6-POINT STD	8-POINT STD	6-POINT DEEP
2-1/16	GRA7-666	--	GRA17-666
2-1/8	GRA7-668	--	GRA17-668
2-3/16	GRA7-670	--	GRA17-670
2-1/4	GRA7-672	--	GRA17-672
2-5/16	GRA7-674	--	GRA17-674
2-3/8	GRA7-676	--	GRA17-676
2-7/16	GRA7-678	--	GRA17-678
2-1/2	GRA7-680	--	GRA17-680
2-9/16	GRA7-682	--	GRA17-682
2-5/8	GRA7-684	--	GRA17-684
2-11/16	GRA7-686	--	--
2-3/4	GRA7-688	--	GRA17-688
2-13/16	GRA7-690	--	--
2-7/8	GRA7-692	--	--
2-15/16	GRA7-694	--	--
3	GRA7-696	--	--
3-1/8	GRA7-6100	--	--
3-1/4	GRA7-6104	--	--
3-3/8	GRA7-6108	--	--
3-1/2	GRA7-6112	--	--
3-5/8	GRA7-6116	--	--
3-3/4	GRA7-6120	--	--
3-7/8	GRA7-6124	--	--
4	GRA7-6128	--	--
4-1/8	GRA7-6132	--	--
4-1/4	GRA7-6136	--	--
4-1/2	GRA7-6144	--	--

WRENCHES & HANDLES



12 point SAE contractor series and SAE chrome fully polished combination wrenches. 15° angled open and 15° offset boxed end.

HEX SIZE "	12-POINT CONTRACTOR SERIES	12-POINT FULLY POLISHED
1/4	DNCD074308	DNCD074008
5/16	DNCD074310	DNCD074010
3/8	DNCD074312	DNCD074012
7/16	DNCD074314	DNCD074014
1/2	DNCD074316	DNCD074016
9/16	DNCD074318	DNCD074018
5/8	DNCD074320	DNCD074020
11/16	DNCD074322	DNCD074022
3/4	DNCD074324	DNCD074024
13/16	DNCD074326	DNCD074026
7/8	DNCD074328	DNCD074028
15/16	DNCD074330	DNCD074030
1	DNCD074332	DNCD074032
1-1/16	DNCD074334	DNCD074034
1-1/8	DNCD074336	DNCD074036
1-1/4	DNCD074340	DNCD074040
1-5/16	DNCD074342	--
1-3/8	DNCD074344	--
1-7/16	DNCD074346	--
1-1/2	DNCD074348	--
1-5/8	DNCD074350	--
1-11/16	DNCD074352	--
1-3/4	DNCD074354	--
1-13/16	DNCD074356	--
1-7/8	DNCD074358	--
2	DNCD074360	--
2-1/8	DNCD074362	--
2-1/4	DNCD074364	--
2-3/8	DNCD074366	--
2-1/2	DNCD074368	--



12 point metric contractor series and metric chrome fully polished combination wrenches. 15° angled open and 15° offset boxed end.

HEX SIZE (MM)	12-POINT CONTRACTOR SERIES	12-POINT FULLY POLISHED
6	DNCD074406	DNCD074106
7	DNCD074407	DNCD074107
8	DNCD074408	DNCD074108
9	DNCD074409	DNCD074109
10	DNCD074410	DNCD074110
11	DNCD074411	DNCD074111
12	DNCD074412	DNCD074112
13	DNCD074413	DNCD074113
14	DNCD074414	DNCD074114
15	DNCD074415	DNCD074115
16	DNCD074416	DNCD074116
17	DNCD074417	DNCD074117
18	DNCD074418	DNCD074118
19	DNCD074419	DNCD074119
20	DNCD074420	DNCD074120
21	DNCD074421	DNCD074121
22	DNCD074422	DNCD074122
23	DNCD074423	DNCD074123
24	DNCD074424	DNCD074124
25	DNCD074425	DNCD074125
26	DNCD074426	DNCD074126
27	DNCD074427	DNCD074127
28	DNCD074428	DNCD074128
29	DNCD074429	DNCD074129
30	DNCD074430	DNCD074130
32	DNCD074432	DNCD074132



12-piece, 12-point SAE combination wrench set in sizes 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16. Satin chrome finish. 15° angled open and 15° offset boxed end.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD074222	SAE	Standard	12



11-piece, 12-point metric combination wrench set in sizes 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm. Satin chrome finish. 15° angled open and 15° offset boxed end.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD074224	Metric	Standard	11



12-piece, 12-point SAE combination wrench set in sizes 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16. Chrome finish. 15° angled open and 15° offset boxed end.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD074202	SAE	Standard	12

11 Tools & Equipment

WRENCHES & HANDLES *continued*



11-piece, 12-point metric combination wrench set in sizes 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm. Chrome finish. 15° angled open and 15° offset boxed end.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD074204	Metric	Standard	11



12 point reversible combination ratcheting wrenches. Polished chrome. 15° angled open and 15° offset boxed end.

HEX SIZE	12-PT POLISHED
<i>SAE (inches)</i>	
5/16	DNCD076010
3/8	DNCD076012
7/16	DNCD076014
1/2	DNCD076016
9/16	DNCD076018
5/8	DNCD076020
11/16	DNCD076022
3/4	DNCD076024
<i>Metric (mm)</i>	
8	DNCD076108
9	DNCD076109
10	DNCD076110
11	DNCD076111
12	DNCD076112
13	DNCD076113
14	DNCD076114
15	DNCD076115
16	DNCD076116
17	DNCD076117
18	DNCD076118
19	DNCD076119



8-piece, 12-point SAE reversible combination ratcheting wrench set in sizes 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4. Chrome finish. 15° angled open and 15° offset boxed end.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD076601	SAE	Standard	8



12-piece, 12-point metric reversible combination ratcheting wrench set in sizes 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm. Chrome finish. 15° angled open and 15° offset boxed end.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD076603	Metric	Standard	12



Crowfoot wrenches.

ITEM NO.	DRIVE "	OPEN END "
JHW10700	3/8	3/8
JHW10701	3/8	7/16
JHW10702	3/8	1/2
JHW10703	3/8	9/16
JHW10704	3/8	5/8
JHW10705	3/8	11/16

Crowfoot Wrenches continued →



→ *Crowfoot Wrenches continued.*

ITEM NO.	DRIVE "	OPEN END "
JHW10706	3/8	3/4
JHW10707	3/8	13/16
JHW10708	3/8	7/8
JHW10709	3/8	15/16
JHW10710	3/8	1
JHW10711	3/8	1-1/16
JHW10712	3/8	1-1/8
JHW10713	3/8	1-3/16
JHW10714	3/8	1-1/4
JHW10715	3/8	1-5/16
JHW10716	3/8	1-3/8
JHW10717	3/8	1-7/16
JHW10718	3/8	1-1/2
JHW10719	3/8	1-9/16
JHW10720	3/8	1-5/8
JHW10721	3/8	1-11/16
JHW10722	3/8	1-3/4
JHW10723	3/8	1-13/16
JHW10724	3/8	1-7/8
JHW10725	3/8	1-15/16
JHW10810	1/2	15/16
JHW10811	1/2	1
JHW10812	1/2	1-1/16
JHW10813	1/2	1-1/8
JHW10814	1/2	1-3/16
JHW10815	1/2	1-1/4
JHW10816	1/2	1-5/16
JHW10817	1/2	1-3/8
JHW10818	1/2	1-7/16
JHW10819	1/2	1-1/2
JHW10820	1/2	1-9/16
JHW10821	1/2	1-5/8
JHW10822	1/2	1-11/16
JHW10823	1/2	1-3/4
JHW10824	1/2	1-13/16
JHW10825	1/2	1-7/8
JHW10826	1/2	1-15/16
JHW10827	1/2	2
JHW10828	1/2	2-1/16
JHW10829	1/2	2-1/8

WRENCHES & HANDLES continued



Adjustable wrenches. Size graduation markings on head. Drop forged and chrome finish. Meets ANSI standards.

ITEM NO.	SIZE	MAX. JAW OPENING "
DNCD072004	4	0.60
DNCD072006	6	0.80
DNCD072008	8	1.00
DNCD072010	10	1.20
DNCD072012	12	1.40
DNCD072015	15	1.70
DNCD072018	18	2.10



Cast iron pipe wrenches.

ITEM NO.	CAPACITY "	LENGTH "
GRAGSP8	1	8
GRAGSP10	1-1/2	10
GRAGSP12	2	12
GRAGSP14	2	14
GRAGSP18	2-1/2	18
GRAGSP24	3	24
GRAGSP36	5	36



Aluminum pipe wrenches.

ITEM NO.	CAPACITY "	LENGTH "
GRAGSP14A	2	14
GRAGSP18A	2-1/2	18
GRAGSP24A	3	24
GRAGSP36A	5	36
GRAGSP48A	6	48



Torque wrench. Dual scale, calibrated dual direction. Positive lock with spring loaded pull-down lock ring.

ITEM NO.	SIZE "	RANGE FT-LB
CDI752MFRMH	3/8	5-75
CDI1002MFRMH	3/8	10-100
CDI1503MFRMH	1/2	20-150
CDI2503MFRMH	1/2	30-250
CDI4004MFRMH	3/4	80-400
CDI6004MFRMH	3/4	100-600
CDI10005MFRMH	1	200-1000



Structural wrenches with offset head.

ITEM NO.	SIZE "	LENGTH "
GRA903A	5/8	12
GRA904A	3/4	12
GRA905	7/8	14-1/2
GRA906	15/16	14-1/2
GRA906B	1	14-1/2
GRA907	1-1/16	16-3/4
GRA907A	1-1/8	16-3/4
GRA908	1-1/4	18
GRA908A	1-5/16	18
GRA909	1-7/16	20
GRA909A	1-1/2	20
GRA910	1-5/8	22
GRA912	2	24



11 Tools & Equipment

WRENCHES & HANDLES continued



Striking face box end wrench with 45° offset head.

ITEM NO.	SIZE	LENGTH "
<i>SAE (inches)</i>		
GRA66832	1	11
GRA66834	1-1/16	11
GRA66836	1-1/8	11
GRA66838	1-3/16	11
GRA66840	1-1/4	11
GRA66842	1-5/16	11
GRA66844	1-3/8	11
GRA66846	1-7/16	12-1/2
GRA66848	1-1/2	12-1/2
GRA66850	1-9/16	12-1/2
GRA66852	1-5/8	12-1/2
GRA66854	1-11/16	12-1/2
GRA66856	1-3/4	12-1/2
GRA66858	1-13/16	12-1/2
GRA66860	1-7/8	12-1/2
GRA66862	1-15/16	12-1/2
GRA66864	2	12-3/4
GRA66866	2-1/16	12-3/4
GRA66868	2-1/8	14
GRA66870	2-3/16	14
GRA66872	2-1/4	14
GRA66874	2-5/16	14
GRA66876	2-3/8	14
GRA66878	2-7/16	14
GRA66880	2-1/2	14-1/2
GRA66882	2-9/16	14-1/2
GRA66884	2-5/8	14-1/2
GRA66886	2-11/16	16
GRA66888	2-3/4	16
GRA66890	2-13/16	16
GRA66892	2-7/8	16
GRA66894	2-15/16	16
GRA66896	3	16
GRA66898	3-1/16	16
GRA66899	3-1/8	16

ITEM NO.	SIZE	LENGTH (MM)
<i>Metric (mm)</i>		
GRA66927	27	279
GRA66930	30	279
GRA66932	32	279
GRA66935	35	279
GRA66936	36	317
GRA66938	38	317
GRA66941	41	317
GRA66943	43	317
GRA66946	46	324
GRA66950	50	324
GRA66951	51	324
GRA66954	54	355
GRA66955	55	355
GRA66957	57	355
GRA66960	60	355
GRA66964	64	362
GRA66965	65	362
GRA66970	70	406
GRA66973	73	406
GRA66975	75	406
GRA66980	80	406

WRENCHES & HANDLES continued



12-point strike free leverage wrench with 45 °offset head.

ITEM NO.	SIZE	LENGTH "	HANDLE
<i>SAE (inches)</i>			
GRA66632	1	7-1/2	60024
GRA66634	1-1/16	7-1/2	60024
GRA66636	1-1/8	7-1/2	60024
GRA66638	1-3/16	7-1/2	60024
GRA66640	1-1/4	7-1/2	60024
GRA66642	1-5/16	7-1/2	60024
GRA66644	1-3/8	7-1/2	60024
GRA66646	1-7/16	8	60024
GRA66648	1-1/2	8	60024
GRA66650	1-9/16	8	60024
GRA66652	1-5/8	8	60024
GRA66654	1-11/16	8	60036
GRA66656	1-3/4	8	60036
GRA66658	1-13/16	8	60036
GRA66660	1-7/8	8	60036
GRA66662	1-15/16	8	60036
GRA66664	2	8-1/4	60036
GRA66666	2-1/16	8-1/4	60036
GRA66668	2-1/8	8-1/4	60036
GRA66670	2-3/16	9-1/4	60036
GRA66672	2-1/4	9-1/4	60036
GRA66674	2-5/16	9-1/4	60036
GRA66676	2-3/8	9-1/4	60036
GRA66678	2-7/16	9-1/2	60036
GRA66680	2-1/2	9-1/2	60036
GRA66682	2-9/16	9-1/2	60036
GRA66684	2-5/8	9-1/2	60036
GRA66686	2-11/16	10	60036
GRA66688	2-3/4	10	60036
GRA66690	2-13/16	10	60036
GRA66692	2-7/8	10	60036
GRA66694	2-15/16	10	60036
GRA66696	3	10	60036
GRA66698	3-1/16	10	60036
GRA66699	3-1/8	10	60036

ITEM NO.	SIZE	LENGTH (MM)	HANDLE
<i>Metric (mm)</i>			
GRA66530	30	187	60024
GRA66532	32	187	60024
GRA66536	36	200	60024
GRA66541	41	200	60024
GRA 66546	46	200	60036
GRA66555	55	205	60036
GRA66560	60	231	60036
GRA66565	65	237	60036
GRA66570	70	250	60036
GRA66575	75	250	60036
GRA66580	80	250	60036



Tubular handle for strike-free leverage wrench.

ITEM NO.	LENGTH "
GRA60024	24
GRA60036	36

11 Tools & Equipment

HEX KEY SETS



13-piece SAE hex key set in sizes 3/64, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8. Corrosion-resistant matte satin finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD043203	SAE	Standard	13



13-piece SAE ball end long hex key set in sizes 3/64, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8. Corrosion-resistant matte satin finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD043201	SAE	Long	13



9-piece metric hex key set in sizes 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm. Corrosion-resistant matte satin finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD043204	Metric	Standard	9



9-piece metric ball end long hex key set in sizes 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm. Corrosion-resistant matte satin finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD043202	Metric	Long	9



9-piece TORX[®] hex key set in sizes T10, T15, T20, T25, T27, T30, T40, T45, T50. Corrosion-resistant matte satin finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD043205	TORX [®]	Standard	9



30-piece SAE and metric hex key set. Regular Metric: 0.7, 0.9, 1.3, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 10mm. Long SAE: 0.028, 0.035, 0.05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8. Corrosion-resistant matte satin finish.

ITEM NO.	MMT.	DEPTH	PIECES
DNCD043206	SAE, Metric	Long, Standard	30



9-piece SAE folding hex key set in sizes 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4. Corrosion-resistant matte satin finish.

ITEM NO.	MMT.	PIECES
DNCD043207	SAE	9



7-piece metric folding hex key set in sizes 1.5, 2, 2.5, 3, 4, 5, 6 mm. Corrosion-resistant matte satin finish.

ITEM NO.	MMT.	PIECES
DNCD043208	Metric	7



8-piece TORX[®] folding hex key set in sizes T8, T10, T15, T20, T25, T27, T30, T40. Corrosion-resistant matte satin finish.

ITEM NO.	MMT.	PIECES
DNCD043209	TORX [®]	8

SCREWDRIVERS & SCREWDRIVER BITS



Phillips® screwdrivers. High visibility, cushion-grip handle, tip-type ID at top of handle. Precision-machined tip.

ITEM NO.	TIP SIZE	LENGTH "
DNCD062100	#0	6.00
DNCD062101	#1	6.89
DNCD062102	#2	8.39
DNCD062103	#3	10.67



Robertson square recess screwdrivers. High visibility, cushion-grip handle, tip-type ID at top of handle. Precision-machined tip.

ITEM NO.	TIP SIZE	LENGTH "
DNCD062201	#0	7.4
DNCD062202	#1	8.39
DNCD062203	#2	8.39
DNCD062204	#3	9.37



Slotted screwdrivers. High visibility, cushion-grip handle, tip-type ID at top of handle. Precision-machined tip.

ITEM NO.	TIP SIZE "	LENGTH "
DNCD062001	1/8	6.02
DNCD062002	5/32	7.87
DNCD062003	3/16	7.87
DNCD062004	1/4	9.37
DNCD062005	5/16	10.67
DNCD062006	3/8	12.64



Phillips® precision screwdrivers. Rotating end cap. Cushioned non-slip handle. Precision-machined tip.

ITEM NO.	TIP SIZE	LENGTH "
DNCD062805	#000	6
DNCD062806	#00	6
DNCD062807	#0	6.5



Slotted precision screwdrivers. Rotating end cap. Cushioned non-slip handle. Precision-machined tip.

ITEM NO.	TIP SIZE "	LENGTH "
DNCD062801	3/64	6
DNCD062802	3/16	6
DNCD062803	1/4	6.5
DNCD062804	5/16	6.5



13-piece screwdriver set. Contains: Ratcheting Screwdriver Handle, Phillips® Bits: #0, #1, #2, #3, Square Bits: 0, 1, 2, 3, Slotted Bits: 3.5, 4.5, 5.5, 6.5". Three setting ratcheting mechanism. 1/4" hex quick-release bit holder.

ITEM NO.	HEX SIZE "	PIECES
DNCD062508	1/4	13



7-piece precision screwdriver set. Contains: Phillips®: #000, #00, #0, Slotted: 1/16, 5/64, 3/32, 1/8". Rotating end cap. Cushioned no-slip handle. Precision-machined tip.

ITEM NO.	PIECES
DNCD062509	7



9-piece screwdriver set with comfort handle. Contains: 5 Slotted: 1/8, 5/32, 1/4, 5/16, 3/8", 2 Phillips®: #1, #2, 2 Square Recess: #1, #2. High visibility, cushion-grip handle. Tip-type ID at top of handle. Precision-machined tips.

ITEM NO.	PIECES
DNCD062500	9



15-in-1 multi-bit ratcheting screwdriver. Contains: Phillips® (#0, #1, #2, #3), slotted (3/16-Inch, 1/4-Inch), square (#1, #2), Torx® (T10, T15, T20, T25), and combo (#1, #2) bits.

ITEM NO.	HEX SIZE "	PIECES
KLE32305	1/4	15

11 Tools & Equipment

SCREWDRIVERS & SCREWDRIVER BITS continued



Shockwave™ magnetic driver. Custom Alloy76™ steel. Colour-coded band. Magnetic tip.

ITEM NO.	SIZE "	LENGTH "
MIL49-66-4832	1/4	2-9/16
MIL49-66-4833	5/16	2-9/16
MIL49-66-4835	3/8	2-9/16
MIL49-66-4536	7/16	2-9/16
MIL49-66-4537	1/2	2-9/16



Shockwave™ impact square bits. Wear Guard Tip™. Custom Alloy76™ steel. Precise fit custom machine tip with laser hardening. Designed for use with impact and drill drivers.

ITEM NO.	TIP SIZE	LENGTH "
MIL48-32-4471	#1	2
MIL48-32-4472	#2	2
MIL48-32-4473	#3	2
MIL48-32-4572	#2	3-1/2
MIL48-32-4573	#3	3-1/2
MIL48-32-4622	#1	6
MIL48-32-4805	#2	6
MIL48-32-4216	#3	6



Shockwave™ impact Phillips® bits. Wear Guard Tip™. Custom Alloy76™ steel. Precise fit custom machine tip with laser hardening. Designed for use with impact and drill drivers.

ITEM NO.	TIP SIZE	LENGTH "
MIL48-32-4461	#1	2
MIL48-32-4462	#2	2"
MIL48-32-4463	#3	2
MIL48-32-4560	#1	3-1/2
MIL48-32-4562	#2	3-1/2
MIL48-32-4563	#1	3-1/2
MIL48-32-4800	#1	6
MIL48-32-4802	#2	6
MIL48-32-4308	#3	6



Shockwave™ 2" impact slotted power bits. Wear Guard Tip™. Custom Alloy76™ steel. Precise fit custom machine tip with laser hardening. Designed for use with impact and drill drivers.

ITEM NO.	TIP SIZE	SIZE "	LENGTH "
MIL48-32-4916	#6	1/8	2
MIL48-32-4919	#8	3/16	2
MIL48-32-4918	#10	1/4	2



Shockwave™ 10-piece Phillips® square impact driver set with carabiner clip. Wear Guard Tip™. Custom Alloy76™ steel. Precise fit custom machine tip with laser hardening. Designed for use with impact and drill drivers.

ITEM NO.	PIECES
MIL48-32-4092	10



Pro-Tip® two-piece square recess power driver bits. Heat-treated S-2 alloy steel tip swagged into a steel body shank. Cling-fit tip.

ITEM NO.	TIP SIZE	LENGTH "
HPA140-321B	#1	2
HPA140-322B	#2	2
HPA140-323B	#3	2
HPA140-331B	#1	3
HPA140-332B	#2	3
HPA140-333B	#3	3



Pro-Tip® Phillips® power driver bits. Manufactured from S-2 alloy tool steel and heat treated.

ITEM NO.	TIP SIZE	LENGTH "
HPA140-421B	#1	2
HPA140-423B	#3	2"
HPA140-424B	#2	2
HPA140-431B	#1	3
HPA140-432B	#2	3
HPA140-433B	#3	3

SCREWDRIVERS & SCREWDRIVER BITS continued



Shockwave™ Impact Duty Drill and Drive Sets



MIL48-32-4006



MIL48-32-4028



MIL48-32-4222

40-Piece

Item No. MIL48-32-4006

Includes:

- (2) TORX® Bit 2" T25
- (1) TORX® Bit 2" T20
- (2) TORX® Bit 1" T25
- (1) TORX® Bit 1" T20
- (1) TORX® Bit 1" T15
- (1) Square Bit 2" SQ3
- (1) Square Bit 2" SQ2
- (1) Square Bit 1" SQ3
- (2) Square Bit 1" SQ2
- (1) Square Bit 1" SQ1
- (1) Slotted 2" #10 Bit
- (1) Slotted 1" #8 Bit
- (1) Slotted 1" #10 Bit
- (1) SHOCKWAVE™ Compact Magnetic Bit Holder
- (1) Phillips Reduced 1" PR2 Bit
- (1) Phillips Bit 2" P3
- (4) Phillips Bit 2" P2
- (1) Phillips Bit 1" P3
- (2) Phillips Bit 1" P2
- (1) Phillips Bit 1" P1
- (1) Hex Bit 1" 5/32"
- (1) Hex Bit 1" 3/16"
- (1) Hex Bit 1" 1/8"
- (1) Hex Bit 1" 1/4"
- (1) 5/16" Magnetic Nut Driver
- (1) 3/8" Socket Adapter
- (1) 3/8" Magnetic Nut Driver
- (1) 3/16" SHOCKWAVE™ Hex Drive Bit
- (1) 1/8" Drill Bit
- (1) 1/4" SHOCKWAVE™ Hex Drive Bit
- (1) 1/4" Magnetic Nut Driver
- (1) 1/2" Socket Adapter

55-Piece

Item No. MIL48-32-4028

Includes:

- (1) SHOCKWAVE™ Compact Magnetic Bit Holder
- (1) SHOCKWAVE™ 3" Magnetic Bit Tip Holder
- (1) SHOCKWAVE™ 6" Magnetic Bit Tip Holder
- (2) Phillips Bit 1" P1
- (8) Phillips Bit 1" P2
- (2) Phillips Bit 1" P3
- (1) Phillips Reduced 1" PR2 Bit
- (1) Square Bit 1" SQ1
- (3) Square Bit 1" SQ2
- (1) TORX® Bit 1" T10
- (1) TORX® Bit 1" T15
- (3) TORX® Bit 1" T20
- (5) TORX® Bit 1" T25
- (1) TORX® Bit 1" T27
- (1) TORX® Bit 1" T30
- (1) TORX® Bit 1" T40
- (1) Slotted Bit 1" SL 3/16"
- (1) Slotted Bit 1" SL 1/4"
- (1) Hex Bit 1" 3/16"
- (1) Hex Bit 1" 3/32"
- (1) Hex Bit 1" 5/32"
- (1) Hex Bit 1" 7/64"
- (1) Hex Bit 1" 9/64"
- (1) Hex Bit 1" 1/4"
- (1) 1/4" Magnetic Nut Driver
- (1) 5/16" Magnetic Nut Driver
- (1) Insert 1/2" Socket Adapter
- (1) Insert 1/4" Socket Adapter
- (1) 3/8" Socket Adapter

100-Piece

Item No. MIL48-32-4222

Includes:

- (1) SHOCKWAVE™ Compact Magnetic Bit Holder
- Magnetic Nut Drivers: 1/4", 5/16", 3/8" x 1-7/8" Long
- Shockwave™ Impact Duty Driver Bits:
 - Phillips bits 1" (25.4 mm) long: 1 of P1, 4 of P2, 1 of PR2, 1 of P3
 - Phillips bits 2" (50.8 mm) long: 2 of P1, 5 of P2, 2 of P3
 - Square bits 1" (25.4 mm) long: 2 of SQ1, 11 of SQ2, 2 of SQ3
 - Square bits 2" (50.8 mm) long: 3 of SQ1, 13 of SQ2, 3 of SQ3
 - 3-1/2" (88.9 mm) long Square bits: 4 of SQ2
 - TORX® bits 1" (25.4 mm) long: 1 of T10, 2 of T15, 4 of T20, 4 of T25, 1 of T27, 2 of T30, 1 of T40
 - 2" (50.8 mm) long TORX® bits: 1 of T10, 1 of T15, 4 of T20, 4 of T25, 1 of T27, 1 of T30, 1 of T40
 - TORX® bits 3-1/2" (88.9 mm) long: 2 of T20, 2 of T25
 - Slotted bits 1" (25.4 mm) long: 1 of #6, 1 of #8, 1 of #10
 - SAE Hex bits 1" (25.4 mm) long: 1 each of 1/8", 5/32", 3/16", 1/4"
 - Spanner bit 1" (25.4 mm) long: 1 of #10
 - Clutch bits 1" (25.4 mm): 1 each of 5/32", 3/16"

11 Tools & Equipment

PLIERS, SNIPS, CUTTERS & CLAMPS



Ironworker pliers. Twists and cuts soft annealed rebar tie wire. Hook bend handle. Spring-loaded action for self-opening. Heavy-duty knurled jaws.

ITEM NO.	SIZE "
KLED2000-7CST	9



Lineman pliers, New England nose. Streamline design with handform handles and sure-grip jaws with cross-hatched knurling.

ITEM NO.	SIZE "
KLED201-7NE	7
KLED201-8NE	8



Diagonal cutting pliers, tapered nose. Designed to work in confined areas. Clean cutting induction hardened beveled cutting edges. Hot-riveted joint and plastic-dipped handles.

ITEM NO.	SIZE "
KLED202-6	6



Pliers, needle nose side-cutters. Made of forged steel. Cutting knives are induction hardened, and knurled jaws provide sure wrapping and looping.

ITEM NO.	SIZE "
KLED203-6	6
KLED203-7	7



Diagonal cutting pliers, semi-flush. Designed with spring-loaded jaws for a self-opening action. Shortened jaws and beveled cutting edges permit close cutting in tight spaces. The induction hardened cutting knives made of US-forged steel.

ITEM NO.	SIZE "
KLED210-6C	6



Lineman pliers, high-leverage, New England nose. Designed for cutting a wide variety of cable and wire sizes. Crafted from steel alloy for strength and offer knurled jaws for a sure grip.

ITEM NO.	SIZE "
KLED213-8NE	8
KLED213-9NE	9



End-cutting pliers. Features a wide throat clearance for clean, even, close range cutting of wire or nails. Extended handles for longer reach and increased leverage. Made of US-forged steel.

ITEM NO.	SIZE "
KLED232-8	8



Diagonal cutting pliers, angled head, short jaw. For non-ferrous wire and soft metal cutting. Angled head design makes work easier in confined spaces. Hot-riveted joint ensures smooth action with no handle wobble.

ITEM NO.	SIZE "
KLED248-8	8



Diagonal cutting pliers, heavy-duty, all-purpose. Designed to be heavier for better all-purpose use. Tapered nose, short jaws, and beveled cutting edges to cut in confined areas. Made of US-made steel with a hot-riveted joint and induction-hardened cutting knives for long life.

ITEM NO.	SIZE "
KLED252-6	6

PLIERS, SNIPS, CUTTERS & CLAMPS *continued*



Pump pliers. Features a secure tongue and groove design for a non-slip grip even when heavy pressure is applied. Tension-loaded joint to reduce handle wobble for sure gripping. Plastic-dipped handles.

ITEM NO.	SIZE "
KLED502-6	6
KLED502-10	10
KLED502-12	12
KLED502-16	16



Slip-joint pliers. For precise wire cutting. Serrated jaws and nickel-chrome plating for long life.

ITEM NO.	SIZE "
KLED511-6	6
KLED511-8	8
KLED511-10	10



Diagonal cutting pliers. Satin chrome finish. Drop-forged and specially heat-treated for maximum durability. High visibility and cushion-grip handle.

ITEM NO.	SIZE "
DNCD055038	6
DNCD055000	7



Linesman pliers. Drop-forged and specially heat-treated for maximum durability. High visibility and cushion-grip handle.

ITEM NO.	SIZE "
DNCD055013	7
DNCD055014	8



Bent nose pliers. Satin chrome finish. Drop-forged and specially heat-treated for maximum durability. High visibility and cushion-grip handle.

ITEM NO.	SIZE "
DNCD055004	6
DNCD055005	8
DNCD055006	11



Long nose pliers. Satin chrome finish. Drop-forged and specially heat-treated for maximum durability. High visibility and cushion-grip handle.

ITEM NO.	SIZE "
DNCD055001	6
DNCD055002	8
DNCD055003	11



Slip joint pliers. Drop-forged and specially heat-treated for maximum durability. High visibility and cushion-grip handle.

ITEM NO.	SIZE "
DNCD055007	6
DNCD055008	7
DNCD055009	10



Groove joint pliers. Drop-forged and specially heat-treated for maximum durability. High visibility and cushion-grip handle.

ITEM NO.	SIZE "
DNCD055010	7-1/2
DNCD055011	9-1/2
DNCD055012	12



Long-cut straight aviation snips. Forged serrated blades bolt lock. Flush pivot bolt. Chrome plated. One-handed metal lock. Ergonomic grips. Lanyard hole.

ITEM NO.	LENGTH "	TYPE	COLOUR
MIL48-22-4537	11.5	Straight Offset Long Cut	Yellow

11 Tools & Equipment

PLIERS, SNIPS, CUTTERS & CLAMPS *continued*



Straight-cutting aviation snips. Forged serrated blades bolt lock. Flush pivot bolt. Chrome plated. One-handed metal lock. Ergonomic grips. Lanyard hole.

ITEM NO.	LENGTH "	TYPE	COLOUR
MIL48-22-4530	10	Straight	Yellow



Left-cutting aviation snips. Forged serrated blades bolt lock. Flush pivot bolt. Chrome plated. One-handed metal lock. Ergonomic grips. Lanyard hole.

ITEM NO.	LENGTH "	TYPE	COLOUR
MIL48-22-4510	10	Left	Red



Right-cutting aviation snips. Forged serrated blades bolt lock. Flush pivot bolt. Chrome plated. One-handed metal lock. Ergonomic grips. Lanyard hole.

ITEM NO.	LENGTH "	TYPE	COLOUR
MIL48-22-4520	10	Right	Green



Straight-cutting offset aviation snips. Forged serrated blades bolt lock. Flush pivot bolt. Chrome plated. One-handed metal lock. Ergonomic grips. Lanyard hole.

ITEM NO.	LENGTH "	TYPE	COLOUR
MIL48-22-4532	10	Straight Offset	Yellow



Left-cutting offset aviation snips. Forged serrated blades bolt lock. Flush pivot bolt. Chrome plated. One-handed metal lock. Ergonomic grips. Lanyard hole.

ITEM NO.	LENGTH "	TYPE	COLOUR
MIL48-22-4512	10	Left Offset	Red



Right-cutting offset aviation snips. Forged serrated blades bolt lock. Flush pivot bolt. Chrome plated. One-handed metal lock. Ergonomic grips. Lanyard hole.

ITEM NO.	LENGTH "	TYPE	COLOUR
MIL48-22-4522	10	Right Offset	Green



Bolt cutters. Steel tubular handles with rubber grips. Drop-forged alloy tool steel jaws with precision ground cutting edges. Toggle joint transforms 50 LB of hand pressure to 4,000 LB of pressure on cutting edges of jaws. Screw-type adjustment re-aligns cutting edges.

ITEM NO.	LENGTH "
DNCD091001	14
DNCD091002	18
DNCD091003	24
DNCD091004	30
DNCD091005	36



Wire cutter/stripper with lock. PVC dipped handles. Spring-loaded.

ITEM NO.	LENGTH "
GRAB120	6



Stripper, crimper, bolt cutter. Strips: 16/14/12 AWG. Crimps: Insulated: 22-14, 12-10 AWG non-insulated: Auto 7 and 8 mm. Bolt Cutter: 4-40/6-32/8-32/10-32/10-24"

ITEM NO.	LENGTH "
GRAB124	7-3/4

PLIERS, SNIPS, CUTTERS & CLAMPS continued



Torque Lock™ curved jaw locking pliers. Screwdriver through-hole provides leverage. One-handed control release. Forged alloy steel and ergonomic handles with anti-pinch design.

ITEM NO.	LENGTH "	STYLE
MIL48-22-3422	5	5CR
MIL48-22-3421	7	7WR
MIL48-22-3420	10	10CR



Torque Lock™ long nose locking pliers with grip. One-handed control release. Forged alloy steel and ergonomic handles with anti-pinch design.

ITEM NO.	LENGTH "	STYLE
MIL48-22-3504	4	4LN
MIL48-22-3506	6	6LN
MIL48-22-3509	9	9LN



Torque Lock™ straight jaw locking pliers. Screwdriver through-hole provides leverage. Forged alloy steel and ergonomic handles with anti-pinch design.

ITEM NO.	LENGTH "	STYLE
MIL48-22-3507	7	7R
MIL48-22-3510	10	10R



Torque Lock™ locking C-clamp with regular jaws. Screwdriver through-hole provides leverage. Forged alloy steel and ergonomic handles with anti-pinch design.

ITEM NO.	LENGTH "	STYLE
MIL48-22-3532	6	6R
MIL48-22-3531	11	11R
MIL48-22-3530	18	18R



Torque Lock™ locking C-clamp with swivel jaws. Screwdriver through-hole provides leverage. Swivel jaw pad protects from marring. Forged alloy steel and ergonomic handles with anti-pinch design.

ITEM NO.	LENGTH "	STYLE
MIL48-22-3522	6	6SP
MIL48-22-3521	11	11SP
MIL48-22-3520	18	18SP

PUNCHES & CHISELS



Centre punches.

ITEM NO.	PIN DIA. "	BODY "	LENGTH "
GRAC33A	3/32	1/4	4
GRAC33	1/8	5/16	5
GRAC34	1/8	3/8	5-1/4
GRAC35	3/16	1/2	6
GRAC35A	3/16	1/2	7



Long flat chisels.

ITEM NO.	PIN DIA. "	BODY "	LENGTH "
GRAC1	1/4	3/16	4-1/2
GRAC1A	5/16	1/4	5
GRAC2A	3/8	1/4	5-1/4
GRAC2	1/2	3/8	5-1/2
GRAC3	5/8	1/2	6
GRAC4	3/4	5/8	6-1/2
GRAC5	7/8	3/4	7-1/2
GRAC6	1	7/8	7-3/4
GRAC7	1-1/8	1	8-1/2
GRAC9	3/4	5/8	12
GRAC10	7/8	3/4	14
GRAC14	1	7/8	18

Punches and chisels are specially heat treated to provide a hard working end and softer striking end to avoid chipping. High polished and lacquered working end with royal blue painted shank. Meets ANSI standards.



Pin punches, long length.

ITEM NO.	PIN DIA. "	BODY "	LENGTH "
GRAC28C	1/16	1/4	4
GRAC28B	3/32	5/16	4-3/4
GRAC28	1/8	5/16	4-3/4
GRAC28A	5/32	5/16	5
GRAC29	3/16	3/8	5-1/4
GRAC29A	7/32	3/8	6
GRAC30	1/4	3/8	6-1/4
GRAC31	5/16	7/16	6-1/2
GRAC31A	3/8	5/8	8
GRAC31C	1/2	3/4	10
GRAC290	1/8	5/16	8
GRAC291	5/32	5/16	8
GRAC292	3/16	3/8	8
GRAC293	7/32	3/8	8
GRAC294	1/4	3/8	8
GRAC295	5/16	7/16	8
GRAC296	3/8	1/2	8

11 Tools & Equipment

PRY BARS



Pry bars have a royal blue paint finish. Forged from premium alloy steel. Heat treated for maximum durability.



Rolling head pry bars. Round shank with polished point.

ITEM NO.	LENGTH "	SHANK "	CUT WIDTH "
GRAC39A	11	1/2	9/16
GRAC39	15-1/4	1/2	9/16
GRAC39B	20	5/8	11/16



Pinch bars with hexagon shank.

ITEM NO.	LENGTH "	SHANK "	CUT WIDTH "
GRAC37	16	1/2	5/8
GRAC38	16	5/8	7/8
GRAC38C	18	5/8	7/8
GRAC38A	20	3/4	1-1/16
GRAC40	24	3/4	7/8
GRAC41	30	3/4	1
GRAC42	38	3/4	1-1/16
GRAC43	4	7/8	1-1/16
GRAC44	48	7/8	1-1/16



Goose neck wrecking bars.

ITEM NO.	LENGTH "	SHANK "	CUT WIDTH "
GRAWB12	12	1/2	5
GRAWB18	18	5/8	3/4
GRAWB24	24	3/4	7/8
GRAWB30	30	3/4	7/8
GRAWB36	36	3/4	7/8
GRAWB42	42	3/4	7/8



Rectortor pry bar. Hexagon shank.

ITEM NO.	LENGTH "	SHANK "	CUT WIDTH "
GRA73324	24	7/8	1-3/16
GRA73330	30	7/8	1-3/16
GRA73336	36	7/8	1-3/16
GRA73348	48	7/8	1-3/16

HAND SAWS & BLADES

STANLEY



FATMAX® compass saw features a premium steel blade with heavy-duty screws for a secure blade-to-handle assembly. Solid, one-piece bi-material handle. Heat-treated, triple-ground teeth.

ITEM NO.	LENGTH "	TPI
STA17-205	12	11

STANLEY



FATMAX® saw features SharpTooth™ technology, induction-hardened teeth, with a thick handle and ergonomically designed grip.

ITEM NO.	LENGTH "	TPI
STA20-045	15	8



Adjustable tubular steel hacksaw frame. Uses 10" or 12" blades.

ITEM NO.	ADJUSTABLE WIDTH "
ITC023005	10 to 12


ECLIPSE



Bi-metal high speed steel hacksaw blades.

ITEM NO.	LENGTH "	TPI
ECLAA45E	12	18
ECLAA46V	12	24
ECLAA47R	12	32

MIRRORS & MAGNETS



Telescopic inspection glass mirrors. Swivel head and vinyl grip handle.

ITEM NO.	GLASS DIA. "	GLASS SHAPE	REACH "	MIRROR PART NO.
GRACF146	2-1/4	Round	10 to 14	TBC
GRACF147	2-1/8 x 3-1/2	Rectangle	11-1/4 to 15-1/4	CF147RM



ITEM NO.	REACH "
GRAK5	5-1/4 to 17-1/4

Telescopic inspection glass mirrors. Swivel head and vinyl grip handle.

HAMMERS



GRA220



GRAGC16

Claw hammers.

ITEM NO.	HEAD WT. (OZ)	LENGTH "	HANDLE MAT.	HANDLE PART NO.
GRA220	20	13-1/2	Hickory	HH12
GRAGC16	16	13	Fibreglass	59-853



GRA212K



GRAGM-24

Ball pein hammers.

ITEM NO.	HEAD WT. (OZ)	LENGTH "	HANDLE MAT.	HANDLE PART NO.
GRA212K	4	10-3/4	Hickory	HH1
GRA212I	8	11-3/4	Hickory	HH2
GRA212H	12	12-3/4	Hickory	HH3
GRA212G	16	13-3/4	Hickory	HH4
GRA212E	24	15-3/4	Hickory	HH5
GRA212C	32	15-3/4	Hickory	HH5
GRA212A	40	16-1/2	Hickory	HH6
GRA212	48	16-1/2	Hickory	HH6
GRAGM-16	16	14	Fibreglass	59-754
GRAGM-24	24	14	Fibreglass	59-854
GRAGM-32	32	14	Fibreglass	59-854



One-piece dead blow hammers.

ITEM NO.	HEAD WT. (LB)	LENGTH "
GRAPHD2	1.6	12.75
GRAPHD3	2.8	14.37
GRAPHD4	3.3	15.25
GRAPHD6	5.5	20
GRAPHD9	9	30
GRAPHD11	10.5	30
GRAPHD12	12	36



Soft face hammer with plastic composition face and wooden handle.

ITEM NO.	HEAD DIA. "	WT. (OZ)	LENGTH "	HANDLE PART NO.	TIP PART NO.
GRAPH15	1-7/32	8	12	HH15	PH15-TIP
GRAPH20	1-11/32	16	12	HH16	PH20-TIP



Rubber mallet.

ITEM NO.	HEAD DIA. "	HEAD LENGTH "	LENGTH "	HANDLE PART NO.
GRAPH30	2-1/2	4-1/2	16-1/2	HH18



Fibreglass sledge hammers with super grip handle.

ITEM NO.	HEAD WT. (LB)	LENGTH "	HANDLE MAT.
GRAPHF25	2	13-1/2	Fibreglass
GRAPHF41	4	13-1/2	Fibreglass
GRAPHF42	6	31	Fibreglass
GRAPHF43	8	31	Fibreglass
GRAPHF44	10	31	Fibreglass
GRAPHF45	12	31	Fibreglass
GRAPHF46	16	31	Fibreglass

STANLEY



Soft face hammers.

ITEM NO.	WT. (OZ)	LENGTH (MM)
STA57-531	18	290
STA57-532	21	330
STA57-533	42	362
STA57-534	52	387

11 Tools & Equipment

KNIVES & ACCESSORIES



Cable splicer knife. Special-purpose short blade with comfortable, full-sized, heavy-duty handle. Coping-type blade made of 1095 steel. Textured handle for comfort and grip, and hang hole for storage and portability.

ITEM NO.	LENGTH "
KLE44200	6.25



Leather cable splicer knife holder with tunnel connect for attaching to belts up to 2-1/4" wide. Riveted and stitched for extra durability. Designed to hold KLE44200, cable splicer's knife.

ITEM NO.	DIM. (L X W X H")
KLE5188T	2.125 x 1 x 7.25



Self-retracting utility knife. Metal body. Tool-free blade change. Stores 5 extra blades. Two blade positions. Lanyard hole.

ITEM NO.	DIM. (L X W X H")
MIL48-22-1512	6.52 x .89 x 1.41



FASTBACK™ compact folding utility knife features press-and-flip for one-handed opening. Has an all-metal body, an integrated gut hook and wire stripper cutting up to 10 ga. The folding utility knife has a metal extension that prevents accidental blade removal and a wire belt clip.

ITEM NO.	LENGTH "
MIL48-22-1901	7-1/4



Snap-off knife with metal wheel lock. 8-point microcarbide blade with over-molded rubber handle. Acetone-resistant.

ITEM NO.	SIZE (MM)
MIL48-22-1961	18
MIL48-22-1962	25



Snap-off knife with lock. 8-point microcarbide blade with over-molded handle. Acetone-resistant.

ITEM NO.	SIZE (MM)
MIL48-22-1964	18



FASTBACK™ hawk bill folding knife features press-and-flip for one-handed opening. The stainless steel blade is resharpenable. Has a reversible wire-form belt clip.

ITEM NO.	LENGTH "
MIL48-22-1985	7-1/4



Self-retracting safety knife. Slip-resistant ergonomic handle and stainless steel blade channel that secures the blade.

ITEM NO.	SIZE (MM)
OLFSK4	19



Concealed blade safety knife. 4-point adjustable blade positioning. 4 mm thread inlet and a stainless steel tape slitter for box tape slitting.


ITEM NO.	SIZE (MM)
OLFSK10	4

KNIVES & ACCESSORIES continued



General purpose utility blades with dispenser. Microcarbide dispersed metal. Optimized grind angles. Fits Milwaukee® and most standard utility knives.

ITEM NO.	QTY.
MIL48-22-1900	100/Pk
MIL48-22-1950	50/Pk



Trapezoid replacement blades.

ITEM NO.	QTY.	FOR KNIFE
OLFSKB-10/10B	10/Pk	SK-10
OLFSKB-2/50B	50/Pk	SK4, SK6, SK9

TAPE MEASURES



Tape measure features rubber comfort grips, nylon coated steel blades, co-molded rubber brakes and 3 blade stops.

ITEM NO.	LENGTH'	WIDTH"	MMT.
PTAT2215	16	1	SAE/Metric
PTAT2225	25	1	SAE/Metric
PTAT2240	50	1/2	SAE/Metric



Precision snap-off blades. Optimized grind angles. Microcarbide dispersed metal. Fits Milwaukee® and most standard snap-off knives.

ITEM NO.	SIZE (MM)	QTY.
MIL48-22-9118	18	10/Pk
MIL48-22-9125	25	10/Pk



Hook blade with dispenser.

ITEM NO.	QTY.
STA11-961A	100/Pk

SCISSORS



Jobsite offset scissors. Iron carbide edge blades with bolt-lock technology. Rust protection hard chrome-plated blades. Ruler markings on blade.

ITEM NO.	BLADE LENGTH"	TYPE
MIL48-22-4040	4.5	Offset



Jobsite straight scissors. Iron carbide edge blades with bolt-lock technology. Rust protection hard chrome-plated blades. Ruler markings on blade.

ITEM NO.	BLADE LENGTH"	TYPE
MIL48-22-4041	3.75	Straight



Compact tape measure. Equipped with wear-resistant nylon blade protection and an impact-resistant 5-point reinforced frame.

ITEM NO.	LENGTH'	WIDTH"	MMT.
MIL48-22-6617	16	1	SAE/Metric
MIL48-22-6626	26	1	SAE/Metric



Fiberglass open reel long tape features a GRIME GUARD™ blade wiper. Reinforced 3:1 planetary metal gears.

ITEM NO.	LENGTH'	WIDTH"	MMT.
MIL48-22-5330	100	1/2	SAE/Metric
MIL48-22-5360	200	1/2	SAE/Metric
MIL48-22-5310	300	1/2	SAE/Metric


11 Tools & Equipment

MEASURING & LAYOUT TOOLS



Measuring wheel. Top break function. Reinforced locking pivot point. Top handle clearing function and wheel debris cleaning flap. Zero-point indicator.

ITEM NO.	LENGTH "
MIL48-22-5012	12




Steel square. Stamped numbers. 1/8" graduation.

ITEM NO.	SIZE "	MMT.
EMP100IM	12 x 8	SAE/Metric
EMP1110IM	24 x 16	SAE/Metric



Brass stair gauge. Used for making repeat angle cuts on rafters and stairs. Solid brass construction with sure-grip thumb screws. Attaches to any Empire® framing square or rafter square.

ITEM NO.	QTY.
EMP105	2/Pk



Heavy duty aluminum try square. Stainless steel etched blade.

ITEM NO.	SIZE "	MMT.
EMP122	8	SAE
EMP122M	20	Metric



Aluminum combination square. Etched stainless steel blade. Full view acrylic vial. Self-aligning drawbolt.

ITEM NO.	SIZE "	MMT.	SCRIBER PIN
EMP240IM	11.8	SAE/Metric	No
EMPE250IM	11.8	SAE/Metric	Yes



Heavy-duty professional T-square. Aluminum.

ITEM NO.	LENGTH "	ADJUSTABLE
EMP418-48	48	No
EMP419-48	48	Yes



Polysquare™ rafter square. Molded conversion tables.

ITEM NO.	LENGTH "	MMT.
EMP296	7	SAE
EMP396	12	SAE



Heavy-duty stainless steel T-bevel. Aluminum billet handle. Low-profile locking nut. Adjustable stainless steel blade.

ITEM NO.	LENGTH "
EMP132	10



TrueBlue® magnetic I-beam level. All-metal frame. High contrast vial surrounds. Equipped with impact-resistant end caps and acrylic mono vials. Features a top-read window.

ITEM NO.	LENGTH "
EMP500M-24	24
EMP500M-48	48
EMP500M-78	78

MEASURING & LAYOUT TOOLS continued



Aluminum I-beam level. Top read window. Impact-resistant end caps. All-metal frame.

ITEM NO.	LENGTH "
EMP540-24	24
EMP540-48	48



TrueBlue® magnetic digital box level. Auto-calibrated. 7 measuring modes. High contrast e-Band™ solid block acrylic vials. Dust and water protected. Dual backlit digital display. Audio indicator. Top read digital display. Protective case and 2AA batteries included.

ITEM NO.	LENGTH "
EMPEM105-24	24
EMPEM105-48	48



Magnetic torpedo level. Aluminum frame with tapered edge. Top read window. Level, plumb and 45° vials.

ITEM NO.	LENGTH "
EMP581-9	9



Lightweight aluminum utility line level.

ITEM NO.	LENGTH "
EMP93-3	3



Aluminum straight edge.

ITEM NO.	LENGTH "	WIDTH "	MMT.
EMP4002	24	2	SAE
EMP4003	36	2	SAE
EMP4004IM	48	2	SAE/Metric
EMP4006	72	2	SAE
EMP4008	96	2	SAE



Twisted orange reel. Versatile integrated handle and reel. Strong and durable twisted #18 nylon line. Handle can be used as a stake.

ITEM NO.	LENGTH '
EMP39503N	500



Bullseye circular level.

ITEM NO.	DIA "
EMP3604	1-3/8



Plumb bobs.

ITEM NO.	WT. (OZ)	MAT.
EMP908	8	Steel
EMP916BR	16	Brass
EMP924BR	24	Brass
EMP932BR	32	Brass



Magnetic protractor. Transfers angles to within 1°. Easy-read dial with adjustable angle pointer. Includes built-in angle pitch calculator.

ITEM NO.
EMP36

PICK-UP TOOLS



Magnetic pick-up tool. Aluminum shaft with telescopic handle.

ITEM NO.	CAPACITY (LB)	LENGTH "
EMP27058	50	23 to 39



Heavy-duty magnetic sweep with removable handle. Rolling unit with magnets enclosed in a heavy gauge aluminum shell. Release handle. Adjustable sweeping height 3/4" to 1-1/2" and handle length 25" to 40".

ITEM NO.	CAPACITY (LB)	WIDTH "
EMP27060	30	24

11 Tools & Equipment

BUCKETS & TOOL BAGS



KLE5104

Canvas Bucket with Leather Bottom, 12-Inch
Item No. KLE5104

- Features:
- Heavy-duty No. 4 Canvas Bucket
 - 100 LB max load rating
 - Web handle extends down the sides of the tool bucket for added strength
 - 17" bucket with 12" diameter
 - High-density polyethylene top ring for strength and chemical resistance
 - Inside pocket measures 8" x 8"
 - Leather cuff extends 3" up the side



KLE5114DSC

Canvas Bucket with Drawstring Close, 17-Inch
Item No. KLE5114DSC

- Features:
- Heavy-duty No. 4 canvas
 - 100 LB max load rating
 - Web handles extend down the sides for additional strength
 - 17" high x 12" diameter
 - Drawstring close tool bucket top allows for easy opening and closing
 - Double-locking carabiner for securely hoisting the bucket
 - Interior D-rings for tether connection
 - Reinforced bottoms for added durability
 - Swivel snap further secures the contents
 - Assembled in USA of USA and imported components



KLE5104FR

Canvas Bucket, Flame-Resistant, 12-Inch
Item No. KLE5104FR

- Features:
- Heavy-duty No. 4 canvas
 - 100 LB max load rating
 - Flame-resistant
 - 17" high x 12" diameter
 - Durable leather-reinforced handle extends down the sides of the bucket for added strength
 - Stitched and riveted with a double-reinforced bottom for durability
 - Meets the performance requirement of NFPA -701
 - Assembled in USA of USA and imported components



KLE5104S

Canvas Bucket, Leather Bottom, Swivel Snap, 12-Inch
Item No. KLE5104S

- Features:
- Heavy-duty No. 4 canvas
 - 100 LB max load rating
 - 17" high x 12" diameter
 - Web handle extends down the sides of the tool bucket for added strength
 - High-density polyethylene top ring for strength and chemical resistance
 - Leather reinforced bottom
 - Inside pocket measures 8" x 8"
 - With swivel snap Cat. No. 2012



KLE5104CLR17

Canvas Bucket with Closing Top, 17-Inch
Item No. KLE5104CLR17

- Features:
- Heavy-duty No. 1 canvas
 - 150 LB max load rating
 - 14" diameter accommodates standard 5 gallon (18.93 L) bucket
 - 17" tall bucket
 - Web strap extends down the side of the bucket
 - Top of tool bucket zips closed
 - Leather reinforced bottom extends 3" up the side
 - Durable steel rim

Comparison Chart - Klein Bucket Canvas Bags

ITEM NO.	LOAD (LB)	DIA. X HT. "	MATERIAL	FEATURES	COLOUR	POCKETS
KLE5104	100	12 x 17	No. 4 Canvas	Interior pocket	Off-White	1
KLE5114DSC	100	12 x 17	No. 4 Canvas	Drawstring close, double-locking carabiner, swivel snap	Off-White	-
KLE5104-FR	100	12 x 17	No. 4 Canvas	Flame-resistant	Black	1
KLE5104S	100	12 x 17	No. 4 Canvas	Swivel snap hook, web strap	Off-White	1
KLE5104CLR17	150	14 x 17	No. 1 Canvas	Swivel snap, zipper closed top	Off-White	-

BUCKETS & TOOL BAGS continued



Leather Bottom Utility Bucket, 12-Inch

Item No. KUNSW-744

Features:

- Heavy-duty canvas with high strength top ring
- 150 LB max load rating
- 10-1/2" diameter x 16" deep
- Back-braided polypropylene rope handle through leather reinforced metal grommet
- Top grain leather bottom for strength and durability
- One inside pocket



Canvas Messenger Bag 12-Inch

Item No. KUNSW-725

Features:

- Heavy-duty canvas
- 14" x 4" x 9"
- Adjustable waist belt with quick-release buckle that can be used as a shoulder strap
- Adjustable hook and loop closure flap
- Internal back wall pockets
- Heavy-duty stitching



KUNSW1119



KUNSW1578



KUNSW1579



KUNSW797



KUNSW798

48 Pocket Bucket Organizer Item No. KUNSW-1119

Features:

- 14 double-row pockets inside and 34 triple-row pockets outside
- Tape strap and key clip
- Drill pocket with hook and loop handle strap

21 Pocket - 14" Open Top Softsided Tool Box Item No. KUNSW-1578

Features:

- 21 multi-use pockets
- Metal handle bar with foam grip
- Padded adjustable shoulder strap
- Zippered pocket
- 14" L x 11" W x 11" H

27 Pocket - 20" Open Top Softsided Tool Box Item No. KUNSW-1579

Features:

- Removable and adjustable partition slides into place to customize tool box
- Reinforced internal pocket
- Padded adjustable shoulder strap
- Wide open main compartment
- Metal handle bar with molded foam grip
- 20" L x 11" W x 11" H

22 Pocket - 16" Large Bigmouth® Bag Item No. KUNSW-797

Features:

- 12 multi-use pockets inside and 10 outside
- Opens wide for easy access
- Padded web carrying handles and adjustable shoulder strap
- Heavy-duty stitching and bar tacking at all stress points
- 16" L x 8-1/2" W x 10" H

23 Pocket - 12" Standard Bigmouth® Bag Item No. KUNSW-798

Features:

- 17 multi-use pockets inside and 6 outside
- Opens wide for easy access
- Padded web carrying handles
- Heavy-duty stitching and bar tacking at all stress points
- 12" L x 8-1/2" W x 8" H

Comparison Chart - Kuny's™ Softsided Tool Carriers

ITEM NO.	FITS/SIZE "	POCKETS	DESCRIPTION
KUNSW-1119	3-1/2 to 5-GAL buckets	48	Bucket organizer
KUNSW-1578	14 L x 11 W x 11 H	21	14" open top softsided tool box
KUNSW-1579	20 L x 11 W x 11 H	27	20" open top softsided tool box
KUNSW-797	16 L x 8-1/2 W x 10 H	22	16" large Bigmouth® bag
KUNSW-798	12 L x 8-1/2 W x 8 H	23	12" standard Bigmouth® bag

11 Tools & Equipment

BUCKETS & TOOL BAGS continued



Signature Elite Series
Top of the Line Pro Framer's Ballistic Nylon Combo System

Item No. KUN54531, KUN54531X

Features:

- 17 pockets and sleeves
- Easy carry handle design for easy adjustments, easy storage and the ideal way to carry apron without spilling contents
- Gusset design front pockets for easy access to nails and fasteners
- Crafted from super tough, double layer 1680D ballistic nylon fabric and heavy-duty top grain leather
- 3" wide, heavy-duty leather belt with double tongue roller buckle
- Sta-Open webbing feature on main and front pockets help keep pockets open for easy reach of nails and tools.
- KUN54531: Fits waist sizes: 29" – 42"
- KUN54531X: Fits waist sizes 40" – 52"



KUN54531

ITEM NO.	WAIST SIZE"
KUN54531	29 - 42
KUN54531X	40 - 52

THINK
**OUTSIDE
THE TOOL BOX™**

Kunys™ Aprons & Combos

No matter a general contractor, carpenter, electrician, construction worker, Kunys™ makes an apron or combo that will fit your needs. Kunys™ is always thinking about how the job gets done and build their belts accordingly.



18 Pocket - 5 Piece Professional Carpenter's Combo

Item No. KINAP-760

Features:

- Easy carry handle design provides simple adjustments, easy carrying and storage of apron without spilling contents
- Totally versatile-all parts removable and interchangeable
- Double layer of rugged, lightweight ballistic poly fabric
- Sta-Open feature on main reversed pockets
- 5" wide padded comfort belt with double tongue steel roller buckle
- Fits waist sizes 29" – 46"



KUNAP-760



28 Pocket - 6 Piece Carpenter's Ballistic Combo

Item No. KUNAP-2617

Features:

- Double layer of rugged, lightweight ballistic poly fabric
- Adjustable and padded suspenders to hold and distribute weight comfortably
- Bottoms of main pockets are reinforced with PVC material for better resistance to abrasion
- Pry bar or combination square holders
- 5" wide padded comfort belt with double tongue steel roller buckle.
- Fits waist sizes 29" – 46"



KUNAP-2617

BUCKETS & TOOL BAGS continued



20 Pocket - 3 Piece Electrician's Combo Item No. KUNEL-1609

Features:

- Easy carry handle design provides simple adjustments, easy carrying and storage of combo without spilling contents
- Totally versatile; all parts removable and interchangeable
- Double layer of rugged, ballistic poly fabric
- Metal clip holds all measuring tape sizes.
- Metal tape chain and tool snap.
- Pocket to hold cordless drill
- 3" wide padded comfort belt with double-tongue steel roller buckle
- Fits waist sizes: 29" – 46"



KUNEL-1609



31 Pocket - Heavy Duty Framer's Comfortlift™ System Item No. KUNAP-6714

Features:

- Polyester fabric and ballistic binding
- Padded suspenders engineered to carry loads comfortably and distribute weight evenly without strain on lower back and hips
- Easy carry handle design provides for simple adjustments and easy storage without spilling contents
- New and improved pockets with more capacity and easy access to contents
- Metal hook to carry cordless drill, nail guns or other power tools
- Cell phone holder on upper part of suspenders for easy access
- Bottoms of main pockets are reinforced with PVC material for better resistance to abrasion
- 5" wide padded comfort belt with double tongue steel roller buckle
- Fits waist sizes 29" – 46"



KUNAP-6714



12 Pocket Apron Item No. KUNAP-1429

Features:

- Polyester fabric and ballistic binding
- 4 main nail and tool pockets
- 6 smaller pockets for pliers, pencils, nail sets, etc.
- Centre pocket for tape, nails or other tools
- Pry bar or combination square holder
- 2" wide web belt with steel buckle
- Fits waist sizes 29" – 46"



KUNAP-1429

Comparison Chart - Kunys™ Aprons and Combos

ITEM NO.	WAIST SIZE "	POCKETS	DESCRIPTION
KUNAP-760	29 - 46	18	5-piece professional carpenter's combo
KUNAP-2617	29 - 46	28	6-piece carpenter's ballistic combo
KUNEL-1609	29 - 46	20	3-piece electrician's combo
KUNAP-6714	29 - 46	31	Heavy duty framer's Comfortlift™ System
KUNAP-1429	29 - 46	12	Pocket apron

12 Power Tools



BATTERIES & CHARGERS



M18™ REDLITHIUM™ batteries. Lithium-ion battery pack. Compact and lightweight design. Built-in REDLINK™ Intelligence. Fuel gauge onboard. Compatible with M18™ tools.

ITEM NO.	VOLT	AMP	QTY.
MIL48-11-1820	18	2.0	1
MIL48-11-1835	18	3.0	1
MIL48-11-1822	18	3.0	2/Pk
MIL48-11-1840	18	4.0	1
MIL48-11-1850	18	5.0	1
MIL48-11-1851	18	5.0	10/Pk
MIL48-11-1852	18	5.0	2/Pk
MIL48-11-1862	18	6.0	2/Pk
MIL48-11-1865	18	6.0	1
MIL48-11-1812	18	12.0	1



M18™ REDLITHIUM™ HIGH OUTPUT™ starter kit. Built-in REDLINK™ Intelligence. Compatible with M18™ tools.

ITEM NO.	ITEM	VOLT	AMP
MIL48-11-1820	Kit: 2 batteries, 1 charger	18	2.0



M18™/M12™ multi-voltage charger.

ITEM NO.	VOLT
MIL48-59-1812	12 and 18



M18 FUEL
DRIVEN TO OUTPERFORM

The flagship of the M18™ System, M18 FUEL™, is the best in cordless technology. All M18 FUEL™ products feature — **The POWERSTATE™** Brushless Motor, **REDLITHIUM™** Battery Pack and **REDLINK PLUS™** Intelligence Hardware and Software — that deliver unmatched power, run-time and durability.



M18™ six-pack sequential charger. Compact design, integrated hang holes for vertical mounting, and a pass through plug to conserve outlet space. Charges M18™ compact batteries in 30 minutes and extended capacity (XC) batteries in 60 minutes.

ITEM NO.	VOLT
MIL48-59-1806	18

IMPACT WRENCHES



M18™ FUEL™ compact impact wrench with friction ring kit. Features POWERSTATE™ brushless motor, 4-mode DRIVE CONTROL™, tri-LEDs, AUTO SHUT-OFF™, REDLINK PLUS™ Intelligence.

ITEM NO.	ITEM	VOLT	SIZE "
MIL2854-20	Tool Only	18	3/8
MIL2854-22	Kit: 1 wrench, 2 batteries, 1 charger, 1 carry case	18	3/8



M18™ FUEL™ mid-torque impact wrench with friction ring. Features POWERSTATE™ brushless motor, 4-mode DRIVE CONTROL™, tri-LEDs, AUTO SHUT-OFF™, REDLINK PLUS™ Intelligence.

ITEM NO.	ITEM	VOLT	SIZE "
MIL2960-20	Tool Only	18	3/8
MIL2960-22	Kit: 1 wrench, 2 batteries, 1 charger, 1 carry case	18	3/8



M18™ FUEL™ compact impact wrench with friction ring. Features POWERSTATE™ brushless motor, 4-mode DRIVE CONTROL™, tri-LEDs, AUTO SHUT-OFF™, REDLINK PLUS™ Intelligence.

ITEM NO.	ITEM	VOLT	SIZE "
MIL2855-20	Tool Only	18	1/2
MIL2855-22	Kit: 1 wrench, 2 batteries, 1 charger, 1 carry case	18	1/2



M18™ FUEL™ high-torque impact wrench with friction ring. Features 4-mode DRIVE CONTROL™, LED light, REDLINK PLUS™ Intelligence.

ITEM NO.	ITEM	VOLT	SIZE "
MIL2767-20	Tool Only	18	1/2
MIL2767-22	Kit: 1 wrench, 2 batteries, 1 charger, 1 carry case	18	1/2



M18™ FUEL™ with ONE-KEY™ high-torque impact wrench 3/4" friction ring. Features POWERSTATE™ brushless motor, LED light.

ITEM NO.	ITEM	VOLT	SIZE "
MIL2864-20	Tool Only	18	3/4
MIL2864-22	Kit: 1 wrench, 2 batteries, 1 charger, 1 carry case	18	3/4



M18™ FUEL™ high-torque impact wrench with ONE-KEY™/kit. Features POWERSTATE™ brushless motor, 4-mode DRIVE CONTROL™, LED light, REDLINK PLUS™ Intelligence. Handle rotates 270°. Integrated lanyard loop.

ITEM NO.	ITEM	VOLT	SIZE "
MIL2867-20	Tool Only	18	1
MIL2867-22	Kit: 1 wrench, 2 batteries, 1 charger, 1 tool-free adjustable handle, 1 lanyard loop, 1 contractor bag	18	1

MILWAUKEE GRINDERS



M18™ cordless lithium-ion cut-off grinder. Features a 4-pole motor, debris baffles, paddle switch design, overload protection, tool-free burst-resistant guard and a 3-position side handle.

ITEM NO.	ITEM	VOLT	SIZE "
MIL2680-20	Tool Only	18	4-1/2
MIL2680-22	Kit: 1 grinder, 2 batteries, 1 charger, 1 side handle, 1 contractor bag	18	4-1/2



M18™ FUEL™ grinder paddle switch, no-lock. Features POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence, paddle switch design, overload protection, tool-free guard adjustment, electronic clutch, and an anti-vibration side handle.

ITEM NO.	ITEM	VOLT	SIZE "
MIL2880-20	Tool Only	18	4-1/2 to 5
MIL2880-22	Kit: 1 grinder, 2 batteries, 1 charger, 1 T27 guard, 1 T1 clip-on guard, 1 side handle, 1 wrench, 1 back flange, 1 flange nut, 1 contractor bag	18	4-1/2 to 5



Milwaukee® M18™ FUEL™ braking grinder, slide switch, lock-on. Features POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence.

ITEM NO.	ITEM	VOLT	SIZE "
MIL2981-20	Tool Only	18	4-1/2 to 6
MIL2981-22	Kit: 1 grinder, 1 battery, 1 charger, 1 FIXTEC nut, 1 T27 guard, 1 back flange, 1 wrench, 1 side handle, 1 contractor bag	18	4-1/2 to 6

NAILER



M18™ FUEL™ 30° framing nailer kit. Power to nail engineered lumber. 3 nails/sec. No gas cartridge required.

ITEM NO.	ITEM	VOLT	ANGLE
MIL2745-21	Kit: 1 nailer, 1 charger, 1 battery, 1 rafter hook, 1 non-marring tip, 1 contractor bag	18	30°

DRILLS & DRILL KITS



Magnum® drill includes one chuck key with holder and one side handle. Features 360° locking side handle and an 8-ft, 3-wire fixed rubber cord.

ITEM NO.	SIZE "	AMP	RMP
MIL0299-20	1/2	8	0-850



M18™ FUEL™ lineman magnetic drill High Demand™ kit. Features POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence, self-powered magnet base.

ITEM NO.	ITEM	VOLT	SIZE "
MIL2788-22HD	Kit: 1 drill, 2 batteries, 1 safety strap, 1 lubrication tank, 1 chuck key, 1 charger, 1 adapter, 2 pilot pins, 1 carry case	18	1-1/2

DRILLS & DRILL KITS continued



M18™ FUEL™ hammer drill kit. Features POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence, LED light.

ITEM NO.	ITEM	VOLT	SIZE "
MIL2804-22	Kit: 1 drill, 2 batteries, 1 charger, 1 belt clip, 1 bit holder, 1 side handle, 1 carry case	18	1/2



M18™ FUEL™ 2-tool combo kit has power to mix heavy compounds such as concrete and mortar. Chuck key with on-tool storage. LED light.

ITEM NO.	ITEM	VOLT	SIZE "
MIL2997-22	Kit: 1 hammer drill, 1 impact driver, 2 batteries, 1 charger, 1 side handle, 2 belt clips, 2 bit holders, 1 carry case	18	1/4 & 1/2



M18™ FUEL™ 1/4" hex impact driver kit. Features POWERSTATE™ brushless motor, 4-mode DRIVE CONTROL™, LED light.

ITEM NO.	ITEM	VOLT	SIZE "
MIL2853-22	Kit: 1 driver, 2 batteries, 1 charger, 1 belt clip, 1 bit holder, 1 carry case	18	1/4



M18™ FUEL™ mud mixer with 180° handle kit has power to mix heavy compounds such as concrete and mortar. Chuck key with on-tool storage. LED light.

ITEM NO.	ITEM	VOLT
MIL2810-22	Kit: 1 mixer, 2 batteries, 1 charger, 1 chuck key, 1 contractor bag	18

SAWS & STANDS



M18™ FUEL™ deep cut band saw kit. Features POWERSTATE™ brushless motor, CPT™ Constant Power Technology, Jobsite Armor Technology™, REDLINK PLUS™ Intelligence, LED light.

ITEM NO.	ITEM	VOLT	BLADE "
MIL2729-22	Kit: 1 saw, 2 batteries, 1 charger, 1 carry case	18	44-7/8 x 1/2 x .020



Milwaukee® M18™ FUEL™ D-handle jig saw kit. Features POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence, 4-position orbital cutting, on/off cut line blower, LED light. Accepts T-shank jig saw blades.

ITEM NO.	ITEM	VOLT
MIL2737-21	Kit: 1 saw, 1 battery, 1 charger, 1 anti-splinter guard, 1 dust collection tube, 1 dust cover, 1 jigsaw blade, 1 hex wrench, 1 shoe guard, 1 carry case	18

SAWS & STANDS continued



M18™ FUEL™ SUPER SAWZALL® reciprocating saw kit. Features POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence, variable speed trigger and 5-speed dial, QUIK-LOK® blade clamp system, adjustable shoe.

ITEM NO.	ITEM	VOLT
MIL2722-21HD	Kit: 1 saw, 1 battery, 1 charger, 1 blade, 1 contractor bag	18



Sawzall® recip saw kit. Features variable speed trigger, gear protection system, QUIK-LOK™ blade clamp system. Uses standard 1/2" shank Sawzall® blades.

ITEM NO.	ITEM	AMP
MIL6519-31	Kit: 1 saw, 1 carry case	12



Orbital super Sawzall® recip saw includes carrying case. Features variable speed trigger, counter balanced/gear protection systems, orbital cutting action, 1-1/4" stroke, QUIK-LOK™ blade clamp system.

ITEM NO.	ITEM	AMP
MIL6536-21	Kit: 1 saw, 1 carry case	13



Super Sawzall® recip saw includes carrying case. Features Constant Power Technology™, patented Gear Protecting Clutch, patented Counter Balanced Mechanism, variable speed trigger and dial speed control, QUIK-LOK™ blade clamp system.

ITEM NO.	ITEM	AMP
MIL6538-21	Kit: 1 saw, 1 carry case	15



M18™ brushless circular saw. Features brushless motor, REDLINK PLUS™ Intelligence, 2-1/2" cut depth, LED light, electric brake.

ITEM NO.	ITEM	VOLT	SIZE "
MIL2631-20	Tool Only	18	7-1/4
MIL2631-21	Kit: 1 saw, 1 battery, 1 charger, 1 blade, 1 blade wrench, 1 contractor bag	18	7-1/4



M18™ FUEL™ circular saw kit. Features POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence, 2-1/2" cut depth, LED light, electric brake.

ITEM NO.	ITEM	VOLT	SIZE "
MIL2732-21HD	Kit: 1 saw, 1 battery, 1 charger, 1 blade, 1 blade wrench, 1 contractor bag	18	7-1/4

SAWS & STANDS continued



M18™ FUEL™ metal cutting circular saw kit. Features POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence.

ITEM NO.	ITEM	VOLT	SIZE "
MIL2782-22	Kit: 1 saw, 2 batteries, 1 charger, 1 Allen wrench, 1 blade, 1 contractor bag	18	5-3/8 to 5-7/8



M18™ FUEL™ circular saw kit. Features POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence.

ITEM NO.	ITEM	VOLT	SIZE "
MIL2730-21	Kit: 1 saw, 1 charger, 1 battery, 1 blade, 1 blade wrench, 1 contractor bag	18	6-1/2



M18™ FUEL™ dual level sliding compound miter saw kit. Features POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence, 2x12 horizontal capacity, cam locking miter system with adjustable stainless steel miter detent plate and 11 detent locations. Shadow cut-line indicator. Detent override. Dual level with 9 detents.

ITEM NO.	ITEM	VOLT	SIZE "
MIL2734-21HD	Kit: 1 saw, 1 battery, 1 dust bag, 1 charger, 1 clamp, 1 blade, 1 blade wrench	18	10



M18™ FUEL™ dual level sliding compound miter saw. Features POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence, 2x14 horizontal capacity, shadow cut-line LED.

ITEM NO.	ITEM	VOLT	SIZE "
MIL2739-20	Tool Only	18	12



M18™ FUEL™ table saw with One-Key™ kit. Features POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence, rack and pinion fence system, on-board storage. All metal frame.

ITEM NO.	ITEM	VOLT	SIZE "
MIL2736-21HD	Kit: 1 saw, 1 battery, 1 charger, 1 anti-kick back pawls, 1 blade, 1 blade wrench, 1 guard, 1 miter gauge, 1 riving knife	18	8-1/4



Folding table saw stand. Quick attach latching system. Adjustable foot. All steel construction and compact design.

ITEM NO.	SIZE (W X L X H ")	WT. (LB)
MIL48-08-0561	23 x 17.75 x 20.5	15

SANDERS



M18™ random orbit sander kit. Features 5" sanding pad, 3/32" orbit diameter, variable speed control.

ITEM NO.	ITEM	VOLT	MAX. OPM
MIL2648-21	Kit: 1 sander, 1 battery, 1 charger, 1 dust canister, 1 universal hose adapter, 1 extension adapter, 2 80-grit sandpaper, 1 contractor bag	18	12,000

GREASE GUNS



M18™ cordless 2-speed grease gun kit. Features air bleeder valve, lock-on/lock-off trigger, max flow-rate of up to 10 oz/min.

ITEM NO.	ITEM	VOLT	PSI	HOSE LENGTH "
MIL2646-22CT	Kit: 1 gun, 2 batteries, 1 charger, 1 carry case	18	10,000	48

ROTARY HAMMERS



M18™ cordless SDS Plus rotary hammer. 2-mode operation, LED light.

ITEM NO.	ITEM	VOLT	SIZE "
MIL2612-20	Tool Only	18	5/8



M18™ FUEL™ SDS Plus rotary hammer. Features POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence, 3-mode operation, AVS (anti-vibration systems).

ITEM NO.	ITEM	VOLT	SIZE "
MIL2912-20	Tool Only	18	1



M18™ FUEL™ SDS Plus rotary hammer with ONE-KEY™. Features POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence, 3-mode operation, AVS (anti-vibration systems), AUTOPULSE™ filter cleaning mechanism.

ITEM NO.	ITEM	VOLT	SIZE "
MIL2915-20	Tool Only	18	1-1/8

HEAT GUNS



Dual temperature heat gun. Features dual temperatures 570° and 1000° F. 3-position rocker switch and impact-resistant heating element. 10-1/2" length cord.

ITEM NO.	ITEM	TEMP.	AMP
MIL8975-6	Tool Only	570° and 1000°	11.6



M18™ compact heat gun kit. Features high performance heating coil, guarded nozzle, REDLINK PLUS™ Intelligence, LED light.

ITEM NO.	ITEM	VOLT
MIL2688-21	Kit: 1 gun, 1 battery pack	18

MAKITA GRINDERS



SJS™ angle grinder with AC/DC switch includes grinding wheel, wheel guard, side handle, inner flange, lock-nut and wrench. Electric brake.

ITEM NO.	SIZE "	AMP	RMP	LOCK-ON	LOCK-OFF
MAKGA5020	5	10.5	11,000	No	No
MAKGA5020Y	5	10.5	11,000	No	Yes



SJS™ angle grinder with AC/DC switch includes grinding wheel, wheel guard, side handle, inner flange, lock-nut and wrench. Electric brake.

ITEM NO.	SIZE "	AMP	RMP	LOCK-ON	LOCK-OFF
MAKGA6020	6	10.5	10,000	No	No
MAKGA6020Y	6	10.5	10,000	No	Yes



Paddle switch die grinder with AC/DC switch includes 1/4" collet cone and wrenches. Vent slots designed to direct exhaust air away.

ITEM NO.	SIZE "	AMP	RMP
MAKGD0600	1/4	3.5	25,000



BLOWER



MM4® 4-stroke engine tube throttle backpack blower includes flat nozzle and two end nozzles. 206 MPH air speed. Adjustable shoulder straps.


ITEM NO.	CC	CFM
MAKEB7660TH	75.6	705





13 Welding

WELDING BLANKETS



Silicone welding fire blanket. Coated fibreglass.

ITEM NO.	SIZE " X YD	WT. (OZ)	COLOUR
ACMSFG1760R	60 x 50	17	Red
ACMSFG3240R	40 x 50	32	Red
ACMSFG3260R	60 x 50	32	Red

POWERWELD®



Acrylic-coated fibreglass welding blanket with grommets and Kevlar® stitched hems.

ITEM NO.	SIZE '	WT. (OZ)	COLOUR
PWDPW24B66	6 x 6	24	Yellow
PWDPW24B810	8 x 10	24	Yellow
PWDPW24B1010	10 x 10	24	Yellow

WATER SOLUBLE PAPER & TAPE



Water soluble paper and tape.

ITEM NO.	SIZE (" X ")	THK. "	TYPE
Paper			
AQUASW-35/R-15	15.5 x 165	.0035	Roll
AQUASW-60/R-31	31 x 165	.0070	Roll
Tape			
AQUASWT-1	1 x 300	--	Roll
AQUASWT-2	2 x 300	--	Roll

PADS, GOGGLES & JACKETS

POWERWELD®

Heat pad for back of hand. Aluminized rayon top with acrylic coated fibreglass bottom. Leather and elastic straps.



ITEM NO.	DIA. "
PWDBHP01	5.5 x 7.5

POWERWELD®

Cutting goggle shade #5 lens with flip front.



ITEM NO.	LENS "
PWDR900	2 x 4-1/4



Split cowhide welding jacket. Metal snap closures. Inside pocket. Stitched with Kevlar®. Welded seams. 30" overall length.



ITEM NO.	SIZE
BDG60-1-126-M	M
BDG60-1-126-L	L
BDG60-1-126-XL	XL
BDG60-1-126-2XL	2XL
BDG60-1-126-3XL	3XL



Welder canvas jacket. Multiple feature flame resistant lightweight Banox® canvas provides moderate spark protection without the full leather weight.



ITEM NO.	SIZE
TECALG30CS	S
TECALG30CM	M
TECALG30CL	L
TECALG30CXL	XL
TECALG30C2XL	2XL
TECALG30C3XL	3XL
TECALG30C4XL	4XL

MEASURING DEVICES & GAUGES



Black Curv-O-Mark® wraparound pipe template. Flexible gasket material with resistance to heat and cold. Printed with an inch scale, inch and tangent chart, and other markings.

ITEM NO.	SIZE (W" X L')	PIPE DIA. "	PART NO.
CUR164B	3.88 x 4	3 - 6	14752
CUR176B	3.88 x 6	3 - 10	14753
CUR177B	5 x 7	4 - 12	14754
CUR179B	5 x 9	6 - 16	14756



Curv-O-Mark® #6 Standard centering head. Includes 4" Y-type head, adjustable dial set level (DSL), hardened centering pin.

ITEM NO.	SIZE	PART NO.
CURCM6	#6	14775



Hi-lo welding gauge in standard and metric units.

ITEM NO.
GAL1



Pocket fillet weld gauge in standard and metric units. 3-piece set.

ITEM NO.
GAL10



Mini fillet weld keys in standard and metric units.

ITEM NO.
GAL16



Pipe pit gauge in standard and metric units. Lockable arm.

ITEM NO.
GAL17



Digital welding gauge. X-large LCD display. Standard, metric and fractional units. 4 angle display.

ITEM NO.
GAL18



PRO single purpose hi-lo welding gauge in either standard or metric units.

ITEM NO.
GAL2-E



Tapered gauge in standard and metric units. 410 stainless steel.

ITEM NO.
GAL28B



Bridge cam gauge in standard and metric units. Measures angle of preparation, outside misalignment and weld reinforcement.

ITEM NO.
GAL4BCG



7-piece fillet weld set. 1/8" to 1" in either standard or metric units.

ITEM NO.
GAL8

ROD OVENS



GUL10A-20/10B-20



GUL50



GUL125



GUL350

Portable and compact in-shop welding electrode stabilizing ovens.

	PORTABLE OVENS			COMPACT IN-SHOP MODELS	
	GUL 10A-20	GUL 10B-20	GUL50	GUL 125	GUL350
Capacity (LB)	10 to 20	10 to 20	50 to 70	125 to 175	350 to 400
Outside Dimensions "	7 dia. x 23 high	7 dia. x 23 high	11 dia. x 23 high	16h x 16w x 24-1/2d	22h x 22w x 24-1/2d
Inside Dimensions "	3 dia. x 19 high	3 dia. x 19 high	7 dia. x 19 high	8-1/4h x 9-3/4w x 19d	14h x 16w x 19d
Unit Weight (LB approx.)	14	14	32	58	110
Electrode Size	up to 18"	up to 18"	up to 18"	up to 18"	up to 18"
Line Cord	3 wire - 8 ft.	3 wire - 8 ft.	3 wire - 8 ft.	3 wire - 8 ft.	3 wire - 8 ft. None
Element	100W - 115V	130W - 115V	300W - 115V	1000W - 115V	1500W - 115V or 220V
Amp	1	1.1	2.7	8.6	13
Thermostat	No	Yes	Yes	Yes	Yes
Pilot Light	Yes	Yes	Yes	Yes	Yes
Temperature Range (°F)	Av. 275°	100 - 300°	100 - 400°	100 - 550°	100 - 550°
Door Latch	Lift Lid	Lift Lid	Lift Lid	Push/Pull	Push/Pull
Stacking	No	No	No	Yes	Yes

UMBRELLA & HOLDER



Javelin magnetic adjustable umbrella holder. Clamps on any size or position of pipe or structure. 14 magnets. 36° pivot.

ITEM NO.	SLEEVE DIM. (MM)
JAVMAUH	35



Javelin welder umbrella. Fire retardant. 5.5 foot diameter. 45° pivot.

ITEM NO.	DIA. '	BASE "	LENGTH "
JAVUMB	5.5	41	3

CURTAINS & FRAMES

POWERWELD®



Welding curtain. Transparent PVC with grommets placed every 12" on four sides. Withstands temperatures up to 1000° F.

ITEM NO.	DIA '	COLOUR
PWDC66BL	6 x 6	Blue
PWDC66YE	6 x 6	Yellow
PWDC68BL	6 x 8	Blue
PWDC68YE	6 x 8	Yellow

POWERWELD®



Welding curtain frame. Protects against radiation, and arcs/sparks from welding and grinding.

ITEM NO.	DIA '
PWDFR66	6 x 6
PWDFR68	6 x 8

TIP CLEANER

Maxweld®



MaxWeld® Tip cleaners in an aluminum case. Standard No. 1. Sizes 75 to 49.

ITEM NO.
MAXMW-7549

STRIKERS

SHURLITE®



Single flint spark lighter.

ITEM NO.
SHU3001S



Three-flint spark lighters.

ITEM NO.
SHU4501



Three-flint renewal.

ITEM NO.	QTY.
SHU5012X	4/Pk

ELECTRODE HOLDERS

Maxweld®



MaxWeld® shortstub electrode holder. Brass body with molded handle. Accepts electrodes up to 1/4".

ITEM NO.	AMP	STYLE
MAXMW400S	400	Bernard

POWERWELD®



Electrode holder. Tong-style. Brass body. Includes insulated handle.

ITEM NO.	AMP	STYLE
PWDA316	250	Tweco
PWDA532	200	Tweco
PWDA732	300	Tweco

POWERWELD®



Hammer-on cable lug.

ITEM NO.	CONDUCTOR SIZE	STYLE
PWDRL11	3/0-4/0	Hammer-On
PWDRL22	1/0-2/0	Hammer-On
PWDRL33	4-1	Hammer-On

POWERWELD®



Ground clamp. Nickel plated steel and braided copper strap.

ITEM NO.	AMP	STYLE
PWDAGC-300	300	Alerco
PWDAGC-500	500	Alerco

CHIPPING HAMMER

POWERWELD®



Chipping hammer with spring handle. Cone and chisel style head. Drop-forged, heat-treated steel head welded to wire spring handle.

ITEM NO.	LENGTH "	BLADE "
PWDRH-1	11-1/2	3

SOAPSTONE & ACCESSORIES

POWERWELD®



Flat soapstone.

ITEM NO.	SIZE (L X W X H ")	QTY.
PWDFS1	5 x 1/2 x 3/16	144/Box

WYPO



Flat soapstone holder. Stainless steel case with cap-locking action.

ITEM NO.	THK. X LENGTH "	QTY.
WYPO400-1	3/16 x 5	1

PLIERS

BESTWELD®



YS-50 MIG welding pliers. Straight, spring-loaded, double-edged carbon steel pliers.

ITEM NO.	LENGTH "
BSWMP8	8

FLANGE PINS

H&M

Pipe Beveling Machine Company, Inc.



Conical flange pins provide centering on 5/8" to 1-1/2" bolt holes.

ITEM NO.	SIZE "	QTY.
HMMQAFP	5/8 to 1-1/2	2/Pk

TIPS & ELECTRODES

POWERWELD®

PowerWeld® cutting tips.

ITEM NO.	SIZE	CUTTING CAPACITY "	TYPE	STYLE
<i>Copper</i>				
PWD1-101-0	0	3/8	101	Victor
PWD1-101-00	00	1/4	101	Victor
PWD1-101-000	000	1/8	101	Victor
PWD1-101-1	1	3/4	101	Victor
PWD1-101-2	2	1	101	Victor
PWD1-101-3	3	2	101	Victor
PWD1-101-4	4	3	101	Victor
PWD1-101-5	5	4	101	Victor
PWD1-101-6	6	6-8	101	Victor
<i>Copper Stubby Design</i>				
PWD1-108-1	1	3/4	108	Victor
PWD1-108-2	2	1 - 1-1/2	108	Victor
PWD1-108-3	3	2 - 2-1/2	108	Victor
PWD1-108-4	4	3	108	Victor
PWD1-108-1	1	3/4	108	Victor
PWD1-108-2	2	1 - 1-1/2	108	Victor
PWD1-108-3	3	2 - 2-1/2	108	Victor
PWD1-108-4	4	3	108	Victor
<i>Copper Gouging Tips</i>				
PWD1-118-0	0	3/8 - 1/2	118	Victor
PWD1-118-2	2	1 - 1-1/2	118	Victor
PWD1-118-4	4	3	118	Victor
PWD1-118-6	6	6 - 8	118	Victor



TIPS & ELECTRODES continued

POWERWELD®



TIG welding electrodes 2% thoriated tungsten.

ITEM NO.	SIZE "	QTY.
PWDFM218X7	1/8	10/Pk
PWDFM2332X7	3/32	10/Pk

HOSES

POWERWELD®



Argon gas hose assembly with brass fittings. Temperature range -40° to 180° F.

ITEM NO.	LENGTH '	DIA. "	COLOUR
PWDPW-AH10	10	1/2	Black
PWDPW-AH25	25	1/2	Black
PWDPW-AH50	50	1/2	Black
PWDPW-AH100	100	1/2	Black

POWERWELD®



Twinline welding hose.

ITEM NO.	LENGTH '	DIA. "	TYPE
PWDTL1425	25	1/4	R
PWDTL1450	50	1/4	R
PWDTL14100	100	1/4	R

LENS & FILTERS

POWERWELD®



Cover lens, polycarbonate.

ITEM NO.	SIZE "	SHADE
PWDPP2	2 x 4-1/4	Clear
PWDPP4	4-1/2 x 5-1/4	Clear



Magnifier lens, polycarbonate.

ITEM NO.	SIZE "	POWER
PWDMAG-100	2 x 4-1/4	1.00
PWDMAG-125	2 x 4-1/4	1.25
PWDMAG-150	2 x 4-1/4	1.5
PWDMAG-175	2 x 4-1/4	1.75
PWDMAG-200	2 x 4-1/4	2.00
PWDMAG-225	2 x 4-1/4	2.25
PWDMAG-250	2 x 4-1/4	2.5
PWDMAG-300	2 x 4-1/4	3.00



Rectangular filter plate, Protects against ultra-violet and infrared rays. Precision ground and edged. Made of hardened glass.

ITEM NO.	SIZE "	SHADE
PWDMP2H4	2 x 4-1/4	4
PWDMP2H5	2 x 4-1/4	5
PWDMP2H8	2 x 4-1/4	8
PWDMP2H9	2 x 4-1/4	9
PWDMP2H10	2 x 4-1/4	10
PWDMP2H11	2 x 4-1/4	11
PWDMP2H12	2 x 4-1/4	12
PWDMP2H13	2 x 4-1/4	13
PWDMP2H14	2 x 4-1/4	14
PWDMP4H8	4-1/2 x 5-1/4	8
PWDMP4H9	4-1/2 x 5-1/4	9
PWDMP4H10	4-1/2 x 5-1/4	10
PWDMP4H1	4-1/2 x 5-1/4	11
PWDMP4H2	4-1/2 x 5-1/4	12

CHEMICALS

POWERWELD®



Anti-spatter for MIG gun nozzle and welding surfaces. Quick-dry formula.

ITEM NO.	SIZE (OZ)	COLOUR
PWD162016	16	Clear to white

POWERWELD®



Dye penetrants detect surface flaws, cracks and defects. Three step process for use on steel, stainless steel, aluminum, copper, cast iron and brass.

ITEM NO.	SIZE (OZ)	USE
PWDPW1500	16	Cleaner
PWDPW2500	16	Developer
PWDPW3000	16	Penetrant

POWERWELD®



Nozzle dip. Prevents spatter build-up.

ITEM NO.	SIZE (OZ)
PWD108-16	16OZ

Snoop



Liquid leak detector.

ITEM NO.	SIZE	COLOUR	TEMP. °C
SNOOP8	8 OZ	Red	-2 to 93
SNOOPRC8	8 OZ	Blue	-54 to 93
SNOOP1G	1 GAL	Red	-2 to 93
SNOOPRC1G	1 GAL	Blue	-54 to 93

TIGER TORCH ASSEMBLIES



Tiger Torch torch kit.

ITEM NO.	HOSE LENGTH'	ITEM
TGRDTK21EF-10W	10	Kit: torch, regulator, excess flow protection, fittings, hose assembly
TGRDTK21EF-15W	15	Kit: torch, regulator, excess flow protection, fittings, hose assembly
TGRDTK21EF-20W	20	Kit: torch, regulator, excess flow protection, fittings, hose assembly
TGRDTK21EF-25W	25	Kit: torch, regulator, excess flow protection, fittings, hose assembly

TEMPERATURE STICKS



Temperature stick. Engineered for accurate temperature indication in pre-heating, interpass and post-weld heat treating applications.

ITEM NO.	TEMP. °F/°C	ITEM NO.	TEMP. °F/°C
TMPT100	100/38	TMPT392	392/200
TMPT122	122/50	TMPT400	400/204
TMPT125	125/52	TMPT450	450/232
TMPT150	150/66	TMPT475	475/246
TMPT175	175/79	TMPT500	500/260
TMPT200	200/93	TMPT525	525/274
TMPT213	213/101	TMPT550	550/288
TMPT225	225/107	TMPT575	575/302
TMPT239	239/115	TMPT600	600/316
TMPT250	250/121	TMPT650	650/343
TMPT275	275/135	TMPT700	700/371
TMPT300	300/149	TMPT800	800/427
TMPT325	325/163	TMPT1000	1000/538
TMPT350	350/177		

FLASHBACK ARRESTORS



Flashback arrestors. Colour coded for gas service.

ITEM NO.	GAS	CONNECTION
WSBFA-10	Oxygen/Acetylene	Torch
WSBFA-30	Oxygen/Acetylene	Regulator
WSBFA-100P	Oxygen	Torch
WSBFA-130P	Oxygen	Regulator
WSBFA-200P	Acetylene	Torch
WSBFA-230P	Acetylene	Regulator



TIG TORCHES & ADAPTERS



Air-cooled torches. Flex neck with valve.

ITEM NO.	AMP	LENGTH'
CKWCK9V-25-R	125	25
CKWCK17V-25-R	150	25
CKWCK26V-25-R	200	25



Tweco style SafeLoc cable connector system.

ITEM NO.	USE WITH
CKWSL-2	CK9 and CK17
CKWSL-8	CK26



Air-cooled TIG torch kit, flex neck with valve.

ITEM NO.	AMP	LENGTH'
WCFWP9FV25R	125	25
WCFWP17FV25R	150	25
WCFWP26FV25R	200	25



GOUGERS



Gouger power cable and head kit.



ITEM NO.	AMP	LENGTH '
BSWGT61-082-008	1000	7



Air gouging torch. 360° swivel torch connector.



ITEM NO.	AMP	LENGTH '
PWDRK4000	1000	7

CABLE CONNECTOR SETS



Connector set, brass, female.



ITEM NO.	COLOUR
ARCAK-LC40F-BLA	Black
ARCAK-LC40F-BLU	Blue
ARCAK-LC40F-GRE	Green
ARCAK-LC40F-ORA	Orange
ARCAK-LC40F-RED	Red
ARCAK-LC40F-YEL	Yellow



Connector set, brass, male.



ITEM NO.	COLOUR
ARCAK-LC40M-BLA	Black
ARCAK-LC40M-BLU	Blue
ARCAK-LC40M-GRE	Green
ARCAK-LC40M-ORA	Orange
ARCAK-LC40M-RED	Red
ARCAK-LC40M-YEL	Yellow



Connector set, brass, female/male.



ITEM NO.	COLOUR
ARCAK-LC40MF-BLA	Black
ARCAK-LC40MF-BLU	Blue
ARCAK-LC40MF-GRE	Green
ARCAK-LC40MF-ORA	Orange
ARCAK-LC40MF-RED	Red
ARCAK-LC40MF-YEL	Yellow

ARC CENTRE ASSEMBLIES



ARC custom welding assemblies.

ITEM NO.	NAME	AMP	SIZE
ARCAK-GROUND2/0	Ground Clamp Kit	500	Custom
ARCAK-STING#2	Stinger Kit	400	Custom
ARCAK-TIGWP9	TIG Torch Kit	125	Custom
ARCAK-TIGWP17	TIG Torch Kit	150	Custom
ARCAK-TIGWP26	TIG Torch Kit	200	Custom
ARCAK-GOUGER	Gouger	400	Custom
ARCAK-WELD2/0	Welding Cable Kit	350	Custom
ARCAK-MILLER-REM	Miller Remote Kit; 14 pin	20	Custom
ARCAK-EXTCORD10/3	Extension Cords	15	Custom
ARCAK-EXTCORD12/3	Extension Cords	15	Custom



Ground Clamp Kit



Stinger Kit



TIG Torch Kit



Gouger



Welding Cable Kit



Miller Remote Kit



Extension Cord

14 Seasonal Summer



COOLING HEADBANDS & HEADWEAR



Chill-Its evaporative cooling bandana headband. Low-profile, tie closure, machine washable.



ITEM NO.	COLOUR	MAT.
ERG6700CTB	Blue	PVA
ERG6700CTN	Navy Western	PVA
ERG6700CTR	Red Western	PVA



GloWear hi-viz hard hat neck shade. Back-of-neck and ear coverage. Mesh with reflective trim.



ITEM NO.	COLOUR	MAT.
ERG8005-LIME	Lime	Polyester
ERG8005-ORANGE	Orange	Polyester



Chill-Its hard hat brim and neck shade. Universal fit. Durable brim. Hand wash.



ITEM NO.	COLOUR	MAT.
ERG6660-LIME	Lime	Polyester
ERG6660-ORANGE	Orange	Polyester



Chill-Its evaporative cooling hard hat neck shade - PVA. Fits most hard hats and safety helmets with hook and loop straps. Low profile. Reusable and machine washable.



ITEM NO.	COLOUR	MAT.
ERG6670CT	Lime	Polyester

COOLING VESTS & PACKS



ERG6225HV



ERG6225



Chill-Its cooling vest. Flame-resistant. Flexible fit with adjustable hook and loop closures on shoulders and waist. Two elastic pen loops on chest. Packs recharge in 10 minutes. Vest only.

ITEM NO.	COLOUR	SIZE
ERG6225HV-S/M	Hi-Viz Orange	S/M
ERG6225HV-L/XL	Hi-Viz Orange	L/XL
ERG6225-S/M	Khaki	S/M
ERG6225-L/XL	Khaki	L/XL



Chill-Its cooling vest charge packs. Maintains constant 18°C for up to 4 hours. Recharges in 10 minutes. Honeycomb design eliminates stiffness. Made of cotton.

ITEM NO.	COLOUR	SIZE
ERG6220	Clear	S/M, L/XL



Chill-Its cooling vest. Flexible fit with adjustable hook and loop closures on shoulders and waist. Made of cotton. Packs maintain constant 18°C for up to 4 hours. Packs recharge in 10 minutes. Vest only.

ITEM NO.	COLOUR	SIZE
ERG6235-S/M	Khaki	S/M
ERG6235-L/XL	Khaki	L/XL



Chill-Its evaporative vest. Polymer-embedded cooling technology activates for up to 4 hours of relief from heat. 100% quilted nylon with mesh side panels for ventilation. Zipper closure. Hand wash.

ITEM NO.	COLOUR	SIZE
ERG6665-M-GRAY	Grey	M
ERG6665-L-GRAY	Grey	L
ERG6665-XL-GRAY	Grey	XL
ERG6665-2XL-GRAY	Grey	2XL
ERG6665-3XL-GRAY	Grey	3XL

HYDRATION PACKS



Chill-Its low profile hydration pack. 600D water-resistant rip stop polyester shell. Zip-up cap cover. 100% anti-microbial bite valve with cover. Breakaway shoulder straps. Dual cap bladder for water/ice filling.

ITEM NO.	COLOUR	CAPACITY (L)
ERG5155	Black, Hi-Viz Lime, Hi-Viz Orange	2



Chill-Its premium low profile hydration pack. 600D water-resistant rip stop polyester shell. Vented shoulder straps and back. 8 mm EVA foam padding on shoulder straps. One zippered compartment. Multiple D-rings and nylon daisy chain webbing for storage. Reflective accent. Insulated pack and tube. 100% anti-microbial bite valve with cover. Breakaway shoulder straps. Dual cap bladder for water/ice filling.

ITEM NO.	COLOUR	CAPACITY (L)
ERG5156	Black, Hi-Viz Lime	3



Chill-Its bladder replacement for low profile hydration pack. Wide mouth opening for easy water/ice (re)filling. Insulated tubes. For use with Ergodyne® low profile hydration packs.

ITEM NO.	COLOUR	CAP. (L)
ERG5050B	Blue	2

Chill-Its bladder replacement. TPE bladder eliminates plastic odour and taste. Stays supple. Dual cap bladder for easy water/ice (re)filling. 100% anti-microbial bite valve with cover. Insulated tube. For use with Ergodyne® premium low profile hydration packs.

ITEM NO.	COLOUR	CAP. (L)
ERG5051B	Blue	3

COOLERS



Chill-Its industrial hard-sided cooler. Keeps cool up to 41°F/5°C for 30 hours. Can be utilized as a stool, holds up to 300 LB/136.1 KG. No-rust stainless steel recessed hinged lid accommodates 1 L bottles. Lid stays open at 90° or 180°. Interior lid compartment. Carrying handle converts to shoulder strap. Lock hasp.

ITEM NO.	COLOUR	CAPACITY (Q)
ERG5170	Orange/Grey	17



Chill-Its industrial hard-sided cooler. Sealing gasket keeps inside cool up to 41°F/5°C for 30 hours. Can be utilized as a stool, holds up to 300 LB/136.1 KG. Exterior stainless steel bottle opener. Separate, removable plastic container keeps items dry and slides on top ledge for easy access underneath. Leak-resistant drain. Heavy-duty rubber latches. No-rust stainless steel hinged lid stays upright with stainless steel wire. Tie-down holes on each corner to secure in truck beds and on jobsites. Durable nylon rope with textured rubber grip handles.

ITEM NO.	COLOUR	CAPACITY (Q)
ERG5171	Orange/Grey	48



Water cooler. Fully insulated. Features screw-on lid, built-in cup dispenser bracket, fast-flow faucet, heavy-duty construction, and graduated lines inside liner.

ITEM NO.	COLOUR	CAPACITY (G)
RUB1683	Orange	3
RUB1685	Orange	5
RUB1610	Orange	10

FANS



ROK80645



ROK80605 / ROK80610



ROK80630



Fans. 3-speed settings. Adjustable height. All metal construction. High velocity industrial motor and individually-balanced aluminum blades. Grounded cord.

ITEM NO.	TYPE	SIZE "	SPEEDS	WHEELS "	CORD LENGTH '
ROK80645	Pedestal	30	3	-	7-1/2
ROK80605	Floor	14	3	-	6
ROK80610	Floor	18	3	-	6
ROK80630	Drum	30	2	5 (x2)	7-1/2

SUNSCREEN



Sunscreen lotion. UVA/UVB protection. PABA free.

ITEM NO.	TYPE	SIZE	SPF
CCB12310	Packet	10 ML	30
CCB12340	Flip Top	120 ML	30
CCB12350	Pump	1 L	30



Sunscreen lotion. UVA/UVB protection. PABA free.

ITEM NO.	TYPE	SIZE	SPF
DEN18220	Flip Top	120 ML	30
DEN18226	Continuous Spray	177 ML	30
DEN18230	Pump	1 L	30

INSECT & RODENT CONTROL



Doktor Doom wasp and hornet nest annihilator. Contact and residual insecticide spray.

ITEM NO.	SIZE (G)
OFF99204	450



Doktor Doom Go Green wasp and hornet jet foaming spray. Spray up to 8 feet.

ITEM NO.	SIZE (G)
OFF44808	544

INSECT REPELLENT



OFF01856



OFF01853



OFF71944



OFF01947

Deep Woods® insect repellent.

ITEM NO.	TYPE	SIZE	DEET
OFF01856	Pump	30 ML	25%
OFF01853	Pump	100 ML	25%
OFF71944	Aerosol	230 G	25%
OFF01947	Aerosol	230 G	30%



WOOM142



WOOM150



WOOM035



WOOM308

Mousetraps.

ITEM NO.	MODEL	QTY.
WOOM142	Power Kill	2/Pk
WOOM150	Metal Pedal	2/Pk
WOOM035	Easy Set	2/Pk
WOOM308	Live Catch	1

BEAR SPRAY, HOLSTERS & HORNS



Frontiersman inert training bear spray. For training and practice only. Does not contain red pepper, capsaicin or capsaicinoids, allowing for practice firing without risk to user or others. 20-foot spray distance.

ITEM NO.	SIZE (G)	SPRAY DISTANCE (M)
KODCFBAD-00	225	6-7



Frontiersman bear spray Frontiersman Xtra 1% Capsaicin plus 0.84% Capsaicinoids. Glow in the dark safety wedge. No-flammable. Dual propellant system reliable to 0°C.

ITEM NO.	SIZE (G)	EFFECTIVE RANGE (M)	SPRAY TIME (S)
KODCFBAD-01G-X	225	9	5.6
KODCFBAD-321G-X	325	10.5	8.2



Bear spray holster Polyester material with Velcro® loop on back.

KODKH001-HV

KODKH002

ITEM NO.	FIT (G)
KODKH001-HV	225
KODKH002	325



Bear spray container with foam. Contains absorbent foam to protect bear spray and absorb any accidental discharge. Hard PVC plastic. Screw top contains pepper spray in the event of discharge.

ITEM NO.	FITS (G)
KODASC	225 / 325



Wildlife deterrent horn (Klaxon). Produces 115dB noise to alert wildlife. Up to 50 1/4 second blasts or 25 1/2 second blasts. Can be heard up to 1/2 mile on land and 1 mile on water.

ITEM NO.	SIZE (OZ)
KODKWDH-KP	1.5

WINDSHIELD WASHER FLUID



Turbo Power Bug Wash keeps windshields clear from road grime and splattered insects.

ITEM NO.	SIZE (L)
RCHWWAFS	3.78

15 Seasonal Winter




ICE MELT



Ice Melter contains calcium chloride. When used properly, will not harm vegetation, properly air-entrained concrete or pets. Soluble marker shows where product is applied. Dye is water-soluble and UV-sensitive.



PPSPP20



YKGM20

ITEM NO.	DESCRIPTION	EFFECTIVE TEMP	SOLUBLE MARKER	SIZE (KG)	TYPE
PPSPP20	Polar Plus	to -22°C	Green	20	Bag
YKGM20	Yukon Gold	to -31°C	Indigo	20	Bag

SNOW & ICE REMOVAL



GARNHSW7

GARYFSW9

Ice scraper. Tempered steel blade with long, thin hardwood handle.

ITEM NO.	TYPE	SIZE "
GARNHSW7	Ice Scraper	7 x 54
GARYFSW9	Ice Scraper	8.5 x 57



Roof rake removes snow from roofs, awnings and skylights. Has a light and resistant polyethylene blade that does not damage roofs. Anti-slip, ultra-light aluminum handle.

Snow shovel/pushers feature recycled polyethylene blades and a wooden D-handle.



GARGRR24



GARNP139KD



GARNPP21KD



GARNPP26KD

ITEM NO.	TYPE	SIZE "	BLADE	HANDLE
GARGRR24	Roof Rake	24 x 192	Polyethylene	Aluminum
GARNP139KD	Snow Shovel	14.5 x 53.5	Polyethylene	D-Handle Wood
GARNPP21KD	Snow Pusher	20.5 x 56	Polyethylene	D-Handle Wood
GARNPP26KD	Snow Pusher	25.5 x 56.5	Polyethylene	D-Handle Wood



Snow brush and ice scraper. Head pivots. Foam grip telescoping steel handle.

ITEM NO.	WIDTH "	HANDLE "
MAL18833	16	33-1/2 to 51



Telescopic snow brush and ice scraper. Pivoting snow broom with dual action bristles, rubber squeegee and ice chippers. Aluminum handle.

ITEM NO.	WIDTH "	HANDLE "
MAL511E	7	23 to 36



Telescopic snow broom and ice scraper. Pivoting snow broom with combination broom and squeegee blade. Foam grip. Polycarbonate blade and aluminum handle.

ITEM NO.	WIDTH "	HANDLE "
MAL583-EP	10	34 to 52

SNOW & ICE REMOVAL continued



Snow brush and ice scraper. Foam grip, aluminum handle.

ITEM NO.	LENGTH "
MAL511E	35



Snow brush and ice scraper. Wooden handle.

ITEM NO.	LENGTH "
MAL203CT	24

NECK WARMERS, BALACLAVAS & TOQUES



Neck warmer. Universal fit.

ITEM NO.	COLOUR	MAT.
BDG90-0-500	Red	Acrylic
BDG90-0-700	Black	Wool



Nomex® flame-resistant neck warmer. Universal fit.



ITEM NO.	COLOUR	MAT.
PIOC207	Natural	Nomex®
PIOC307	Black	Nomex®



Supera™ fire-resistant neck warmer with a two-layer Kermel®-viscose blend. Universal fit.

ITEM NO.	COLOUR	MAT.
SPRNWKVFR	Grey	Kermel® Blend



Supera™ fire-resistant balaclava with a two-layer Kermel®-viscose blend. Universal fit.

ITEM NO.	COLOUR	MAT.
SPRBAKVFR	Grey	Kermel® Blend

WARMING PACKS



SAF30832HOT

SAF30833HOT



iHOT air activated packs. Hand warmers work up to 12 hours. Toe warmers with adhesive back work up to 6 hours.

ITEM NO.	USE	QTY.
SAF30832HOT	Hand	2/Pk
SAF30833HOT	Toe	2/Pk



One-hole balaclavas. Universal fit.

ITEM NO.	COLOUR	MAT.
BDG90-0-510	Black	Acrylic
BDG90-0-615	Black	Acrylic w/ Thinsulate™ Lining
BDG90-0-710	Black	Wool



PIO666

PIO214BK

PIOC215



Nomex® IIIA 1-hole flame-resistant balaclavas. Universal fit.



ITEM NO.	COLOUR	MAT.
PIO666	Black	Nomex®
PIOC214BK	Black	Nomex®
PIOC215	Black	Nomex®



Three-hole balaclava. Double knit acrylic with Thinsulate™ lining. Universal fit.

ITEM NO.	COLOUR	MAT.
BDG90-0-520	Black	Acrylic

NECK WARMERS, BALACLAVAS & TOQUES continued



Nomex® IIIA
3-hole flame-
resistant balaclava.
Universal fit.



ITEM NO.	COLOUR	MAT.
PIOC202	Black	Nomex®



Acrylic knit, insulated,
lined toque. One size
fits all.



ITEM NO.	COLOUR	MAT.
PIO5563A	Black	Acrylic
PIO5564A	Orange	Acrylic



Nomex® IIIA
flame-resistant
toque. One size
fits all.



ITEM NO.	COLOUR	MAT.
PIOC200	Black	Nomex®

GLOVES



Poly-cotton knit. Elastic knit wrist with hemmed cuff. Ambidextrous.

ITEM NO.	MAT.	SIZE
BDG10-9-77	Poly-cotton	S to XL



Lined grain cowhide fitter with safety cuff and patch palm. Cotton backhand with grain leather knuckles strap. Fleece lining. Rubberized safety cuff. Inside elastic wrist. Gunn cut with wing thumb.

ITEM NO.	MAT.	SIZE
BDG40-9-173PP	Cowhide	One Size



Lined grain cowhide fitter with safety cuff and patch palm. Cotton backhand with grain leather knuckle strap. C100 Thinsulate™ insulation. Rubberized safety cuff. Inside elastic wrist. Gunn cut with wing thumb.

ITEM NO.	MAT.	SIZE
BDG40-9-173TFL	Cowhide	L to 2XL
BDG40-9-173TFLW	Cowhide	O/S Ladies



Lined 3/4 nitrile-coated acrylic/nylon glove. Foam nitrile knuckle coating with smooth finish. Elastic knit wrist with hemmed cuff.

ITEM NO.	MAT.	SIZE	THK.
BDG99-9-265	Synthetic	S to 3XL	10ga



Lined full nitrile-coated nylon glove. Foam nitrile knuckle coating over full coating. Thermal nylon/acrylic lining. Elastic knit wrist with hemmed cuff.

ITEM NO.	MAT.	SIZE	THK.
BDG99-9-300	Nylon	S to 2XL	15ga



Lined nitrile-coated HPPE glove. Nitrile palm coating with textured finish. Acrylic/polyurethane lining. Elastic knit wrist with hemmed cuff. Reinforced thumb saddle. Breathable inner membrane coating.

ITEM NO.	MAT.	SIZE	THK.
BDG99-9-9625	HPPE	XS to 2XL	13ga

GLOVES continued



Lined nitrile-coated HPPE glove. Nitrile palm coating with textured finish. Acrylic/polyurethane lining. TPR backhand impact protection. Elastic knit wrist with hemmed cuff. Reinforced thumb saddle. Breathable inner membrane coating.

ITEM NO.	MAT.	SIZE	THK.
BDG99-9-9793	HPPE	XS to 2XL	13ga



Lined grain cowhide MIG welder with 5" cuff. Fleece lining. Shirred elastic wrist. Wing thumb. Reinforced palm, backhand and thumb saddle. Stitched with Kevlar®.

ITEM NO.	MAT.	SIZE	THK.
BDG60-9-1942	Cowhide	XS to 2XL	13ga



Endura® abrasion-resistant gloves. Brushed jersey-fleece interior lined with 100 gram Thinsulate™. Cut-and-sewn construction combined with elasticized backs. Keystone thumb.

ITEM NO.	MAT.	SIZE
SPR378GKTTL	Goatskin	2XS to 3XL



Endura® hi-viz goatskin driver gloves. Thinsulate™ lined. Keystone thumb.

ITEM NO.	MAT.	SIZE
SPR378GOTTL	Goatskin	2XS to 3XL




Endura® gloves feature DuPont™ Kevlar®/composite filament fibre liner. Lined with Thinsulate™. Cut-and-sewn construction provide an optimal, tailored fit. Keystone thumb.

ITEM NO.	MAT.	SIZE
SPR378GKGTL	Goatskin, Kevlar®	2XS to 3XL



Endura® gloves feature TenActiv™ liner. Ergonomic palm padding adds grip and improves dexterity. Hi-visibility orange fingertips. Thinsulate™ lined.

ITEM NO.	MAT.	SIZE
SPR378GTXOTL	Goatskin, TenActiv™	2XS to 3XL




Endura® vibration-dampening driver gloves. Features DuPont™ Kevlar®/composite filament fibre lining. Lined with Thinsulate™. Impact-resistant back-of-hand protection without impeding flexibility or dexterity. Padded palm provides vibration dampening.

ITEM NO.	MAT.	SIZE
SPR378GKGTVBE	Goatskin	2XS to 3XL



Endura® extended gauntlet driver gloves. DuPont™ Kevlar®/composite filament fibre lining. Lined with Thinsulate™. Cut-and-sewn construction. Wing thumb design.

ITEM NO.	MAT.	SIZE
SPR399GKGTLS	Goatskin, Kevlar®	2XS to 3XL



Endura® impact protection and cut-resistant gloves. DuPont™ Kevlar®/composite filament fibre lining. Impact-resistant back-of-hand protection without impeding flexibility or dexterity. Padded palm for vibration dampening.

ITEM NO.	MAT.	SIZE
SPR378KGTVB	Goatskin, Kevlar®	2XS to 3XL

GLOVES continued




Clutch Gear® high-visibility mechanic gloves. DuPont™ Kevlar®/composite filament fibre lining. Hi-viz foam laminated spandex backing. 3M™ C100 Thinsulate™ lined. Goat-grain palms and leather-wrapped fingertips. Wide elastic wrists with hook and loop closure tabs at the back. ID label for personalization.

ITEM NO.	MAT.	SIZE
SPRMXGKGHVTL	Goatskin, Cotton/Nylon	2XS to 3XL



Endura® hi-viz lineman gloves. Thinsulate™ lined. Retro-reflective silver strips for visibility. Water, oil, and stain-repellent properties. Double layered leather palm. Kevlar® fibre sewing thread.

ITEM NO.	MAT.	SIZE
SPR365DLXFTL	Horsehide	2XS to 3XL



Endura® hi-viz lineman gloves. 200 gram Thinsulate™ lined. Treated with Waterstop™ to repel water, oil and stains. 3M™ Scotchlite™ retro-reflective silver strips. Double leather layered palm. Kevlar® fibre sewing thread.

ITEM NO.	MAT.	SIZE
SPR365DLXDTL	Horsehide	2XS to 3XL




Endura® hi-visibility, extended cuff lineman gloves. Inner DuPont™ Kevlar® lining. Sewn with DuPont™ Kevlar®. Thinsulate™ lined. Two 3M™ retro-reflective silver strips on split-leather gauntlet cuffs flanked by high-viz bands. Performance thumb and palm patch. Excellent water, oil and stain-repellent properties.

ITEM NO.	MAT.	SIZE
SPR365DLXTKG	Cowhide	2XS to 3XL



Endura® one-finger winter lineman mitts. Fully Thinsulate™ lined. Treated with Waterstop™ to repel water, oil and stains. Retro-reflective silver strips on gauntlet cuffs with hi-viz overlay for visibility. Leather patch over palm and thumb. Kevlar® fibre sewing thread.

ITEM NO.	MAT.	SIZE
SPR361DLXFTL	Horsehide	2XS to 3XL



Endura® one-finger lineman mitt for extreme cold. Removable and washable wool liner. Treated with Waterstop™ to repel water, oil and stains. Retro-reflective silver strips on gauntlet cuffs with hi-viz overlay for visibility. Leather performance patch on palm and thumb. Kevlar® fibre sewing thread.

ITEM NO.	MAT.	SIZE
SPR361DLXWL	Horsehide	2XS to 3XL



Endura® one-finger lineman mitts. Lined with DuPont™ Kevlar® fibre. Thinsulate™ lined. Treated with Waterstop™ to repel water, oil and stains. 3M™ retro-reflective silver strips on cuff, flanked by two high-viz bands. Reinforced double-leather palm patch.

ITEM NO.	MAT.	SIZE
SPR361DLXTKG	Cowhide, Kevlar®	2XS to 3XL



TenActiv™ 18-gauge knit gloves. Breathable waterproof and windproof membrane. Unique membrane lamination stops layers from slipping. Acrylic terry liner. Foam nitrile palm coating.

ITEM NO.	MAT.	SIZE	THK.
SPRS18WTLFN	TenActiv™	2XS to 3XL	18ga



Emerald CX® high 360° cut protection gloves. Blended DuPont™ Kevlar® and steel knit. Acrylic fleece lining. PVC palm coating. Touchscreen compatible.

ITEM NO.	MAT.	SIZE	THK.
SPRSXTAPVC	Emerald CX®	2XS to 2XL	13ga

GLOVES continued



Watson Gloves mechanics gloves feature 3M Thinsulate™ C40 lining. Dryhide™ water-resistant full-grain goatskin leather palm. Hood fingertips and thumb reinforcement. Spandex back. Snug-fitting elastic wrist with secure Velcro® closure.

ITEM NO.	MAT.	SIZE
WAT9005W	Goatskin	S to 2XL



Watson Gloves fitter gloves feature 3M Thinsulate™ C100 lining. Cotton drill back. Shirred elastic wrist. Slip-on style cuff.

ITEM NO.	MAT.	SIZE
WAT94006HW	Cowhide	S to 3XL



Watson Gloves driver gloves feature 3M Thinsulate™ C100 lining. Drivers style with keystone thumb. Snug-fitting shirred elastic wrist with slip-on style cuff.

ITEM NO.	MAT.	SIZE
WAT9545	Goatskin	S to 2XL



Watson Gloves driver gloves feature 3M Thinsulate™ C100 lining. Heavy duty rubber on back of hand, fingers and wrist. Drivers style with keystone thumb. Snug-fitting shirred elastic wrist with slip-on style cuff.

ITEM NO.	MAT.	SIZE
WAT9545TPR	Goatskin	XS to 3XL



Watson Gloves driver gloves feature 3M Thinsulate™ C100 lining with microfleece layer. Cutshield™ P-aramid/polyester/glass liner. Dryhide™ oil and water-resistant full-grain goatskin leather. Drivers style with inset thumb. Snug-fitting shirred elastic wrist. Slip-on style cuff.

ITEM NO.	MAT.	SIZE
WAT9547	Goatskin	S to 2XL



Watson Gloves driver gloves feature 3M Thinsulate™ C100 lining with microfleece layer. Cutshield™ P-aramid/polyester/glass liner. Dryhide™ oil and water-resistant full-grain goatskin leather. Drivers style with inset thumb. Impact protection heavy duty flame-resistant rubber on back of hand, fingers and wrist. Stitched with Kevlar® thread. Snug-fitting shirred elastic wrist. Slip-on style cuff.

ITEM NO.	MAT.	SIZE
WAT9547TPR	Goatskin	XS to 3XL



Watson Gloves driver gloves feature 3M Thinsulate™ C100 lining with microfleece layer. Cutshield™ P-aramid/polyester/glass liner. Dryhide™ oil and water-resistant full-grain goatskin leather. Classic gunn cut with wing thumb welted seams and pulse protector. Gauntlet style cuff with leather gore.

ITEM NO.	MAT.	SIZE
WAT9549	Goatskin	M to 2XL



Watson Gloves driver gloves feature 3M Thinsulate™ C100 lining. Full sock Cutshield™ P-aramid/steel/polyester liner. Impact protection heavy duty flame-resistant rubber on back of hand, fingers and wrist. Gunn cut. Wing thumb. Stitched with Kevlar® thread. Pulse protector. Gauntlet style cuff.

ITEM NO.	MAT.	SIZE
WAT9549TPR	Goatskin	XS to 3XL



TRACTION AIDS



Mid-sole ice cleats. Tungsten carbide studded cleats. Adjustable strap. Easily rotates to the top of the foot for walking indoors. High visibility strap and reflective patch for visibility.



ITEM NO.	STYLE	SIZE
GERK1MID	Original	O/S
GERK1MID-LP	Low-profile	O/S
GERK1MID-HP	High-profile	O/S
GERK1MID-INT	Intrinsically safe	O/S
GERK1MID-INT-LP	Intrinsically safe and low profile	O/S
GERK1MID-INT-HP	Intrinsically safe and high profile	O/S

ICEtrekkers

Chains traction device. Square links are individually TIG welded and made from case-hardened steel. The durable rubber sling is flexible in sub-zero temperatures and stays securely on footwear even in deep snow.



ITEM NO.	STYLE	SIZE
ITR06060	Chains	S
ITR06061	Chains	M
ITR06062	Chains	L
ITR06063	Chains	XL



Heelstop covers the entire heel. Made with industrial quality, freeze-resistant TR rubber. Evenly distributed carbide studs are of military-grade, ice-penetrating tungsten carbide. Velcro® strap. *Specially designed intrinsically safe studs certified to prevent sparking in volatile environments.



ITEM NO.	SIZE	ITEM NO.	SIZE
DEVK1-M	M	DEVINT-M*	M
DEVK1-L	L	DEVINT-L*	L
DEVK1-XL	XL	DEVINT-XL*	XL
DEVK1-XXL	2XL	DEVINT-XXL*	2XL

ICEtrekkers

Diamond Grip™ traction device. Features case hardened steel alloy beads strung on steel aircraft cable. Sturdy rubber slings stay securely on footwear without straps and remain flexible in sub-zero temperatures.



ITEM NO.	STYLE	SIZE
ITR06004	Diamond	S
ITR06005	Diamond	M
ITR06006-L	Diamond	L
ITR06007	Diamond	XL
ITR06029	Diamond	2XL

ICEtrekkers

Spikes traction device. Spikes made of tungsten carbide. Rubber straps.



ITEM NO.	STYLE	SIZE
ITR06065	Spikes	S/M
ITR06066	Spikes	L/XL

PORTABLE HEATERS

Ceramic heater. Power indicator light with two heat settings. 4-position switch. Adjustable thermostat. Tip-over protection.



ITEM NO.	VOLTAGE	WATTS
BRIH005135	120V	750/1500

Fan-forced heater in metal case with two front guards. Features two heat settings, an adjustable thermostat and fan-only setting. Tip-over protection.



ITEM NO.	VOLTAGE	WATTS
BRIH005108	120V	1300/1500

ELECTRICAL CORDS & CABLES



Block heater and extension cords.

ITEM NO.	OUTLETS	GAUGE	RATING	TEMP.	END TYPE	LENGTH
BRIP011000	3	16/3 SJTW	125V	-40° C	Tri-Tap	10'
BRIP010912BL	1	12/3 SJTW	125V	-40° C	Lighted	50'

Booster cables. 500A clamps fit top and side post batteries. Zinc-plated steel clamps with copper inserts. PVC grips. TPR jacket. 100% copper wire.

ITEM NO.	GAUGE	LENGTH'
BRIC000302	2	20
BRIC000305	4	12
BRIC000307	6	12



kleen-flo

Safe-T-Brake™ air brake anti-freeze. Absorbs condensation ensuring complete protection against frozen air lines. Its anti-corrosive agent protects all steel, rubber and brake line parts.

ITEM NO.	SIZE	TYPE
KLF509	950 ML	Bottle
KLF510	4 L	Jug



kleen-flo

Safe-T-Brake™ gas line anti-freeze. Prevents frozen gas lines during winter and vapour lock during summer. Specially designed for fuel injected engines.

ITEM NO.	SIZE (ML)	TYPE
KLF409	150	Bottle
KLF412	500	Bottle



CRC

Magic Oil™ lock lube and de-icer. Graphite formula lubricates seized and frozen locks. Nozzle allows for easy application directly in keyhole. 360° spray valve.

ITEM NO.	SIZE (G)	TYPE
CRC74119	42.5	Aerosol



CRC

JUMP START® starting fluid for fast, economical starts in cold or humid conditions. Also contains an upper cylinder lubricant to minimize wear during cold starts.

ITEM NO.	SIZE (G)	TYPE
CRC75671	311	Aerosol



CRC

Ice-Off™ melts ice, snow, and frost on contact. Harmless to car finish. Thaws frozen locks and is effective to sub-zero temperatures.

ITEM NO.	SIZE (G)	TYPE
CRC75346	340	Aerosol



WINDSHIELD WASHER FLUID



Windshield Washer Antifreeze products are methanol based fluids designed to provide excellent grime, salt and snow cleaning performance under cold weather conditions.

ITEM NO.	SIZE (L)	TEMP.
RCHWWAF	3.78	-35°C



AUTOMOTIVE FLUIDS



50/50 ready-to-use antifreeze.

ITEM NO.	SIZE (L)	DESCRIPTION
KLOKL-CH8950	4	Green Universal
KLOKL-CH-9150	4	Yellow Automotive
KLOKL-CH-9350	4	Red Heavy Duty
KLOKL-CH-9550	4	Gold All Engines



Recochem 99.9% methyl hydrate. A multi-purpose thinner used primarily for thinning shellac, but also makes a good window cleaner and gas line drier.

ITEM NO.	SIZE (L)	TYPE
RCHMHY1	1	Bottle
RCHMHY4	4	Jug
RCHMHY20	20	Pail



Inland Industrial Supply Ltd.

Edmonton, Alberta
9949 – 29A Avenue NW, T6N 1A9
(780) 413-0029
sales@inlandindustrial.ca

Kitimat, British Columbia
615 Enterprise Avenue, V8C 2E4
(778) 631-2041
kitimat@inlandindustrial.ca